KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Eye and Face Protection (Safety Glasses, Face Shields and Googles)

1. VWR® Autoclave Glasses

Frameless autoclave glasses, Anti-fog, scratch-resistant, Clear, —, 20 g

Catalog #: 78123-056

Supplier: VWR International



About this item

VWR® autoclave safety glasses provide reliable eye protection across diverse lab environments. Built to endure repeated autoclave sterilization, they retain clarity, comfort, and durability.

- High-grade polycarbonate lens
- Polycarbonate frame
- Polycarbonate temple
- Stainless steel screws
- Sterilization capability: up to 40 autoclave cycles at 121 °C (250 °F) without degradation
- Anti-fog and scratch-resistant lens coatings
- Clear lens

Packaging: Autoclave glasses are packaged 12 pair per box, 12 boxes per case (144 total pair).

Product Literature

- VWR Autoclave Glasses

Specifications

Description:	
Frameless autoclave glasses	
Lens coating:	
Anti-fog, scratch-resistant	
Lens tint:	
Clear	
Frame color:	
—	
Weight:	
20 g	

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

2. VWR® Protective Eyewear with Adjustable Temples, Anti-Fog

Anti-fog, scratch-resistant, Clear, Black

Catalog #: 89187-984

Supplier: VWR International



About this item

Comfortable, adjustable eye protection for routine lab, pilot plant and facility work, combining sport-style coverage and anti-fog visibility.

- Ratcheting temples lock in place for a customized, more secure fit
- Wraparound styling helps extend side protection during routine lab and facility tasks
- Lightweight nylon frames and soft nose pads improve comfort during longer wear
- Anti-fog polycarbonate lenses help maintain clearer vision while providing UV protection
- Scratch-resistant lenses stand up to frequent cleaning and handling in busy work areas
- ANSI Z87.1 compliance supports eye protection programs in laboratory and industrial settings

Designed for extended wear in laboratory and facility settings, these safety glasses combine an ultra-lightweight frame with soft nose pads to help reduce pressure during long shifts. The low-bulk, wraparound profile supports comfortable movement between benches, equipment and shared work areas.

Adjustable ratcheting temples lock into place to provide a more secure, personalized fit, helping eyewear stay positioned during active tasks. This added stability supports consistent coverage when bending, reaching, or transitioning between work zones.

Impact-resistant polycarbonate lenses deliver reliable protection with 99.9% UV coverage, while the wraparound design enhances side protection and field of view. Anti-fog and scratch-resistant coatings help maintain visibility and extend lens life in environments with frequent cleaning and variable conditions.

Certifications: ANSI Z87.1

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

3. VWR® Protective Eyewear with Wraparound Lens, ANSI Z87.1-Certified

Anti-fog, scratch-resistant, Blue, Blue

Catalog #: 76329-622



Product Details & Documents

Comfortable, protective eyewear with wraparound lens supports extended use during routine lab, maintenance and production tasks.

- Lightweight design fits comfortably with half-mask respirators in multi-PPE work routines
- Rubberized temple tips and integrated nosepiece support a secure, comfortable fit
- Polycarbonate lenses resist impact and scratching for reliable everyday protection
- ANSI Z87.1-certified, with 99.9% UV protection for general workplace use

This super-lightweight, protective eyewear for men and women combines a sleek appearance with rugged durability ideal when users want coverage without the enclosed feel of sealed goggles.

The wraparound style fits comfortably with half-mask respirators, and reduces the need for separate side shields while maintaining a wide field of vision.

Suitable for routine bench work, equipment checks and general facility tasks where splash and impact hazards may be present, the VWR® Protective Eyewear with Wraparound Lens integrates easily into standard PPE programs.

Certifications: ANSI Z87.1 certified.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

4. VWR® Visitor Specs, Clear, Scratch-Resistant

Scratch-resistant/hardcoat, Clear, Clear

Catalog #: 89187-988

Supplier: VWR International



Product Details & Documents

Comfortable over-the-glasses eye protection for visitor, lab and facility use, combining wraparound coverage and scratch-resistant durability to support clear sightlines.

- Fits over most prescription eyewear for convenient shared visitor use
- Wraparound lens design helps maintain peripheral awareness in active work areas
- Contoured brow guard helps reduce particle entry from the upper field
- Scratch-resistant polycarbonate lenses balance durability, clarity, and impact protection
- Clear lenses with UV protection support indoor wear across facilities
- ANSI Z87.1 certified construction supports general workplace eye protection requirements

A practical choice for reception desks, laboratories and production areas that require quick-access eye protection for guests and short-term personnel. The roomy spectacle shape helps simplify site entry workflows without requiring wearers to remove prescription eyewear.

Wide wraparound coverage supports a broad field of view for improved awareness when moving through hallways, benches and equipment zones. A shaped brow area and integrated nose bridge enhance comfort and help maintain a stable fit during routine wear.

Clear lenses are well suited to general indoor tasks where consistent visibility is required. For best performance, clean with appropriate lens-care materials and replace eyewear when lenses become heavily scratched or damaged.

Certifications: ANSI Z87.1 certification.

Specifications

Lens coating:
Scratch-resistant/hardcoat
Lens tint:

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Clear

Frame color:

Clear

---

5. Wraparound Adjustable Safety Glasses

Wraparound safety glasses, adjustable

Catalog #: 470017-066 Supplier: VWR International



.

Product Details & Documents

With these stylish glasses, safety doesn't have to be boring.

- Impact-resistant polycarbonate lenses
- Glasses provide 99.9% UV protection
- Unisex

All models feature an ultra-light wraparound design and are suitable for men and women.

Certifications: Meet ANSI Z87+ Specifications.

Specifications

Description:

Wraparound safety glasses, adjustable

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

6. Economy Safety Glasses

Clear safety glasses

Catalog #: 470003-834

Supplier: VWR International



Product Details & Documents

The 'Clear' choice for all around protection.

- ANSI Z87+ approved
- Ventilated temples

Economy safety glasses for protection against flying particles, these polycarbonate lenses boast a special coating that reduces scratching. One-piece lens provides wraparound protection. These glasses are lightweight, with fully ventilated temples that resist fogging. Can be worn comfortably alone or over prescription lenses for long periods of time.

Documents

Certificates

Search by Lot Number

Specifications

Description:

Clear safety glasse

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

7. VWR® Sport Safety Glasses

Anti-fog, scratch-resistant, Clear, Smoke

Catalog #: 76210-730

Supplier: VWR International



Product Details & Documents

Wrap-around protective glasses combine fashion, fit, and function.

- Anatomically-shaped nose adapts to all faces
- Co-injected comfort pad will not peel off in hot climates
- High-visibility rubber color
- Polycarbonate lens
- Provides 99.9% UV protection

Inner temple coated with elastomer for excellent grip and soft cushioning with impact-resistance.

Certifications: Meets ANSI Z87.1 standards.

Documents

Certificates

Search by Lot Number

Product Literature

- VWR Protection Apparel
- VWR® Focus Production Vol 1 Issue 2
- VWR® Protective Eyewear

Specifications

Lens coating:	
Anti-fog, scratch-resistant	
Lens tint:	
Clear	
Frame color:	
Smoke	

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

8. VWR® Maximum Protection Antifog Full Face Shields

Elastic headstrap, 0.18 mm, ±0.02, 33.5 cm ($13^{3}/_{16}$"), 19 cm ($7^{1}/_{2}$")

Catalog #: 414004-679

Supplier: VWR International



Product Details & Documents

Clear, antifog, full-face splash protection for routine lab and controlled-workspace use, to help maintain visibility and operator confidence during lab and clinical tasks.

- Antifog shield helps maintain clear visibility during splash-prone lab tasks
- Full-face coverage protects the front and sides of the face
- Optically clear, low-glare PET visor provides distortion-free viewing
- Latex-free construction avoids allergic reactions
- Choice of elastic or Velcro® headband for secure, adjustable fit
- Fits easily over eyewear for simpler PPE integration

These face shields are suited for workflows where added facial splash coverage helps support safer handling, cleaning, and general laboratory activity. The broad shield design helps maintain a clear field of view while covering more of the face than basic eye protection alone.

The product family is designed to balance protection and wearability for longer tasks. An antifog coating helps preserve visibility in active environments, while the lightweight shield and cushioned forehead contact area improve day-to-day comfort.

Produced under stringent process controls in an ISO-certified facility and validated through rigorous quality checks, these face shields are part of the VWR Maximum Protection PPE portfolio. They integrate easily with other eye and respiratory protection - and can be worn over safety glasses or goggles when layered defense is required.

Specifications

Description:
Elastic headstrap

Thickness:
0.18 mm, ±0.02

Length:
33.5 cm ($13^{3}/_{16}$")

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Height:
19 cm (7 1/2")

---

9. VWR® Disposable Sterile Face Shield

VWR® Disposable Sterile Face Shield, Transparent, 174 x 95 cm (68.5 x 37.4")

Catalog #: 89234-522

Supplier: VWR International



Product Details & Documents

Disposable ETO sterile faceshields are made of transparent anti-fog polyethylene film with an elastic band.

- Transparent anti-fog polyethylene construction
- Elastic band
- Provides long-lasting comfort

Face shields are individually packaged, and provide long-lasting comfort with a secure fit.

Application: laboratory, electric, or pharmaceutical cleanroom.

Certifications: ISO9001, ISO13485, ISO14001. CE marked. GMP.

Documents

Certificates

Search by Lot Number

Specifications

Description:
VWR® Disposable Sterile Face Shield

Color:
Transparent
Size:
174 x 95 cm (68.5 x 37.4")

---

10. VWR® Ratchet Headgear with Face Shield

Headgear and shield, 2.0 mm

Catalog #: 76336-850

Supplier: VWR International



Product Details & Documents

The VWR® Ratchet Headgear with Face Shield provides full face protection from debris and splash hazards. Ideal for use in many environments ranging from the lab to industrial applications.

- Lightweight design
- Ratchet headgear features padded headband for better fit and comfort
- Face shield features universal slot design compatible with many different headgear styles
- Fits comfortably with respirator or eyewear
- Impact-resistant, scratch-resistant polycarbonate shield

Face shields should be worn with ANSI approved eyewear.

Certifications: ANSI Z87.1 certified

Documents

Certificates

Search by Lot Number

Product Literature

- Avantor Focus Production Volume 3 Issue 1
- FOCUS Industrial Volume 02 Issue 01

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- VWR Personal Protective Equipment Guide for Handling Ammonia
- VWR Personal Protective Equipment Guide for Handling Dichloromethane
- VWR Personal Protective Equipment guide for handling Isopropyl Alcohol

More

Specifications

Description:
Headgear and shield
Thickness:
2.0 mm

---

11. JacksonSafety Maxview Premium Face Shields

Clear, PC (window), Polyeurethane foam (head band), ABS (crown), Spherical, uncoated, Black, Clear, 9.24×14.25×0.040"

Catalog #: 76558-566

Supplier: Sellstrom

Supplier Number: 14200



.

Product Details & Documents

Maxview is designed for maximum face protection coverage with an extra-large clear polycarbonate window offered either uncoated or with Sta-Clear anti-fog coating. The high-impact window is framed on the side and chin areas and includes an extra-large crown for unsurpassed coverage.

- Lightweight and balanced construction for all-day comfort

Up and down detents lock securely in place until manually adjusted

Oversized fine-tooth ratcheting knob helps prevent overtightening

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Patented rear swivel adjuster band for quick fit refinement

Extra-large crown and framed window design enhances overall coverage

This design delivers exceptional optical clarity and an industry-leading panoramic view, providing coverage from head to lower neck and side-to-side. The integrated side and chin guard helps protect against splashes and flying debris, while the extended crown helps protect against hazards from above.

Maxview features Jackson Safety's exclusive 370 Speed Dial headgear system with an oversized fine-tooth ratcheting knob for a more precise fit without overtightening and easy adjustment even while wearing gloves. A patented rear swivel adjuster band helps deliver a consistent fit. Jackson Safety, established in 1933, is known for innovative welding and personal protective equipment solutions focused on value, durability, and comfort.

Certifications: Meets or exceeds ANSI Z87.1 and CSA Z94.3 standards.

Specifications
Color:
Clear
Material:
PC (window), Polyeurethane foam (head band), ABS (crown)
Style:
Spherical, uncoated
Frame color:
Black
Lens tint:
Clear
Dimensions:
9.24×14.25×0.040"

12. JacksonSafety Quad™ 500 Supreme Multi-Purpose Face Shields

Quad™ 500 series face shield, 370 speed dial™ ratcheting suspension, no visor tint, anti-fog, Clear, Polycarbonate, 0.060", 8.25×11.5×0.60"

Catalog #: 76558-344

Supplier: Sellstrom

Supplier Number: 14220

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

The QUAD 500 offers an unparalleled range of face and eye protection solutions for almost every application including grinding, cutting, oxy/acetylene, plasma cutting and brazing. It offers exceptional panoramic views with virtually no distortion.

- Extra large crown and integrated side and chin guard provide unsurpassed above the neck face protection

Optional shade 5 and 8 flip-up visors deliver unmatched versatility and uninterrupted protection

Designed to be used with most goggles, respirators and all safety glasses

The Quad™ 500 is a supreme multi-purpose face shield designed to offer maximum above-the-neck protection for almost every application including grinding, cutting, oxy/acetylene applications, plasma cutting, and much more. Made with an extra-large crown to provide added top of head protection. Integrated side and chin guard provides maximum protection against splash and flying debris. Extra-large window featuring premium Sta-Clear™ coating provides superior panoramic views and fog-free results. Exclusive 370™ Speed Dial ratcheting headgear provides maximum comfort and fit. Clear and flip windows are made with detents that conveniently lock in both the up and down position.

Headband material: Polyeurethane foam

Face shield system style: Full-frame face shield

Chin guard and crown color: Black

Protection: Cutting, grinding, splash, dust, flying debris, UV-A, UV-B, UV-C

Specifications

Description:

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Quad™ 500 series face shield, 370 speed dial™ ratcheting suspension, no visor tint, anti-fog

Color:	
Clear	
Material:	
Polycarbonate	
Thickness:	
0.060"	
Dimensions:	
8.25×11.5×0.60"	

---

13. Nalgene® Safety Face Shield, Thermo Scientific

Safety face shield, 1.5 mm ($1/16$")

Catalog #: 33007-107

Supplier: Thermo Fisher Scientific

Supplier Number: 6355-0001



Product Details & Documents

Provides high impact and UV light protection in a wraparound design.

- Optically clear window polycarbonate for high impact protection
- Polyethylene headdress is adjustable
- Wraparound design safeguards front and sides; full height protects neck and top of head
- Can be worn comfortably over safety goggles
- Proven protection from UV light in frequency range from 200–360 nm

Thickness: 1.5 mm (0,06 ")

Certifications: Meets ANSI Z87.1 standard. Meets OSHA standard 29 CFR, Part 1910.1030 for use as protection against bloodborne pathogens.

Specifications

Description:	

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Safety face shield

Thickness:

1.5 mm ($1/16$")

---

14 .Boreal® Chemical Splash Goggles

Boreal® G-03 chemical splash goggles, Anti-fog, Polycarbonate, PVC

Catalog #: 470363-440

New Product

Supplier: VWR International



Product Details & Documents

Wide vision goggles provide a high level of comfort and maximum splash protection.

- Wraparound modern style provides excellent panoramic vision
- Fits most facial contours
- Comfortably fits over most prescription glasses
- Indirect ventilation
- Provides 99.9% UV protection

These high-quality safety goggles feature a modern, wraparound style with fogless, distortion-free, panoramic lenses. They are equipped with indirect venting for liquid splash protection and internal relief slots to reduce interference with prescription glasses. The wide elastic strap with adjustable buckle attaches to the frame with a swivel clip for a comfortable fit. The nose area is split for greater comfort and the wide facial flange provides a secure seal to almost every face.

Certifications: Goggles meet ANSI Z87.1:2020 standards.

Specifications

Description:

Boreal® G-03 chemical splash goggles

Lens coating:

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Anti-fog

Lens material:

Polycarbonate

Frame material:

PVC

---

15. Ward's® Chemical Splash Goggles

Ward's® G-03 chemical splash goggles, Anti-fog, Polycarbonate, PVC

Catalog #: 470363-436

New Product

Supplier: VWR International



Product Details & Documents

Wide vision goggles provide a high level of comfort and maximum splash protection.

- Wraparound modern style provides excellent panoramic vision
- Fits most facial contours
- Comfortably fits over most prescription glasses
- Indirect ventilation
- Provides 99.9% UV protection

These high-quality safety goggles feature a modern, wraparound style with fogless, distortion-free, panoramic lenses. They are equipped with indirect venting for liquid splash protection and internal relief slots to reduce interference with prescription glasses. The wide elastic strap with adjustable buckle attaches to the frame with a swivel clip for a comfortable fit. The nose area is split for greater comfort and the wide facial flange provides a secure seal to almost every face.

Certifications: Goggles meet ANSI Z87.1:2020 standards.

Specifications

Description:

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Ward's® G-03 chemical splash goggles

Lens coating:

Anti-fog

Lens material:

Polycarbonate

Frame material:

PVC

---

16. VWR® Disposable Goggles, Sterile, Anti-Fog

Indirect ventilation disposable goggle, sterile, Clear, Anti-fog, anti-scratch, PC, PVC

Catalog #: 10770-152

Supplier: VWR International



Product Details & Documents

Sterile disposable goggles provide reliable eye protection for cleanroom and controlled environment workflows.

- Anti-fog, anti-scratch lens helps maintain visibility during routine cleanroom tasks
- ANSI Z87.1 compliant for regulatory confidence
- Fits over prescription glasses to ensure eye protection and ease of use
- Direct and indirect vent options allow teams to align comfort and protection preferences
- Individually bagged for cleaner donning and simplified transfer into controlled spaces

Designed for contamination-controlled environments, these goggles support eye protection during gowning, entry and routine operations.

Polycarbonate lenses provide clarity and durability, while ventilation options allow balance between airflow and splash resistance. Manufactured under strict quality standards.

Select vent type based on exposure risk and comfort needs. Suitable for single-use sterile workflows requiring simplified PPE management.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Documents

Certificates

Search by Lot Number

- 10770-146_12492
- 10770-146_12492(JL78_200626306)
- 10770-146_12492(JL79_200626460)
- 10770-146_12492(JL8O_200627462)
- 10770-152_12492(J179_200626460)

Product Literature

- Production Insight Solutions for Controlled Environments and Manufacturing Processes
- VWR Production insight V1
- VWR Protection Apparel
- VWR Protective Eyewear
- VWR® Focus Production Vol 1 Issue 2

More

Datasheet

- Sterile Disposable Goggles Data Sheet_FINAL_v3 3-22-16

Specifications
Description:
Indirect ventilation disposable goggle, sterile
Lens tint:
Clear
Lens coating:
Anti-fog, anti-scratch
Lens material:
PC
Frame material:
PVC

---

17. VWR® Nonsterile Safety Goggles

Indirect ventilation, Uncoated, PC, PVC

Catalog #: 76017-902

Supplier: VWR International

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



.

Product Details & Documents

Economical non sterile safety goggles are designed to protect from hazards with a flexible ridge around a PVC frame.

- Two ventilation options available
- Goggles fit over most prescription glasses
- Fully adjustable headband
- Provides 99.9% UV protection

These economical, lightweight, flexible mask goggles offer unmatched comfort and protection.

The indirect vent goggles feature quad vents to minimize lens fogging. Indirect vents offer protection from chemical splashes and impact.

The direct vent goggles offer direct perforations in the mask to provide maximum airflow and prevent fogging. Direct vent option provides protection from flying particles.

They can be worn over personal glasses. A broad bearing surface around the edge of the mask molds snugly to the wearer's face. The anti-fog lens coating provides superior fogging protection. The goggles meet ANSI Z87 requirements.

Certifications: Meet ANSI Z87+ 1-2015 standards.

Documents

Certificates

Search by Lot Number

Product Literature

- Avantor Focus Production Volume 3 Issue 1
- Focus Industrial
- VWR Protection Apparel
- VWR Protection from Head to Toe
- VWR Protective Eyewear

More

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Datasheet

- VWR Non-Sterile Safety Goggles

Specifications

Description:	
Indirect ventilation	
Lens coating:	
Uncoated	
Lens material:	
PC	
Frame material:	
PV	

---

18. VWR® Chemical Splash Goggle

G-05-2 chemical splash goggle

Catalog #: 470330-546

Supplier: VWR International



.

Product Details & Documents

Wide vision goggles provide high levels of comfort and maximum splash protection.

- Wraparound modern style provides excellent panoramic vision
- Indirect ventilation
- Anti-fog coated lens
- Comfortably fits over most prescription glasses
- Fits most facial contours

These high-quality safety goggles feature a modern, wraparound style with fogless, distortion-free panoramic lenses. They are equipped with indirect venting for liquid splash protection and internal relief slots to reduce interference with prescription glasses.

Certifications: Meet ANSI Z87+ 1-2015 standards.

Specifications

Description:	

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

19. VWR® Indirect Vent Safety Goggles

Indirect vent safety goggle, pack of 10, Anti-fog

Catalog #: 470311-272

Supplier: VWR International



Product Details & Documents

These economical goggles protect students from chemical splashes and impact with premium comfort.

- Indirect ventilation
- Quad vents to minimize lens fogging
- Goggles fit over most prescription glasses
- Antifog coating for improved wearability

These goggles provide excellent eye protection without sacrificing comfort. The soft PVC frame remains supple and won't pinch your face. They feature hooded, quad, and indirect vents to minimize lens fogging and provide optimal peripheral vision.

Certifications: Meet ANSI Z87+ and D3 standards.

Documents

Certificates

Search by Lot Number

Specifications

Description:	
Indirect vent safety goggle, pack of 10	
Lens coating:	
Anti-fog	

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

20. **VWR® Prague, Safety Spectacles**

Type: Anti-UV, anti-scratch, anti-fog, Colour: Blue, Lenses: Clear PC

Catalog #: 111-1846

Supplier: VWR Collection



Product Details & Documents

These economical, compact cover glasses (OTG) fit over most prescription eyewear.

- Pantoscopic adjustment allows lens angle modification
- Adjustable temple length

Certifications: Compliant with EN 166, EN 170; VWR® EN 166 FT CE (frame); VWR® 2C-1,2 1 FT (lens)

Documents

Images 360

- 111-1846

Certificate of Compliance

- CoC VWR Safety Spectacles.pdf

CD Declaration

- EUDoC_portal_info

Datasheet

- TDS Safety Spectacle Prague

Product Literature

- VWR® for Lab Safety
- VWR® Safety Eyewear

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Specifications

- Type:

  Anti-UV, anti-scratch, anti-fog

- Colour:

  Blue

- Lenses:

  Clear PC

- Cat. No.:

  111-1846

21. VWR® Stockholm, Safety Spectacles

Stockholm spectacles, Type: Anti-UV, anti-scratch, anti-fog, Colour: Transparent/black

Catalog #: 111-1844

Supplier: VWR Collection



Product Details & Documents

Extremely lightweight, modern safety eyewear with outstanding field of vision and exceptional protection.

- Moulded-in nose bridge provides uncompromised comfort and fit
- Single-piece lens that will fit most faces
- Soft rubber tip for additional comfort

Certifications: Compliant with EN 166:2001, EN 170, ISO 9001:2008; 166 FT CE (frame) 1 FT (lens)

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Documents

Images 360

- 111-1844

Certificate of Compliance

- CoC VWR Safety Spectacles.pdf

CD Declaration

- EUDoC_portal_info

Datasheet

- TDS Safety Spectacle Stockholm

Product Literature

- VWR® for Lab Safety
- VWR® Safety Eyewear

Specifications

- Description:

Stockholm spectacles

- Type:

Anti-UV, anti-scratch, anti-fog

- Colour:

Transparent/black

- Lenses:

Clear PC

Accessories

22. VWR® Barcelona, Safety Spectacles

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Type: Anti-UV (2-1,2), anti-scratch, anti-fog, Colour: Grey/blue, Lenses: Clear PC

Catalog #: 111-1848

Supplier: VWR Collection



Product Details & Documents

Modern and stylish design glasses with sturdy polycarbonate frame.

- Nose pad made from soft material for extra comfort and to avoid slippage
- Soft temple dual-injected rubber to fit different head profiles
- Pantoscopic adjustment

Certifications: Compliant with EN 166, EN 170; VWR® EN 166 FT CE (frame); VWR® 2C-1,2 1 FT (lens)

Documents

Images 360

- 111-1848

Certificate of Compliance

- CoC VWR Safety Spectacles.pdf

CD Declaration

- EUDoC_portal_info

Datasheet

- TDS Safety Spectacle Barcelona

Product Literature

- VWR® for Lab Safety
- VWR® Safety Eyewear

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Specifications

- Type:

Anti-UV (2-1,2), anti-scratch, anti-fog

- Colour:

Grey/blue

- Lenses:

Clear PC

23. VWR® Dublin, Safety Spectacles

Type: Anti-UV (2 - 1,2), anti-scratch, anti-fog, Colour: Transparent, Lenses: Clear PC

Catalog #: 111-0929

Supplier: VWR Collection



Product Details & Documents

Lightweight spectacles with clear polycarbonate lens.

- Anti-scratch/anti-fog coating
- Moulded brow guard
- Soft nose pad
- Soft rubber temple pads

Weight: 25,5 g

EN 166, EN 170; 1 FT

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Certifications: Compliant with EN 166, EN 170; VWR® EN 166 FT CE (frame); VWR® 2C-1,2 1 FT (lens)

Documents

Images 360

- 111-0929

Certificate of Compliance

- CoC VWR Safety Spectacles.pdf

CD Declaration

- EUDoC_portal_info

Datasheet

- TDS VWR Safety Spectacle Dublin

Product Literature

- VWR® for Lab Safety
- VWR® Safety Eyewear

Specifications

- Type:

Anti-UV (2 - 1,2), anti-scratch, anti-fog

- Colour:

Transparent

- Lenses:

Clear PC

Accessories

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

24. VWR® Oslo, Safety Spectacles

Type: Anti-UV (2-1.2), anti-scratch, anti-fog, Colour: Transparent, Lenses: Clear PC

Catalog #: 111-0932

Supplier: VWR Collection



Product Details & Documents

Safety spectacles with wrap-around, clear polycarbonate lens and indirect ventilation.

- Anti-scratch/anti-fog coating
- Integrated side shields
- Integrated brow guard
- Adjustable temple length

Weight: 35 g

EN 166, EN 170; 1 FT

Certifications: Compliant with EN 166, EN 170; VWR® EN 166 FT CE (frame); VWR® 2C-1,2 1 FT (lens)

Documents

Images 360

- 111-0932

Certificate of Compliance

- CoC VWR Safety Spectacles.pdf

CD Declaration

- EUDoC_portal_info

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Literature

- VWR® for Lab Safety
- VWR® Safety Eyewear

Specifications

- Type:

Anti-UV (2-1.2), anti-scratch, anti-fog

- Colour:

Transparent

- Lenses:

Clear PC

25. VWR® Vienna, Safety Spectacles

Type: Anti-UV (2-1.2), anti-scratch, anti-fog, Colour: Transparent, Lenses: Clear PC

Catalog #: 111-0931

Supplier: VWR Collection



Product Details & Documents

Lightweight safety glasses with clear PC lens.

- Anti-scratch/anti-fog coating
- Pantoscopic adjustment for angle modification
- Moulded brow guard
- Adjustable temple length

Weight: 26 g

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

EN 166, EN 170; 1 FT

Certifications: Compliant with EN 166, EN 170; VWR® EN 166 FT CE (frame); VWR® 2C-1,2 1 FT (lens).

Documents

Images 360

- 111-0931

Certificate of Compliance

- CoC VWR Safety Spectacles.pdf

CD Declaration

- EUDoC_portal_info

Datasheet

- TDS VWR Safety Spectacle Vienna

Product Literature

- VWR® for Lab Safety
- VWR® Safety Eyewear

Specifications

- Type:

Anti-UV (2-1.2), anti-scratch, anti-fog

- Colour:

Transparent

- Lenses:

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

26. VWR® Lisbon, Visitor Spectacles

Type: Anti-UV (2-1.2), anti-scratch, anti-fog, Colour: Transparent, Lenses: Clear PC

Catalog #: 111-0930

Supplier: VWR Collection



Product Details & Documents

Visitor glasses with wrap-around, clear polycarbonate lens and indirect ventilation.

- Anti-scratch/anti-fog coating
- Integrated brow guard
- Vented side shields

Weight: 46 g

Certifications: Compliant with EN 166, EN 170; VWR® EN 166 FT CE (frame); VWR® 2C-1,2 1 FT (lens).

Documents

Images 360

- 111-0930

Certificate of Compliance

- CoC VWR Safety Spectacles.pdf
- COC_VWRI111-0930_0222

CD Declaration

- EUDoC_portal_info

Datasheet

- TDS VWR Visitor Spectacle Lisbon

Product Literature

- VWR® for Lab Safety

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- VWR® Safety Eyewear

Specifications

- Type:

  Anti-UV (2-1.2), anti-scratch, anti-fog

- Colour:

  Transparent

- Lenses:

  Clear PC

27. Safety spectacle, SecureFit™ 200 series

SF201SGAF-BLU+ U6 lens marking, Type: Anti-UV, anti-scratch, anti-fog, Colour: Clear/blue

Catalog #: 111-2572

Supplier: 3M



Product Details & Documents

SecureFit™ 200 safety glass is lightweight, with 3M™ Pressure Diffusion Temple Technology. It feature a clear, anti-scratch and superior anti-fog lens, and a wraparound design that's secure and comfortable.

- Diffuse pressure over the ear with 3M™ Pressure Diffusion Temple Technology
- Soft, adjustable nose pads provide added comfort
- Flat and flexible temples combine easily with earmuffs and provide solid side protection
- Wraparound design gives the user a wide field of vision
- Scotchgard™ anti-fog coating offers superior anti-fog and anti-scratch properties
- Excellent protection against Ultraviolet (UV) radiation
- A removable foam-lined gasket is available

Wraparound, lightweight, and self-adjusting SecureFit™ 200 safety glass weigh just 18 g and offer a comfortable fit. They feature 3M™ Pressure Diffusion Temple Technology that allows the temple touchpoints to naturally adjust to an individual's head size. The clear lens features Scotchgard™ anti-fog coating to ensure clear visibility, resisting fogging longer than traditional anti-fog coatings even after washing multiple times, including using alcohol wipes or disinfecting by soaking in diluted bleach. Superior anti-fog and anti-scratch properties provide increased durability and visibility.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Wide, flexible temple arms over the ears provide solid side protection and work well with earmuffs. The wraparound design gives the user a wide field of vision and helps to reduce slippage from head movements.

Certifications: Compliant with EN 166, EN 170; EN 166 FT CE (frame)

Documents

Product Literature

- 3M™ PSD Product Catalogue
- 3M™ SecureFit™ Safety Glasses

Datasheet

- TDS 3M™ SecureFit™ SF200 Series Protective Eyewear
- TDS 3M™ SecureFit™ SF200 Series Protective Eyewear Datasheet
- TDS Spectacles securefit 200 sf201sgaf-blu

Specifications

- Description:

  SF201SGAF-BLU+ U6 lens marking

- Type:

  Anti-UV, anti-scratch, anti-fog

- Colour:

  Clear/blue

- Lenses:

  Clear PC (2C-1.2 3M 1 FT)

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

28. Foam insert, SecureFit™

Foam insert for 3M™ SecureFit™ safety spectacles 600 series

Catalog #: 111-2291

Supplier: 3M



Product Details & Documents
3M™ SecureFit Foam insert provides a close fit and fills the gap between the eyewear and the wearer's face.

- Provides close and secure fit
- Reduces injury from projectiles and other debris

For SecureFit 600.
Documents
Datasheet

- 2 SecureFit_SF600_Technical_Data_Sheetso
- TDS Foam insert sf600fi-eu for securefit 600

Specifications

- Description:

Foam insert for 3M™ SecureFit™ safety spectacles 600 series

29. Safety spectacles, SecureFit™ 400X series

Supplier: 3M



KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

SecureFit™ 400X safety glasses feature 3M™ Pressure Diffusion Temple Technology, wide flexible temple arms, and a combined soft nose bridge and brow guard. These lightweight safety glasses feature a clear, anti-scratch and superior anti-fog, rimless polycarbonate lenses.

- Safety glasses with 3M™ Pressure Diffusion Temple Technology for comfort
- Wrap-around design improves the security of fit and prevents slipping
- Padded temple touch points for increased comfort over the ears
- Soft nose bridge for a more comfortable fit
- Contoured brow guard provides additional coverage from flying particles
- Rugged anti-scratch coating meets the K marking requirements of EN 166
- Clear lens for excellent protection against ultraviolet (UV) radiation

Lightweight eye protection designed for comfort and performance, these safety glasses weigh just 22 g and have a contemporary, stylish look. The 3M™ Pressure Diffusion Temple Technology ensures a comfortable fit, with wide, flexible temple arms over the ears that provide solid side protection and padding for increased comfort. The soft nose bridge and contoured brow guard rest comfortably against the forehead to help provide additional protection from flying particles, and the wraparound design gives the user a wide field of vision as well as reducing slippage from head movements.

Scotchgard™ anti-fog coating ensures clear visibility, resisting fogging longer than traditional anti-fog coatings even after washing multiple times, including using alcohol wipes or disinfecting by soaking in diluted bleach. Superior anti-fog and anti-scratch properties provide increased durability and visibility. These glasses also combine well with earmuffs.

Certifications: Compliant with EN 166, EN 170; 3M EN 166 FT CE (frame).

Documents

Product Literature

- 3M™ PSD Product Catalogue
- 3M™ SecureFit™ Safety Glasses

Videos

- 3M™ SecureFit™ Protective Eyeware

Datasheet

- TDS 3M™ SecureFit™ 400
- TDS 3M™ SecureFit™ 400X Series
- TDS 3M™ SecureFit™ Family of Safety Glasses
- TDS 3M™ SecureFit™ Safety Glasses
- TDS 3M™ SecureFit™ SF400 Series Safety Spectacles

More

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

GLOVES and HAND PROTECTION

1. VWR® Butyl Isolator/Glovebox Gloves

Glovebox glove, Anti-static: <108 Ω, Glove size: 25.4 cm (10") port, Black, 81.3 cm (32"), 15 mil, Bagged

Catalog #: 78048-406

Supplier: VWR International



Product Details & Documents

These gloves are ideal for handling polar hydrocarbons such as ketones, acids, esters, and amine derivatives. They provide excellent protection due to their high gas impermeability.

- Excellent impermeability against gas and liquid
- Good chemical resistance
- Good resistance to ozone and UV

Butyl material ensures flexibility and a reliable grip, even in cold environments. Their resistance to extreme temperatures makes the gloves suitable for use in harsh or variable climates. Whether in chemical processing or industrial settings, these gloves offer dependable performance and comfort, maintaining dexterity without compromising safety. The unique combination of chemical resistance and physical durability makes the gloves a preferred choice for demanding applications.

Certifications: Standards - EN ISO 21420: 2020; EN 388: 2016+A1:2018; EN ISO 374-1: 2016+A1:2018; EN ISO 374-5: 2016; EN 421: 2010

Packaging: 1 pair per sealed plastic bag. 20 pairs per case.

Documents

Certificates

Search by Lot Number

Conformity declaration

- CoQ VWR Butyl Glovebox Gloves.pdf

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Datasheet

- TDS VWR® Glovebox Gloves.pdf

Specifications

Description:	
Glovebox glove, Anti-static: <108 Ω, Glove size: 25.4 cm (10") port	
Glove color:	
Black	
Length:	
81.3 cm (32")	
Thickness:	
15 mil	
Packaging:	
Bagged	
Cat. No.:	
78048-406	
Ambidextrous/Hand-specific:	
Ambidextrous	
Disposable/Reusable:	
Reusable	
Latex/Latex-free:	
Latex-Free	
Powdered/Powder-free:	
Powder-Free	
Material:	
High Performance Butyl	
Finish:	
Smooth	
Cuff Style:	
Beaded	
Tensile Strength:	
>9MPa	
Ultimate Elongation:	
>600%	
Sterility:	
Non-sterile	
Anti-Static:	
+	

---

2. VWR® EPDM Isolator/Glovebox Gloves

Glovebox glove, Anti-static: <108 Ω, Glove size: 25.4 cm (10") port, Black, 81.3 cm (32"), 15 mil, Bagged

Catalog #: 78048-428

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Supplier: VWR International



Product Details & Documents

These glovebox gloves offer outstanding protection with exceptional resistance to oxygen, ozone-induced aging, UV rays, steam, heat, and a wide range of chemical agents.

- Excellent chemical resistance
- High resistance to ozone and UV
- Excellent resistance to sterilizing agents and steam

Their durable EPDM construction makes the gloves ideal for demanding environments where long-term exposure to harsh elements is expected. These gloves are particularly recommended for handling oxidizing agents, concentrated nitric acid, strong alkalis, and alcohols. Their robust chemical resistance, combined with flexibility and comfort, ensures reliable performance in laboratory, pharmaceutical, and industrial glovebox applications. A trusted choice for professionals requiring high safety standards and consistent protection.

Certifications: Standards - EN ISO 21420: 2020; EN 388: 2016+A1:2018; EN ISO 374-1: 2016+A1:2018; EN ISO 374-5: 2016

Packaging: 1 pair per sealed plastic bag. 20 pairs per case.

Documents

Certificates

Search by Lot Number

Conformity declaration

- CoQ VWR EPDM Glovebox Gloves.pdf

Datasheet

- TDS VWR® Glovebox Gloves.pdf

Specifications

Description:

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Glovebox glove, Anti-static: <108 Ω, Glove size: 25.4 cm (10") port

Glove color:
Black

Length:
81.3 cm (32")

Thickness:
15 mil

Packaging:
Bagged

Cat. No.:
78048-428

Ambidextrous/Hand-specific:
Ambidextrous

Disposable/Reusable:
Reusable

Latex/Latex-free:
Latex-Free

Powdered/Powder-free:
Powder-Free

Material:
EPDM

Finish:
Smooth

Cuff Style:
Beaded

Tensile Strength:
>9MPa

Ultimate Elongation:
>600%

Sterility:
Non-sterile

Anti-Static:
+

---

3. VWR® Butyl Isolator/Glovebox Gloves

Glovebox glove, Anti-static: <108 Ω, Glove size: 25.4 cm (10") port, Black, 81.3 cm (32"), 15 mil, Bagged

Catalog #: 78048-406

Supplier: VWR International

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

These gloves are ideal for handling polar hydrocarbons such as ketones, acids, esters, and amine derivatives. They provide excellent protection due to their high gas impermeability.

- Excellent impermeability against gas and liquid
- Good chemical resistance
- Good resistance to ozone and UV

Butyl material ensures flexibility and a reliable grip, even in cold environments. Their resistance to extreme temperatures makes the gloves suitable for use in harsh or variable climates. Whether in chemical processing or industrial settings, these gloves offer dependable performance and comfort, maintaining dexterity without compromising safety. The unique combination of chemical resistance and physical durability makes the gloves a preferred choice for demanding applications.

Certifications: Standards - EN ISO 21420: 2020; EN 388: 2016+A1:2018; EN ISO 374-1: 2016+A1:2018; EN ISO 374-5: 2016; EN 421: 2010

Packaging: 1 pair per sealed plastic bag. 20 pairs per case.

Documents

Certificates

Search by Lot Number

Conformity declaration

- CoQ VWR Butyl Glovebox Gloves.pdf

Datasheet

- TDS VWR® Glovebox Gloves.pdf

Specifications

Description:	
Glovebox glove, Anti-static: <108 Ω, Glove size: 25.4 cm (10") port	
Glove color:	
Black	
Length:	

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

81.3 cm (32")

Thickness:

15 mil

Packaging:

Bagged

Cat. No.:

78048-406

Ambidextrous/Hand-specific:

Ambidextrous

Disposable/Reusable:

Reusable

Latex/Latex-free:

Latex-Free

Powdered/Powder-free:

Powder-Free

Material:

High Performance Butyl

Finish:

Smooth

Cuff Style:

Beaded

Tensile Strength:

>9MPa

Ultimate Elongation:

>600%

Sterility:

Non-sterile

Anti-Static

---

4. VWR® Heavy-Duty Nitrile Examination Gloves

Small, Blue, 30.5 cm (12")

Catalog #: 78142-626

Supplier: VWR International

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

The thickest glove in the VWR® nitrile examination glove range. Designed for extended protection, superior durability, and trusted performance.

- Heavy-duty protection with 8 mil palm and 9 mil finger thickness
- Extended 12" cuff provides additional wrist and forearm coverage
- Powder-free nitrile construction helps reduce contamination concerns and latex-related sensitivities
- Palm-textured grip improves handling and control during precision tasks
- Chemotherapy drug and fentanyl tested
- Ambidextrous, beaded cuff design for easy donning and secure fit
- Non sterile for versatile laboratory, healthcare, and industrial use

Designed for demanding laboratory, healthcare, pharmaceutical, and industrial environments, VWR® Heavy-Duty Nitrile Examination Gloves provide exceptional protection, comfort, and durability. Featuring a robust 8 mil palm thickness and an extended 12" cuff, these powder-free nitrile gloves offer enhanced coverage and resistance for tasks requiring superior barrier protection.

Ordering information: Available in sizes small through XXL to accommodate a wide range of users.

Packaging: 50 gloves per dispenser box, 10 boxes per case.

Specifications

Glove size:	
Small	
Glove color:	
Blue	
Length:	
30.5 cm (12")	
Cat. No.:	
78142-626	
Ambidextrous/Hand-specific:	
Ambidextrous	
Disposable/Reusable:	
Disposable	

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Latex/Latex-free:
Latex-Free
Powdered/Powder-free:
Powder-Free
Cuff Thickness:
5 mil
Finger Thickness:
9 mil
Palm Thickness:
8 mil

---

5. VWR® Class 100 Non Sterile Green Nitrile Gloves

X-Large, Green, 30.5 cm (12"), 4.3 mil, Double polybag

Catalog #: 78563-854

New Product

Supplier: VWR International



Product Details & Documents

Ensure superior protection and contamination control with 12" Cleanroom Class 100 Ambidextrous Green Nitrile Gloves. Designed for ISO Class 5 (Class 100) cleanroom environments, these gloves deliver exceptional durability, chemical resistance, and comfort.

- Premium nitrile material offers superior puncture and chemical resistance compared to latex or vinyl
- Extended 12" cuff provides added forearm protection for sensitive tasks
- Ambidextrous design fits either hand for convenience and reduced inventory complexity
- Powder-free and low particulate formulation is ideal for contamination-sensitive environments
- Textured fingertips enhance grip and tactile sensitivity for precision handling
- Distinctive green color allows easy identification and compliance with color-coded protocols

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Combining maximum protection against chemicals and particulates with a comfortable fit for extended wear without hand fatigue, these ambidextrous nitrile gloves are also latex-free to eliminate allergy concerns.

These ambidextrous green nitrile gloves are perfect for critical applications in cleanroom operations, pharmaceutical production, electronics assembly, biotechnology, and other controlled environments requiring strict contamination control.

Antistatic: $<5\times10^{11}$ ohms

Certifications: Gloves meet Class 100 (ISO 5) standards for low particulate and ionic contamination.

Packaging: Gloves are packaged 50 pair per double polybag, 10 bags per liner and carton.

Caution: Gloves must be stored in original packaging in a cool, dry, and well-ventilated area, located away from dust, direct sunlight, moisture, X-rays and excessive heat. Improper storage may result in shortening of the shelf life or a change in product properties.

Documents

Certificates

Search by Lot Number

Specifications

Glove size:	
X-Large	
Glove color:	
Green	
Length:	
30.5 cm (12")	
Thickness:	
4.3 mil	
Packaging:	
Double polybag	
Cat. No.:	
78563-854	
Ambidextrous/Hand-specific:	
Ambidextrous	
Disposable/Reusable:	
Disposable	
Latex/Latex-free:	
Latex-Free	
Powdered/Powder-free:	
Powder-Free	
Cleanroom Class:	
100/ISO 5	

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Finish:
Textured fingertips
Cuff Style:
Beaded
Cuff Thickness:
0.1 mm
Finger Thickness:
0.2 mm
Palm Thickness:
0.12 mm
Tensile Strength:
>18 Mpa
Ultimate Elongation:
>500%
Sterility:
Non sterile
Anti-Static:
+

---

6. VWR® Advanced Protection Class 100 Nitrile Gloves

Class 100 Nitrile Gloves, X-Small, White, 29 - 31 cm (11⅜ - 12 $\frac{3}{16}$")

Catalog #: 89130-834

Supplier: VWR International



Product Details & Documents

Advanced, powder-free nitrile gloves designed for demanding cleanroom applications requiring durability, comfort and high tensile strength.

- ISO Class 5/Class 100 for cleanroom compatibility
- Quality tested to ASTM, FTMS, and IEST standards; AQL 1.5 for pinholes

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Textured fingers enhance grip on components
- Strong permeation resistance against a wide variety of solvents, acids, and bases
- Static-dissipative to inhibit harmful static discharge
- Beaded cuff adds strength and helps reduce roll-down during wear

Nitrile construction provides dependable barrier performance without natural rubber latex in controlled environments. Powder-free finish helps minimize residue during gowning and routine handling, while ambidextrous design simplifies stocking and speeds glove changes between tasks.

Copolymer formulation (components that comply with FDA CFR 21) enhances strength and resistance to solvents, acids, and bases while maintaining flexibility. Silicone-free material minimizes ionic contaminants and nonvolatile residue (NVR) transfer.

Non-staining, non-smudging gloves reduce the risk of contamination to parts or components being handled by the user, even during prolonged wear. Select proper size to maintain dexterity and coverage.

Product Literature

- Avantor Disposable Glove Guide.pdf
- VWR Disposable Glove
- VWR Protection Nitrile Gloves
- VWR® Protection Nitrile Gloves

Conformity declaration

- CoQ VWR Advanced Protection Class 100 Nitrile Gloves.pdf

Specifications

Description:	
Class 100 Nitrile Gloves	
Glove size:	
X-Small	
Glove color:	
White	
Length:	
29 - 31 cm (11⅜ - 12 $^{3}/_{16}$")	
Cat. No.:	
89130-834	
Ambidextrous/Hand-specific:	
Ambidextrous	
Powdered/Powder-free:	
Powder-Free	
Cuff Thickness:	
0.08–0.12 mm	
Finger Thickness:	
0.10–0.20 mm	

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Palm Thickness:
0.10–0.15 mm

---

7. VWR® Maximum Cleanroom Nitrile Gloves, Class 10, Latex-Free

Class 10 Nitrile Gloves, X-Small, White, 29 - 31 cm (11⅜ - 12 $^{3}/_{16}$")

Catalog #: 89130-848

Supplier: VWR International



Product Details & Documents

Reliable cleanroom nitrile gloves for controlled manufacturing and demanding lab workflows, combining Class 10 cleanliness with comfortable wear and steady grip.

- Quality tested according to ASTM, FTMS, and IEST standards
- Powder-free nitrile supports low-residue handling without natural rubber latex proteins
- Highly resistant to permeation against a wide variety of solvents, acids, and bases
- Non-staining, non-smudging gloves reduce the risk of contamination, even during prolonged wear
- Textured fingers improve grip and control during precise component and equipment handling
- Tapered, beaded cuff provides secure fit and easier glove changes

Designed for controlled environments, these gloves fit routine tasks across pharmaceutical, biotech and electronics operations where dependable hand protection and clean handling are both essential.

Manufactured from a synthetic copolymer of acrylonitrile, butadiene, and methylacrylic acid (components that comply with FDA CFR 21), the powder-free nitrile gloves feature no natural rubber latex protein as an allergen. This makes the gloves a practical choice for teams working with sensitive surfaces, parts and equipment.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Static-dissipative construction helps protect sensitive materials and electronics from charge buildup. Designed for controlled environments, with an AQL level of 1.5 for pinholes, these gloves fit routine tasks in demanding pharmaceutical, biotech and electronics operations.

Specifications

Description:	
Class 10 Nitrile Gloves	
Glove size:	
X-Small	
Glove color:	
White	
Length:	
29 - 31 cm (11⅜ - 12 $^{3}/_{16}$")	
Cat. No.:	
89130-848	
Ambidextrous/Hand-specific:	
Ambidextrous	
Powdered/Powder-free:	
Powder-Free	
Cuff Thickness:	
0.08–0.12 mm	
Finger Thickness:	
0.10–0.20 mm	
Palm Thickness:	
0.10–0.15 mm	

---

8. VWR® CryoGuard Cryogenic Gloves

Small, Blue, Wrist

Catalog #: 97008-196

Supplier: VWR International

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

Multi-layer, insulated gloves are lightweight, flexible, and durable

- Multi-layer and insulated
- Lightweight, flexible, and durable
- Moisture-wicking liner
- Waterproof
- Various lengths available

Multi-layer, insulated gloves are designed to protect hands and arms from the hazards of working with cryogenic materials. They can be worn for extended periods of time, as they are extremely warm, even in temperatures as low as –196°C. Water-resistant and waterproof gloves feature two layers of insulation material bonded together at the edges to trap insulating air without adding additional bulk and an inner lining to wick away moisture from the skin. Waterproof gloves incorporate a thin, seamless, 100% waterproof inner protective layer. All wrist-length gloves also incorporate an uninsulated knit cuff.

These gloves allow for dexterity when working in temperatures as low as –196°C. Two layers of insulation material, bonded together at the edges, traps air without adding additional bulk. Inner lining wicks moisture from the skin.

Ordering information: Gloves are not intended for immersion in liquid nitrogen. Gloves are packed one pair per each unit.

Documents

Certificates

Search by Lot Number

Product Literature

- Sol M Hypodermic Needles.pdf

Specifications

Glove size:	
Small	
Glove color:	
Blue	

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Length:
Wrist

---

9. VWR® CERTICLEAN® Cleanroom Latex Gloves, Ambidextrous, Class 10

Small, Natural, 30.5 cm (12")

Catalog #: 40101-146

Supplier: VWR International



Product Details & Documents

Ambidextrous, powder-free cleanroom gloves made of latex, designed to support low-contamination handling and secure task performance in Class 10 controlled environments.

- Ambidextrous design supports quick donning and straightforward glove replacement
- Powder-free latex balances clean handling with comfortable tactile feedback
- Fully textured surface helps maintain grip on tools and components
- Tapered, beaded cuff improves sleeve overlap and reduces cuff roll-down
- Class 10 / ISO 4 suitability supports demanding contamination-control workflows

Designed for routine controlled-environment tasks such as equipment contact, material handling and general clean processing where a nonsterile glove is appropriate. Specialized manufacturing processes and silicone-free material minimize ionic contaminants and nonvolatile residue (NVR) transfer.

Latex offers a close, flexible feel that supports dexterity for detailed handling steps. The fully textured finish improves everyday grip, while the tapered beaded cuff design helps maintain coverage over garments and sleeves.

Cleanroom-oriented manufacturing helps keep particle levels low and reduce ionic and nonvolatile residue transfer in sensitive workflows. Multiple size options make it easier to standardize one glove family across operators while keeping fit in mind.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Documents

Product Literature

- Avantor Disposable Glove Guide.pdf
- Production insight Solutions for Critical Environments and Manufacturing Processes
- VWR CERTICLEAN Class 10 Latex Gloves, Ambidextrous.pdf
- VWR Disposable Glove

Conformity declaration

- CoQ VWR CERTICLEAN Cleanroom Latex Gloves, Ambidextrous, Class 10.pdf

Datasheet

- TDS Certiclean Cleanroom Latex Gloves Class 10, 12" Ambidextrous.pdf
- VWR CERTICLEAN latex 10

Specifications

Glove size:	
Small	
Glove color:	
Natural	
Length:	
30.5 cm (12")	
Cat. No.:	
40101-146	
Ambidextrous/Hand-specific:	
Ambidextrous	
Latex/Latex-free:	
Latex	
Powdered/Powder-free:	
Powder-Free	
Finger Thickness:	
8.7 mil	
Palm Thickness:	
7.9 mil	

---

10. VWR® Glove Liners, Low-Lint Nylon

Full Finger Liners, with Green Cuff, Small, White

Catalog #: 94000-608

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product available on GSA Advantage®

Supplier: VWR International



Product Details & Documents

Soft, reusable low-lint glove liners help improve comfort, reduce perspiration and support more consistent glove wear during extended use in cleanroom and laboratory workflows.

- Low-lint 15 denier nylon construction helps support cleaner glove changes and gowning routines
- Moisture-wicking to reduce perspiration
- Reusable and launderable for extended use
- Compatible with latex, nitrile, and PVC gloves for flexible lab use
- Full-finger and half-finger styles support comfort preferences
- Color-coded cuffs for size identification

Designed to be worn beneath disposable gloves, these liners help reduce irritation and moisture buildup during long wear and frequent glove changes, supporting productivity in controlled environments.

The 100% nylon construction provides low particle shedding while maintaining airflow and tactile sensitivity. Pre-laundered fibers help ensure consistent performance without shrinkage across repeated use cycles.

Available in multiple sizes and styles, including full- and half-finger options, these liners support different comfort and dexterity preferences. Best suited for extended-wear glove programs where comfort and contamination control are priorities.

Documents

Certificates

Search by Lot Number

Images 360

- 94000-612
- 94000-614

- 94000-620
- 94000-622

Conformity declaration

- CoQ VWR® Glove Liners.pdf

Product Literature

- Production insight Solutions for Critical Environments and Manufacturing Processes
- VWR Glove Liners
- VWR Production insight V1
- VWR Protection Apparel
- VWR Protection from Head to Toe

More

Specifications

Description:	
Full Finger Liners, with Green Cuff	
Glove size:	
Small	
Glove color:	
White	
Cat. No.:	
94000-608	
Ambidextrous/Hand-specific:	
Ambidextrous	
Disposable/Reusable:	
Reusable	
Cuff Style:	
Knit Wrist	

---

11. VWR® PureTouch Cut-Resistant Glove Liners

VWR® PureTouch full finger liners, Small, Green, 2 mm ± 10%

Catalog #: 76102-378

Supplier: VWR International

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

Glove liners that are cut resistant and provide a comfortable barrier that enhances safety while reducing perspiration and wicking moisture during extended use.

- Compatible underglove for all cleanroom requirements
- 13-gauge white nylon with HPPE
- Ambidextrous
- Color-coded for visual size identification
- Sturdy, launderable, and reusable

For use with latex, nitrile, PVC, and all exam gloves.

These glove liners prevent skin irritation without diminishing tactile sensitivity, and limits wear and tear.

Certifications: ANSI Cut Level 2.

Documents

Product Literature

- Production Insight Solutions for Controlled Environments and Manufacturing Processes
- VWR Cut Resistant Glove Liners
- VWR F and B Focus Volume 5 Issue 2
- VWR Protection Apparel
- VWR® Production Insight Vol 8 Issue 2

Specifications

Description:	
VWR® PureTouch full finger liners	
Glove size:	
Small	
Glove color:	
Green	
Thickness:	
2 mm ± 10%	

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Cat. No.:
76102-378
Ambidextrous/Hand-specific:
Ambidextrous

---

12. VWR® Nitrile Examination Gloves, Black, Powder-Free, Latex-Free

Medium, Black, 9.5"

Catalog #: 76307-464

Supplier: VWR International



Product Details & Documents

Exceptional, medical-grade barrier protection for clinical, laboratory, and high-risk chemical handling, with advanced nitrile formulation for added thickness.

- Latex-free, powder-free gloves reduce allergy risk and contamination potential
- Manufactured in ISO 13485 and ISO 9001 certified facilities for controlled quality systems
- Ambidextrous design simplifies glove changes between users and routine tasks
- Beaded cuff for secure donning and reduced roll-down
- Textured surface improves grip in wet or dry conditions
- Enhanced thickness for durability and broad chemical protection

VWR® black nitrile examination gloves are FDA 510(k) cleared medical devices, delivering excellent barrier protection, durability and abrasion resistance during extended wear.

The advanced nitrile formulation features added thickness (5.3 mil. finger / 4.5 mil. palm / 3.5 mil. cuff), while balancing comfort and tactile control without natural rubber latex.

Finger texturing and a beaded cuff help improve handling confidence and make repeated glove changes easier during active workflows. The black color is not only sleek-looking, but can help maintain a cleaner-looking appearance in workflows where visible residue is common.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Documents

Certificates

Search by Lot Number

Product Literature

- Avantor Disposable Glove Guide.pdf
- FOCUS Industrial Volume 02 Issue 01
- VWR Disposable Glove
- VWR Glove Chemical Resistance Chart
- VWR Protection Apparel

Conformity declaration

- CoQ VWR Black Nitrile Examination Gloves General .pdf

Datasheet

- TDS VWR® Black Nitrile Examination Gloves

Specifications

Glove size:	
Medium	
Glove color:	
Black	
Length:	
9.5"	
Cat. No.:	
76307-464	
Ambidextrous/Hand-specific:	
Ambidextrous	
Latex/Latex-free:	
Latex-Free	
Powdered/Powder-free:	
Powder-Free	
Finish:	
Finger textured	
Cuff Style:	
Beaded	
Cuff Thickness:	
3.5 mil	
Finger Thickness:	
5.3 mil	
Palm Thickness:	
4.5 mil	

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

13. VWR® Powder-Free Latex Examination Gloves

Medium, Natural, 9.5"

Catalog #: 76319-668

Supplier: VWR International



Product Details & Documents

Fully textured, powder-free latex hand protection for routine sample handling, inspections and general lab tasks where dependable grip and tactile control help reduce hand fatigue.

- Natural rubber latex supports comfort, stretch, and tactile responsiveness
- Fully textured surface helps maintain grip during wet or dry handling
- Beaded cuffs improve glove strength and help reduce roll-down
- Ambidextrous design simplifies stocking and speeds glove changes
- Examination-grade construction produced in ISO-certified facilities

VWR® Powder-Free Latex Examination Gloves are FDA 510(k) cleared medical devices, and provide excellent barrier protection from blood-borne pathogens. Their textured surface and optimal grip help balance comfort and control during benchtop procedures, specimen handling and routine equipment contact.

Natural rubber latex offers elasticity that can feel less restrictive during extended wear, helping users move confidently through common lab activities. This combination of flexibility and touch sensitivity makes the gloves a practical choice for secure handling.

Offered in multiple sizes - with thickness of 5.5 mil. at the fingers, 4.5 mil. at the palm, and 4 mil. at the cuff - these gloves accommodate diverse personnel needs and are a solid choice for facilities seeking a durable, versatile option for daily exam and lab operations.

Documents

Certificates

Search by Lot Number

Product Literature

- Avantor Disposable Glove Guide.pdf

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Avantor Focus Production Volume 3 Issue 1
- VWR Disposable Glove
- VWR Glove Chemical Resistance Chart
- VWR® Focus Production Volume 2 Issue 1

More

- CoQ VWR® Powder-Free Latex Examination Gloves

Datasheet

- TDS VWR Powder Free Latex Examination Gloves

Specifications

Glove size:	
Medium	
Glove color:	
Natural	
Length:	
9.5"	
Cat. No.:	
76319-668	
Ambidextrous/Hand-specific:	
Ambidextrous	
Latex/Latex-free:	
Latex	
Powdered/Powder-free:	
Powder-Free	
Finish:	
Fully Textured	
Cuff Style:	
Beaded	
Cuff Thickness:	
4.0 mil	
Finger Thickness:	
5.5 mil	
Palm Thickness:	
4.5 mil	

---

14. VWR® Cut Protection Gloves, PU Coating

11, Gray

Catalog #: 76408-518

Supplier: VWR International

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

The VWR® cut protection glove with polyureathane coating provides general cut protection for the widest range of applications.

- Nylon/spandex/polyester blend composition
- Polyurethane (PU) coated
- Gray knit glove with gray coating

Ideal for use in environments handling items or tools with a risk of cuts, including material handling, assembly, maintenance, and janitorial applications.

Certifications: Meets requirements for ANSI A2 Cut Protection (Level B). EN388:2016. The CE marking on these products means that they meet the requirements of European directive 89/686/CEE or EU Regulation 2016/425 on Personal Protective Equipment concerning protection, comfort and strength. Certified by OKEO-TEX meeting Standard 100 certifying that no harmful substances are used in the production of these products.

Documents

Product Literature

- VWR Reusable Cut-Resistant and Precision Work Glove Guide

Additional Product Details

- VWR® Cut Protection Gloves, PU Coating

Specifications

Glove size:	
11	
Glove color:	
Gray	
Cat. No.:	
76408-518	
Latex/Latex-free:	
Latex-Free	
Powdered/Powder-free:	
Powder-Free	

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Finish:
Polyurethane coating
Gauge:
13
Sterility:
Non sterile

---

15. VWR® Cut Protection Gloves, NBR Coating

10, Gray, Black

Catalog #: 76408-528

Supplier: VWR International



Product Details & Documents

The VWR® cut protection glove with nitrile coating provides general cut protection for the widest range of applications.

- Nylon/spandex/polyester blend composition
- Nitrile (NBR) coated
- Gray knit glove with black coating

Ideal for use in environments handling items or tools with a risk of cuts, including material handling, assembly, maintenance, and janitorial applications.

Certifications: Meets requirements for ANSI A2 Cut Protection (Level B). EN388:2016. The CE marking on these products means that they meet the requirements of European directive 89/686/CEE or EU Regulation 2016/425 on Personal Protective Equipment concerning protection, comfort and strength. Certified by OKEO-TEX meeting Standard 100 certifying that no harmful substances are used in the production of these products.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Documents

Product Literature

- VWR Reusable Cut-Resistant and Precision Work Glove Guide

Additional Product Details

- VWR® Cut Protection Gloves, NBR Coating

Specifications

Glove size:	
10	
Glove color:	
Gray, Black	
Cat. No.:	
76408-528	
Latex/Latex-free:	
Latex-Free	
Powdered/Powder-free:	
Powder-Free	
Finish:	
Nitrile coating	
Gauge:	
13	
Sterility:	
Non sterile	

---

16. VWR® Advanced Cut Protection Gloves

8, Gray, Black

Catalog #: 76408-536

Supplier: VWR International



Product Details & Documents

The VWR® advanced cut protection glove with polyurethane coating provides enhanced cut protection for a range of applications that would include a high risk of cuts.

- Nylon/spandex/polyester blend composition
- Polyurethane (PU) coated
- Gray knit glove with black coating

Ideal for use in environments handling items or tools with a high risk of cuts, including handling of items with sharp or jagged edges, assembly, maintenance, and janitorial applications.

Certifications: Meets requirements for ANSI A3 Cut Protection (Level C). EN388:2016. The CE marking on these products means that they meet the requirements of European directive 89/686/CEE or EU Regulation 2016/425 on Personal Protective Equipment concerning protection, comfort and strength. Certified by OKEO-TEX meeting Standard 100 certifying that no harmful substances are used in the production of these products.

Documents

Certificates

Search by Lot Number

Product Literature

- VWR Reusable Cut-Resistant and Precision Work Glove Guide

Additional Product Details

- VWR® Advanced Cut Protection Gloves

Specifications

Glove size:	
8	
Glove color:	
Gray, Black	
Cat. No.:	
76408-536	
Latex/Latex-free:	
Latex-Free	
Powdered/Powder-free:	
Powder-Free	
Finish:	
Polyurethane coating	
Gauge:	
13	
Sterility:	
Non sterile	

---

17. VWR® Precision Grip Gloves, PU Coating

10, Black

Catalog #: 76408-564

Supplier: VWR International

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

The VWR® precision grip glove with polyurethane coating provide basic cut protection and grip. Ideal for handling small components, or situations that require dexterity in a dry and/or dirty environment.

- Nylon composition
- Polyurethane (PU) coated
- Black knit glove with black coating

Also great for package handling, picking, and packing.

Certifications: Meets requirements for ANSI A1 Cut Protection (Level A). EN388:2016. The CE marking on these products means that they meet the requirements of European directive 89/686/CEE or EU Regulation 2016/425 on Personal Protective Equipment concerning protection, comfort and strength. Certified by OKEO-TEX meeting Standard 100 certifying that no harmful substances are used in the production of these products.

Documents

Product Literature

- VWR Reusable Cut-Resistant and Precision Work Glove Guide

Specifications

Glove size:	
10	
Glove color:	
Black	
Cat. No.:	
76408-564	
Latex/Latex-free:	
Latex-Free	
Powdered/Powder-free:	
Powder-Free	
Finish:	
Polyurethane coating	
Gauge:	
15	

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Sterility:
Non sterile

---

18. VWR® Precision Grip Gloves, NBR Coating

11, Blue, Black

Catalog #: 76408-590

Supplier: VWR International



Product Details & Documents

The VWR® precision grip glove with nitrile coating provide basic cut protection and grip. Ideal for handling small components, or situations that require dexterity in a dry and/or dirty environment.

- Nylon composition
- Nitrile (NBR) coated
- Blue knit glove with black coating

Also great for package handling, picking, and packing.

Certifications: Meets requirements for ANSI A1 Cut Protection (Level A). EN388:2016. The CE marking on these products means that they meet the requirements of European directive 89/686/CEE or EU Regulation 2016/425 on Personal Protective Equipment concerning protection, comfort and strength. Certified by OKEO-TEX meeting Standard 100 certifying that no harmful substances are used in the production of these products.

Documents

Product Literature

- VWR Reusable Cut-Resistant and Precision Work Glove Guide

Additional Product Details

- VWR® Precision Grip Gloves, NBR Coating

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Specifications

Glove size:
11
Glove color:
Blue, Black
Cat. No.:
76408-590
Latex/Latex-free:
Latex-Free
Powdered/Powder-free:
Powder-Free
Finish:
Nitrile coating
Gauge:
15
Sterility:
Non sterile

---

19. VWR® Sterile Cleanroom Nitrile Glove, Class 100

Medium, White

Catalog #: 76423-448

Supplier: VWR International



Product Details & Documents

Introducing the new VWR® Class 100 sterile nitrile gloves as a sterile bulk packed option to the popular line of VWR® cleanroom gloves. Enhanced comfort and durability make these an ideal choice to add to any glove program.

- Sterile SAL 10^{-6}, gamma irradiation

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Nitrile
- Ambidextrous
- Textured fingers
- Beaded cuff
- Natural rubber, latex-free

Suitable for use in ISO Class 5 (FED-STD-209E Class 100) or higher cleanrooms.

Packaging: Gloves are packaged 200 per bag, 5 bags per case. Packaging is made of 40% recycled material.

Documents

Product Literature

- Avantor Disposable Glove Guide.pdf
- VWR Disposable Glove
- VWR Protection Apparel

- CoC VWR® Sterile Cleanroom Nitrile Glove, Class 100

Datasheet

- TDS VWR® Sterile Cleanroom Nitrile Glove

Specifications
Glove size:
Medium
Glove color:
White
Cat. No.:
76423-448
Ambidextrous/Hand-specific:
Ambidextrous
Disposable/Reusable:
Disposable
Latex/Latex-free:
Latex-Free
Powdered/Powder-free:
Powder-Free
Cleanroom Class:
100/ISO 5
Material:
Nitrile
Finish:
Textured fingers
Cuff Style:
Beaded
Sterility:

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Sterile

---

19. Microflex® NeoTouch® 25-201 Neoprene gloves, Ansell

Supplier: Ansell



Product Details & Documents

This glove is made with neoprene, an alternative to natural rubber latex that protects against Type I allergies.

- Powder-free
- Excellent chemical resistance
- Superior comfort
- Roll-beaded cuffs

These gloves provide excellent resistance to acids, bases and alcohols.

Ideal applications include assembly and inspection, lab analysis and technical work, and pharmaceutical manufacturing - especially when resistance to acids is required.

Their exclusive formulation provides superior comfort.

Certifications: This is an exam- and food-grade glove and complies with FDA food handling requirments (21 CFR 177.2600).

Documents

Certificates

Search by Lot Number

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Specifications for Product Family

Specifications

- **Catalog No:**
- **76239-674**
- **76239-676**
- **76239-678**
- **76239-680**
- **76239-682**

- **Ambidextrous/Hand-specific:**
- Ambidextrous
- Ambidextrous
- Ambidextrous
- Ambidextrous
- Ambidextrous

- **Disposable/Reusable:**
- Disposable
- Disposable
- Disposable
- Disposable
- Disposable

- **Latex/Latex-free:**
- Latex-Free
- Latex-Free
- Latex-Free
- Latex-Free
- Latex-Free

- **Finish:**
- Textured fingers
- Textured fingers
- Textured fingers
- Textured fingers
- Textured fingers

- **Cuff Style:**
- Extended
- Extended
- Extended
- Extended
- Extended

- **Anti-Static:**
- +
- +

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- +
- +
- +

REUSEABLE GARMENTS

1. VWR® Cryogenic Protective Aprons

106.7×61 cm (42×24")

Catalog #: 97008-292

Small Business Enterprise

Supplier: VWR International



Product Details & Documents

These aprons offer ideal body and leg protection against splashes and spills during the filling and handling of liquid nitrogen supply cylinders and bulk tanks, and during maintenance of cryogenic equipment.

- Provides durable protection when handling liquid nitrogen and servicing cryogenic equipment
- Ideal when filling liquid nitrogen supply cylinders and bulk tanks

Multiple layers of 100% nylon and 3M™ insulation allow for durable protection in low-temperature environments. Adjustable straps with quick-release buckles provide added safety and convenience.

Documents

Product Literature

- VWR Protection from Head to Toe

Specifications

L×W:

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

106.7×61 cm (42×24")

Cat. No.:

97008-292

Garment application:

Medical|Industrial|Pharmaceutical

Risk area:

Cryo

Gender:

Unisex

Fabric:

100% nylon and 3M™ insulation

---

2. CritiCore Indura Unisex Flame Resistant Lab Coats

Medium blue, L, 42 - 44"

Catalog #: 89426-888

Supplier: VWR International



Product Details & Documents

CritiCore has developed flame-resistant lab coats to provide the protection required in many of today's high-tech laboratories and research facilities.

- Flame-resistant identification patches sewn on the back and both sleeves for easy recognition
- Quick-release snap front for fast removal
- Safety-sleeve cuff with tunneled elastic
- Two oversized waist pockets and one breast pocket with a convenient pencil slot
- Vent openings on the sides allow access to pant pockets

These coats are made with 100% cotton fabric, durable enough to withstand industrial laundering while maintaining fire-resistant properties for the life of the garment.

Certifications: CAT I

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Ordering information: Available only in blue. Coats in sizes X-Small to XX-Large are stocked. For sizes 3X-Large to 6X-Large, extended lead time may be required. Contact a Avantor sales representative for more information.

Documents

Images 360

- 89426-888

Datasheet

- TDS Flame-Resistant Lab Coat

Specifications

Color:	
Medium blue	
Clothing Size:	
L	
Chest size:	
42 - 44"	
Cat. No.:	
89426-888	
Garment application:	
Laboratory	
Risk area:	
Flame-retardant	
Gender:	
For Men	
Sleeve or leg length:	
Long	
Closure type:	
Press studs / snaps	
Fabric:	
100% cotton	

---

3. Fluid-Resistant Barrier Coats

White, L, 42 - 44"

Catalog #: 89495-722

Supplier: VWR International

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

These specialized lab coats offer excellent fluid resistance while maintaining their breathability.

- Fluid-resistant, 100% Polyester front and sleeves
- PolyCotton back panel for ventilation
- Quick-release snap front for fast removal
- Safety-sleeve knit cuff
- Two hip pockets and one breast pocket

These coats are extremely durable and able to hold up to repeated industrial launderings.

Ordering information: Coats in sizes XS to XXL are stocked. For sizes 3XL to 6XL, extended lead time may be required. Contact your Avantor sales representative for more information.

Documents

Images 360

- 89495-716

Datasheet

- TDS Barrier Coat

Product Literature

- White Knight Barrier Coats

Specifications

Color:	
White	
Clothing Size:	
L	
Chest size:	
42 - 44"	
Cat. No.:	
89495-722	
Garment application:	
Laboratory	
Gender:	
Unisex	
Sleeve or leg length:	

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Long

Closure type:

Press studs / snaps

Fabric:

100% Polyester


---

4. VWR® Men's Lab Coat, Reusable

White, L, Regular, 42 - 44"

Catalog #: 10141-304

Supplier: VWR International



Product Details & Documents

Classic white lab coats for men are manufactured from durable and comfortable poly/cotton (80/20 blend) fabric for long-term wear

- Durable, comfortable poly/cotton (80/20 blend) fabric
- Plain front, no embroidery
- Industrial launderable

Overall length is 99cm (39"). Available in white only.

These industrial launderable garments feature a quick-release five-snap front, one breast pocket with a pencil slot, and two oversized hip pockets (large enough for a mini-tablet). Additionally, there are side vents for easy pants pocket access.

Ordering information: Sizes XX-Small, X-Small, 4X-Large, and 5X-Large are also available for special order. Contact your Avantor sales representative for more information. Please allow up to four weeks for delivery.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Documents

Datasheet

- TDS Men's Lab Coat, Reusable

Product Literature

- VWR Protection Apparel
- VWR® Reusable Lab Coats and Scrub

Specifications

Color:	
White	
Clothing Size:	
L	
Garment fit:	
Regular	
Chest size:	
42 - 44"	
Cat. No.:	
10141-304	
Garment application:	
Laboratory	
Gender:	
For Men	
Sleeve or leg length:	
Long	
Closure type:	
Press studs / snaps	
Fabric:	
Polyester/cotton (80/20 blend) fabric	

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

5. VWR® Women's Lab Coat, Reusable

White, M, 38 - 40"

Catalog #: 10141-318

Supplier: VWR International



Product Details & Documents

Fashionable lab coats for women feature a tapered back panel with a half belt

- Tapered back panel with half belt
- Plain front, no embroidery
- Industrial launderable
- Durable and comfortable
- Poly/cotton fabric (80/20 blend)

These industrial launderable garments feature a quick-release five-snap front, one breast pocket with a pencil slot, and two hip pockets. Additionally, there are side vents for easy pants pocket access, and adjustable snap cuffs. Overall length is 91.4cm (36"). Available in white only.

Lab coats are manufactured from durable and comfortable poly/cotton (80/20 blend) fabric for long-term wear.

Ordering information: Sizes 3X-Large, 4X-Large, and 5X-Large are also available for special order. Contact your Avantor sales representative for more information. Please allow up to four weeks for delivery.

Documents

Datasheet

- TDS Women's Lab Coat, Reusable

Product Literature

- VWR Protection Apparel
- VWR® Reusable Lab Coats and Scrub

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Specifications

Color:
White
Clothing Size:
M
Chest size:
38 - 40"
Cat. No.:
10141-318
Garment application:
Laboratory
Gender:
For Women
Sleeve or leg length:
Long
Closure type:
Press studs / snaps
Fabric:
Poly/cotton (80/20 blend)

---

6. VWR® Unisex Technology Lab Coat, Reusable

White, M, 38 - 40"

Catalog #: 10141-342

Product available on GSA Advantage®

Supplier: VWR International

Product Details & Documents

Durable, reusable lab coat for everyday protection and extended-wear comfort in research, quality-control and industrial workflows.

- Quick-release-snap front supports fast gowning and easy removal
- Knit cuffs help maintain sleeve placement during active bench work
- Headphone port in pocket helps manage cords more neatly
- Three-pocket design keeps pens, tools, and small devices accessible
- Side vents improve access to trouser pockets without restricting movement
- Poly/cotton fabric (80/20 blend) withstands repeated laundering

Built for routine bench and facility work, this reusable lab coat combines durability with consistent protection from spills and splashes. Available in white or navy blue, it allows the user to present a professional appearance aligned with the needs of their lab environment.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Constructed from reusable fabric engineered to withstand repeated laundering cycles, it provides dependable everyday performance without the waste associated with disposable garments. The unisex design offers a practical fit across a range of personnel, supporting standardized PPE programs within research, clinical and industrial laboratories.

The VWR® Unisex Technology Lab Coat features a quick-release five-snap front, one breast pocket with a pencil slot, and two oversized hip pockets large enough for a mini-tablet. While the coat provides full-length coverage (99 cm or 39"), side vents offer easy access to pant pockets. Note that navy blue coats feature a lapel collar with an additional snap.

Ordering information: Sizes 4X Large and 5X Large are also available for special order. Contact your Avantor sales representative for more information.

Delivery information: Please allow up to four weeks for delivery.

Documents

Conformity declaration

- CoQ VWR Unisex Technology Lab Coat, Reusable.pdf

Datasheet

- TDS Unisex Technology Lab Coat, Reusable

Product Literature

- VWR Protection Apparel
- VWR Protection from Head to Toe
- VWR® Reusable Lab Coats and Scrub

Specifications

Color:	
White	
Clothing Size:	
M	
Chest size:	
38 - 40"	
Cat. No.:	
10141-342	
Garment application:	
Laboratory	
Gender:	
Unisex	
Sleeve or leg length:	
Long	
Closure type:	
Press studs / snaps	
Fabric:	
80% Polyester/20% Cotton blend	

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

7. VWR® Unisex 100% Cotton Lab Coat

White, L, 38 - 40"

Catalog #: 10753-936

Supplier: VWR International



Product Details & Documents

These unisex cotton lab coats are made of breathable, comfortable, 100% cotton fabric and feature a quick-release five-snap front and snap cuffs

- Quick-release five-snap front and snap cuffs
- Plain front with no embroidery
- Overall length is 99 cm (39")

In addition, the 100% cotton lab coat features one breast pocket with a pencil slot, plus two oversized hip pockets. Side vents are also included for easy pants pocket access.

Ordering information: Sizes XX-Small, 4X-Large, and 5X-Large are also available via special order. Contact your Avantor sales representative for more information. Please allow up to 6 weeks for delivery of special order items.

Documents

Datasheet

- TDS Unisex 100% Cotton Lab Coat

Product Literature

- VWR Protection Apparel
- VWR Protection from Head to Toe
- VWR® Reusable Lab Coats and Scrub

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Specifications

Color:
White
Clothing Size:
L
Chest size:
38 - 40"
Cat. No.:
10753-936
Garment application:
Laboratory
Gender:
For Men
Sleeve or leg length:
Long
Closure type:
Press studs / snaps
Fabric:
Cotton

---

8. VWR® Protection ESD Lab Coats

Blue, XL

Catalog #: 10769-342

Supplier: VWR International



KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

VWR® Protection ESD Lab Coats are manufactured from breathable and comfortable 98% polyester fabric and 2% carbon fabric

- Provides anti-static protection
- Knit cuffs
- 2% carbon fiber

These ESD Lab Coats provide excellent anti-static protection for electronic applications. Garments feature one breast pocket and two lower pockets. Each lab coat features knit wrist cuffs and a snap-front closure. Plain front, with no embroidery. Overall length is 111.7cm (44")

Available in blue and white.

Documents

Datasheet

- VWR ESD Lab Coat 931358W FINAL

Product Literature

- VWR Protection Apparel

Specifications

Color:	
Blue	
Clothing Size:	
XL	
Cat. No.:	
10769-342	
Garment application:	
Laboratory	
Risk area:	
ESD	
Sleeve or leg length:	
Long	
Closure type:	
Press studs / snaps	
Fabric:	
98% polyester, 2% carbon fabric	

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

9. Men's Button Lab Coats, 80/20 Poly-Cotton

White, M, 38 - 40"

Catalog #: 10120-330

Supplier: VWR International



Product Details & Documents

These classic white lab coats for men include a five-button front and are made with a soft but very durable 80/20 poly/cotton fabric blend material for long-term wear that can stand up to industrial laundering.

- Industrial laundry friendly
- Durable and comfortable
- Hemmed cuffs
- Side vents for easy access to pant pockets
- Designed to provide a clean professional appearance
- One breast pocket with a pencil slot, and two oversized hip pockets large enough for a mini-tablet

Overall length is 99 cm (39"). Lab coats feature a plain front, with no embroidery. Available in white only.

Ordering information: Sizes 4X-Large and 5X-Large require extended lead time. Contact your Avantor sales representative for more information.

Documents

Datasheet

- TDS Mens Lab Coats, Button Front, 12 L4 4967 82PC 3P

Specifications

Color:	
White	
Clothing Size:	
M	
Chest size:	
38 - 40"	
Cat. No.:	
10120-330	
Garment application:	

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Laboratory

Gender:

For Men

Sleeve or leg length:

Long

Closure type:

With Buttons

Fabric:

80% polyester, 20% cotton

---

10. Women's Button Lab Coats, 80/20 Poly-Cotton

White, M, 38 - 40"

Catalog #: 10120-350

Supplier: VWR International



Product Details & Documents

These fashionable lab coats for women feature a five-button front closure, tapered back panel with a half belt, and are made with a soft but very durable 80/20 poly-cotton fabric material blend for long-term wear that can stand up to industrial laundering.

- Industrial laundry friendly
- Durable and comfortable
- Hemmed cuffs
- Side vents for easy access to pant pockets
- Designed specifically for women, this coat is tapered and has a princess-belt back

Overall length is 91.4 cm (36"). Lab coats feature a plain front, with no embroidery. Available in white only.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Designed to provide a clean professional appearance, they have 3 pockets; one breast pocket with a pencil slot, and two lower hip pockets large enough for a mini-tablet. For added convenience, there are side vents to access pants pockets.

Ordering information: Sizes 3X-Large through 5X-Large require extended lead time. Contact your Avantor sales representative for more information.

Documents

Datasheet

- TDS Womens Lab Coats, Button Front, 12 L4 4883 82PC 3P

Specifications
Color:
White
Clothing Size:
M
Chest size:
38 - 40"
Cat. No.:
10120-350
Garment application:
Laboratory
Gender:
For Women
Sleeve or leg length:
Long
Closure type:
With Buttons
Fabric:
80/20 Poly-cotton

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

11. VWR® Unisex Staff Lab Coat

VWR® Unisex staff lab coat, White, M

Catalog #: 76048-828

Supplier: VWR International



Product Details & Documents

VWR® reusable Unisex Staff Coats are made with 80/20, poly/cotton twill fabric

- Button-down front
- Two roomy lower front pockets
- One left breast pocket with pencil slot
- Side vents for pants pocket access

These classic white lab coats for both men and women include a five-button front and are made with a soft but very durable 80/20, poly/cotton twill that stands up to industrial laundering. Designed to provide a clean professional appearance. For added convenience, there are side vents to access pants pockets. Lab coats feature a plain front, with no embroidery. Overall length is 99 cm (39"). Available in white only.

Coats feature a button front, two lower front pockets, and one left breast pocket with pencil slot. Includes side vents for pants pocket access. Made from durable 5.7 ounce fabric.

Ordering information: Sizes 4X-Large and 5X-Large require extended lead time. Contact your Avantor sales representative for more information.

Documents

Datasheet

- TDS Unisex Staff Lab Coat

Product Literature

- VWR Protection Apparel

Specifications

Type:

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

VWR® Unisex staff lab coat

Color:
White

Clothing Size:
M

Cat. No.:
76048-828

Garment application:
Laboratory

Gender:
Unisex

Sleeve or leg length:
Long

Closure type:
With Buttons

Fabric:
80/20, poly/cotton twill fabric

Weight:
5.7 oz.

---

12. CritiCore® ESD Stripe Fluid-Resistant Barrier Coats

Barrier coat, Navy, M, 38 - 40"

Catalog #: 76422-832

Supplier: CritiCore Protective Wear

Supplier Number: 5059BARENVYM

Product Details & Documents

ESD barrier lab coats are made with a fluid-resistant material consisting of 99% polyester and a 1% carbon stripe for electrostatic dissipation (ESD). These barrier coats are ideal for use in medical, healthcare, veterinary, and food processing applications.

- One breast pocket
- Two oversized waist pockets
- Cuffed sleeves
- Six snap closure
- Side seam openings for easy access to pants pockets

These coats are extremely durable and will hold up to repeated industrial launderings.

Ordering information: Coats in sizes X-small to XX-large are stocked. For sizes 3X-large to 6X-large, extended lead time may be required. Contact your Avantor sales representative for more information.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Documents

Datasheet

- TDS Barrier Coat with ESD Strips

Product Literature

- White_Knight_ESD_Barrier_Coat_Flyer (1)

Specifications

Type:	
Barrier coat	
Color:	
Navy	
Clothing Size:	
M	
Chest size:	
38 - 40"	
Cat. No.:	
76422-832	
Garment application:	
Medical|Food|Laboratory	
Risk area:	
ESD	
Gender:	
Unisex	
Sleeve or leg length:	
Long	
Closure type:	
Press studs / snaps	
Fabric:	
99% polyester, 1% carbon stripe	
Weight:	
3.4 oz./sq. yd.	

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

13. VWR® Cleanroom Socks

VWR® Launderable cleanroom socks, White, Regular, L

Catalog #: 76102-196

Supplier: VWR International



Product Details & Documents

Cleanroom socks provide comfort and durability for limited and extended wear in cleanroom environments.

- Cleanroom compatible
- No particle generation
- Launderable

Minimize the risk of particle contamination with Cleanroom Socks from VWR®

Ideal use with VWR® Cleanroom Clogs

Available in either launderable or disposable options, Cleanroom Socks provide comfort for extended wear and are cleanroom compatible.

Packaging: Socks are packaged 1 pair per bag, 200 bags per case.

Documents

Certificates

Search by Lot Number

Product Literature

- VWR Cleanroom Socks
- VWR Protection Apparel
- VWR® Launderable and Disposable Cleanroom Socks

Specifications

Type:

VWR® Launderable cleanroom socks

Color:

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

White

Garment fit:

Regular

Shoe size:

L

Cat. No.:

76102-196

Garment application:

Cleanroom

Gender:

Unisex

Fabric:

100% polyester

---

14. Nomex® Flame-Resistant Lab Coat, Women's, CritiCore Protective Wear

Royal blue, M, 38 - 40"

Catalog #: 76163-512

Supplier: VWR International



Product Details & Documents

Designed to provide a superior level of protection against flash fire, electric arc (HRC 1), and other dangerous conditions, this women's Flame-Resistant (FR) lab coat has numerous applications in both laboratory and production settings. Made with Nomex® CXP6 fabric, it combines exceptional flame resistance with excellent durability, even after repeated industrial launderings.

- Excellent heat-resistance properties
- Best in class flammability protection
- 360 degree FR identification and protection
- Meets NFPA 70E and HRC 1 performance standards
- Quick-release snap front
- Safety sleeve cuff with tunneled elastic
- Designed to conform with the female shape

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Coats feature 360 degree FR identification with patches sewn on the back, plus left and right sleeves

Nomex® is a registered trademark owned by E. I. du Pont de Nemours and Company.

Constructed with a quick-release snap front and safety sleeve cuff with tunneled elastic for additional protection. Coats also feature two lower hip pockets and one breast pocket with pencil slot. Designed specifically for women, this coat is tapered and has a princess-belt back.

Certifications: Meets performance standards for NFPA 2112 and NFPA 70E HRC 1.

Documents

Datasheet

- TDS Women's Flame-Resistant Lab Coat

Product Literature

- White-Knight Nomex FR Lab-Coats

Specifications
Color:
Royal blue
Clothing Size:
M
Chest size:
38 - 40"
Cat. No.:
76163-512
Garment application:
Fire protection|Laboratory
Risk area:
Flame-retardant
Gender:
For Women
Sleeve or leg length:
Long
Closure type:
Press studs / snaps
Fabric:
Nomex® CXP6 fabric

---

15. VWR® ESD Micro Denier Scrub Top with Knit Cuff

Scrub top with knitt cuff, Navy, XL

Catalog #: 76202-664

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Supplier: VWR International



Product Details & Documents

This style of scrub top is widely used in pharmaceutical cleanroom operations, and meets/exceeds the recommendations outlined in the IEST-RP-CC-003.4, Garment Considerations for Cleanrooms and Other Controlled Environments.

- Pullover design with three-snap, Henley-style collar that provides added room for easy on/off
- Binding on collar helps maintain shape and uniformity
- Raglan-style sleeves provide increased mobility
- Sleeves include color-coordinated filament knit cuff for extra comfort
- 5" side slits at garment bottom for added comfort and long-term durability

These scrubs provide an excellent base-layer of protection for any cleanroom garment system. Made with Sandwash material, this lightweight micro-denier fabric is woven from 100% continuous-filament polyester to eliminate any source for lint.

Documents

Product Literature

- Production Insight Solutions for Controlled Environments and Manufacturing Processes
- VWR Protection Apparel
- VWR® Focus Production Vol 1 Issue 2
- VWR® Production Insight Vol 8 Issue 2

Datasheet

- TDS ESD Micro Denier Scrub Top with Knit Cuff

Specifications

Type:	
Scrub top with knitt cuff	
Color:	

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Navy

Clothing Size:

XL

Cat. No.:

76202-664

Garment application:

Industrial

Risk area:

ESD

Gender:

Unisex

Sleeve or leg length:

Long

Closure type:

Press studs / snaps

Fabric:

100% continuous-filament polyester

---

17. Unisex Scrub Pants, PolyCotton

Grey, L

Catalog #: 76268-884

Supplier: VWR International



Product Details & Documents

These scrub pants have a hip pocket, secure drawstring waist, and provide superior protection without sacrificing comfort.

- Made with 65% polyester, 35% cotton
- Color-coded label for sizing

- Soft and comfortable

These scrub pants provide an excellent base-layer of protection in any clinical setting.

Documents

Datasheet

- TDS Unisex Scrub Pants, PolyCotton

Product Literature

- VWR Protection Apparel
- VWR® Reusable Lab Coats and Scrub

Specifications
Color:
Grey
Clothing Size:
L
Cat. No.:
76268-884
Garment application:
Clinical
Gender:
Unisex
Sleeve or leg length:
Long
Fabric:
65% polyester, 35% cotton

18, V-Neck Scrub Tops, PolyCotton

Grey, L

Catalog #: 76268-934

Supplier: VWR International

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

Featuring a V-neck and chest pocket, this scrub top provides superior protection without sacrificing comfort.

- Made with 65% polyester and 35% cotton
- Color-coded label for sizing
- Soft and comfortable

This scrub top provides an excellent base-layer of protection in any clinical setting.

Documents

Datasheet

- TDS V-Neck Scrub Tops, PolyCotton

Product Literature

- VWR Protection Apparel
- VWR® Reusable Lab Coats and Scrub

Specifications

Color:	
Grey	
Clothing Size:	
L	
Cat. No.:	
76268-934	
Garment application:	
Medical	
Gender:	
Unisex	
Sleeve or leg length:	
Short	
Fabric:	
65% polyester and 35% cotton	

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

19. VWR® Alliance® Labcoats, Made in USA, Breathable Cleanroom Protection

White, XL, 25.5"

Catalog #: 77532-310

Supplier: VWR International



Product Details & Documents

Comfortable, durable, and fluid-resistant cleanroom labcoats designed to help reduce contamination risk during routine laboratory, pharmaceutical and controlled-environment workflows.

- Breathable microporous fabric supports comfort during extended cleanroom and lab wear
- Antistatic, fluid-resistant construction helps reduce contamination and splash concerns
- Knit cuffs and collar and 5-snap front ensure coverage at common exposure points
- Tested to OSHA Level A chemical resistance standards for enhanced protection
- Manufactured under ISO 13485 guidelines to ensure controlled quality standards

These labcoats are manufactured in the USA and expertly engineered to meet the highest standards of safety, durability and wearer comfort in cleanroom and laboratory environments. The Alliance® breathable microporous fabric resists fluid penetration and static buildup for reliable protection and everyday usability.

The full-length design helps protect personal clothing while maintaining a professional appearance. Soft knit cuffs and collar help improve comfort at the wrists and neck, while the front snap closure and pocket make the labcoat practical for regular bench work, staging and support tasks.

This family supports standardized purchasing across teams, with a broad size offering and consistent construction. U.S. manufacturing, ISO 13485-guided production, double-bagged packaging, and OSHA Level A chemical resistance testing help support controlled-environment sourcing requirements.

Each lab coat is double-bagged in a poly-lined carton, ensuring cleanliness and ease of handling in cleanroom environments. Proudly made in the USA, the Alliance® Labcoat delivers peace of mind through reliable protection, consistent quality, and domestic manufacturing excellence.

Packaging: Double-bagged in poly-lined carton, 30 bags per case.

Documents

Datasheet

- TDS Alliance® Labcoat.pdf

Specifications

Color:	
White	
Clothing Size:	
XL	
Chest size:	
25.5"	
Cat. No.:	
77532-310	
Garment application:	
Cleanroom	
Gender:	
Unisex	
Sleeve or leg length:	
Long	
Closure type:	
Press studs / snaps	
Fabric:	
Alliance® breathable microporous fabric with anti-skid additive	

Weight: 60 g/m²

---

20. VWR® Transparent Plastic Laboratory Aprons


Utility-weight aprons, thickness: 4 mil, 106.7×68.6 cm (42×27")

Catalog #: 10824-067

Supplier: VWR International

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

Made of soft, strong 100% polyvinylchloride (PVC) with electronically sealed ties and seams.

- Protect against water, oil, grease, and most chemicals
- Will not peel, curl, or crack
- Soft, pliable Plastipron® design

Ties are double anchored with heat-sealed PVC grommets. Easily cleaned with a damp cloth or sponge.

Ordering information: Packed in individual sealed and labeled plastic bags.

Documents

- 1110_12082011

- CoC_VWR® Transparent Plastic Laboratory Aprons

Specifications

Type:	
Utility-weight aprons, thickness: 4 mil	
L×W:	
106.7×68.6 cm (42×27")	
Cat. No.:	
10824-067	
Garment application:	
Oils, fats and fuels|Laboratory	
Gender:	

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Unisex

Fabric:

PVC

DISPOSABLE GARMENTS

1. VWR® Irradiated Coveralls, Sterile Cleanroom Apparel

White, L

Catalog #: 414004-451

Supplier: VWR International



Product Details & Documents

Breathable, sterile microporous coveralls designed to provide strong fluid and particulate protection while maintaining comfort in cleanroom and aseptic workflows.

- Gamma irradiation reduces bioburden and particulate contaminants prior to packaging
- High moisture vapor transmission helps prevent overheating during extended wear
- Low particle shedding helps maintain cleaner gowning and processing areas
- Fluid and particulate barrier supports contamination-control protocols across regulated workflows
- Individually packaged garments simplify storage, handling, and point-of-use readiness

Coveralls are manufactured from a specially formulated, breathable, microporous fabric engineered to provide strong fluid and particulate barrier protection while maintaining extremely low particle shedding. This combination helps protect products and processes in contamination-sensitive workflows where both barrier integrity and cleanliness are critical, including cleanroom, pharmaceutical medical device, aseptic filling, and other regulated environments.

At the same time, the fabric allows heat and moisture vapor to escape, helping reduce heat buildup during extended wear. The soft, cloth-like material enhances comfort and wear compliance, making the garment suitable for long shifts in controlled environments.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Gamma irradiation to a Sterility Assurance Level (SAL) of 10^{-4}, these coveralls are also manufactured and packaged in an ISO Class 8 (FED-STD-209E Class 100000/M3.5) cleanroom. This helps facilities maintain cleanroom and regulated production protocols, and ensures that each product meets exacting quality standards and performs to specification.

Documents

Certificates

Search by Lot Number

- 414004-444_A1191350
- 414004-445_A3191350
- 414004-446_A1191350
- 414004-447_A1191350
- 414004-447_A1191601

More

BSE/TSE Certificates

- 414004-449_P
- 414004-450_P
- 414004-451_P
- 414004-452_P
- 414004-453_P

More

Datasheet

- TDS VWR Irradiated Coverall.pdf
- VWR Irradiated Coveralls

Product Literature

- VWR Protection Apparel

Specifications

Color:	
White	
Clothing Size:	
L	
Cat. No.:	
414004-451	
Garment application:	
Cleanroom|Laboratory	
Air Permeability:	
0.06	
Bacterial Filtration Efficiency:	
0.999	

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Particle shedding (Helmke Drum):
Level I
H_2O Resistance:
Zero Penetration
H_2O Vapor Transmission Rate (avg.):
777 g/m²/24 hrs.
Water Vapor Transmission Rate:
777
Tensile Strength:
21 (Filling)
Tearing Strength:
8.7 (Widthwise Yarns)
Synth. Blood Penetration Resistance:
Pass
Thickness:
0.21 mm
Weight:
56 g/m²

---

2. VWR® Maximum Protection Frocks

White, L, 43½", 23½", 35½"

Catalog #: 414004-397

Supplier: VWR International



Product Details & Documents

These are the cleanest and most durable frocks available within the VWR® Protection line.

- Superior fluid and particulate barrier
- Lowest level of particle shedding

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Light chemical-splash resistance
- Breathable to ensure user comfort
- Soft, cloth-like fabric with maximum tear strength

Manufactured from a specially formulated breathable microporous fabric, these garments are distinguished by their exceptional comfort benefits and superior barrier protection capabilities.

Garments feature raglan sleeves and elastic cuffs. Available with snaps or zipper front closure. Serged seams.

The frocks provide barrier protection against fluids, biologicals, particulates, and light chemical splash. A high vapor transmission rate keeps the wearer comfortable, even throughout extended use. Appropriate for industrial, pharmaceutical, food processing, construction, and certain environmental cleanup applications.

Certifications: Frocks are rigorously tested and manufactured in an ISO Certified facility under stringent process controls to ensure that each garment meets exacting quality standards and performs to specification. Lot controlled and validated through independent lab testing.

Packaging: Frocks are packaged 25 per case. Individually packed frocks are sealed in polyethylene bags contained within a larger carton liner.

Documents

Certificates

Search by Lot Number

- 414004-394_A3191936
- 414004-395_A3191936
- 414004-398_A3191936
- 414004-696_A1191936
- 414004-698_A1191936

More

BSE/TSE Certificates

- 414004-397_P

Datasheet

- TDS VWR Maximum Protection Frocks.pdf
- VWR Maximum Protection Frocks

Product Literature

- VWR Protection Apparel

Specifications

Color:

White

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Clothing Size:
L
Length:
43½"
Chest size:
23½"
Sleeve:
35½"
Cat. No.:
414004-397
Fabric:
Microporous laminate (PP/PE)
Closure type:
Press studs / snaps
Cleanroom Class:
100/ISO 5
Pockets:
Without Pockets
Gender:
Unisex
Sleeve or leg length:
Long
Seam type:
Serged
Garment application:
Cleanroom
Air Permeability:
0.06 cu. ft./min./sq. ft.
Bacterial Filtration Efficiency:
>99.9%
Particle shedding (Helmke Drum):
Level I
H_2O Resistance:
Minimal penetration
Water Vapor Transmission Rate:
733 g/m²/24 h
Tensile Strength:
25.2 lbs./in. (warp), 29.4 lbs./in. (filling)
Tearing Strength:
4.8 lbs./in. (lengthwise yarns), 5.7 lbs./in. (widthwise yarns)
Thickness:
0.22 mm
Weight:
63 g/m²

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

3. VWR® Advanced Coveralls, Breathable, Disposable

VWR® Advanced coveralls, White, L, 25", 34", 25/Case

Catalog #: 414004-296

Supplier: VWR International



Product Details & Documents

Breathable, low-lint disposable coveralls with a fluid and dry-particulate barrier to support comfortable personal protection in laboratory, pharmaceutical, food processing and industrial workflows.

- Breathable microporous fabric is exceptionally clean and durable, balancing comfort with everyday performance
- Available with an elastic hood and attached boot covers to reduce the risk of slipping
- Low-lint construction helps reduce particle contribution in controlled work areas
- Fluid and dry-particulate protection supports routine gowning across varied workflows
- Durable disposable design suits a wide variety of lab environments, as well as construction and certain environmental cleanup applications
- Resists common laboratory chemicals for added confidence during general handling

Designed for cleanroom and controlled-environment programs, these lab coats help personnel move through routine tasks with practical coverage and comfort. The front zipper and inset sleeves make donning straightforward while the cuffed wrists, ankles and back help help ensure a close fit.

The breathable microporous material is intended to improve wearability compared with heavier barrier garments while still helping separate the user from fluids and dry particulates. Its low-linting construction also supports cleaner handling practices where loose particles are a concern.

Compared with lighter disposable apparel, the Advanced line is suited to workflows that need a stronger balance of barrier performance, durability and comfort during active wear. Lot-controlled manufacturing supports consistent quality and documented performance across production lots.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Documents

Certificates

Search by Lot Number

- 414004-291_15191935
- 414004-291_A1191946
- 414004-292_15191935
- 414004-294_A3191936
- 414004-297_A3191936

More

Datasheet

- TDS VWR® Advanced Protection Coveralls.pdf

Product Literature

- VWR Protection Apparel
- VWR Protection from Head to Toe

Specifications

Description:	
VWR® Advanced coveralls	
Color:	
White	
Clothing Size:	
L	
Chest size:	
25"	
Sleeve:	
34"	
Packaging:	
25/Case	
Cat. No.:	
414004-296	
Closure type:	
With Zip Closure	
Cleanroom Class:	
1000/ISO 6	
Pockets:	
Without Pockets	
Gender:	
Unisex	
Sleeve or leg length:	
Long	
Garment application:	
Cleanroom|Pharmaceutical|Clinical|Laboratory	

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Air Permeability:
0.06 cu. ft./min./sq. ft.
Bacterial Filtration Efficiency:
>99.9%
Particle shedding (Helmke Drum):
Level II
H_2O Resistance:
Significate barrier
Water Vapor Transmission Rate:
777 g/m²/24 h
Tensile Strength:
21.7 lbs./in (warp); 25.0 lbs./in (filling)
Tearing Strength:
3.4 lbs./in (lengthwise yarns); 4.8 lbs./in (widthwise yarns)
Thickness:
0.21 mm
Weight:
56 g/m²

---

4. VWR® Maximum Coveralls

White, L, 34", 25/case

Catalog #: 414004-313

Supplier: VWR International



Product Details & Documents

These are the cleanest and most durable coveralls available within the VWR® Protection line. Manufactured from a specially formulated breathable microporous fabric, these garments are distinguished by their exceptional comfort benefits and superior barrier protection capabilities.

- Superior fluid and particulate barrier
- Lowest level of particle shedding
- Light chemical-splash resistance
- Breathable to ensure user comfort
- Soft, cloth-like fabric with maximum tear strength
- Bonded seam option available

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

The coveralls provide disposable barrier protection against fluids, biologicals, particulates, and light chemical splash.

Coveralls are rigorously tested and manufactured in an ISO Certified facility under stringent process controls to ensure that each garment meets exacting quality standards and performs to specification. Lot controlled and validated through independent laboratory testing.

All coveralls feature inset sleeves, front zipper, and elastic cuffs, ankles, and back. Also available with or without an attached elastic hood. Garments equipped with attached boots have a long-wear anti-skid sole. Serged seams are standard on all coveralls unless otherwise noted (bonded seams also available).

A high vapor transmission rate keeps the wearer comfortable, even throughout extended use. Appropriate for industrial, pharmaceutical, food processing, construction, and certain environmental cleanup applications.

Certifications: Tested and manufactured in an ISO certified facility under stringent process controls to ensure that each product meets exacting quality standards and performs to specification. Products are validated through independent laboratory testing.

Packaging: 25/case.

Documents

Certificates

Search by Lot Number

- 414004-308_A3191936
- 414004-308_A3191946
- 414004-309_A3191936
- 414004-316_A3191936
- 414004-683_A1191936

More

Datasheet

- TDS VWR Maximum Coveralls.pdf

Product Literature

- VWR Maximum Protection Coveralls Technical Data Sheet
- VWR Protection Apparel

Specifications

- Color:

  White

- Clothing Size:

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

L

- Sleeve:

  34"

- Packaging:

  25/case

- Cat. No.:

  414004-313

- Fabric:

  Cloth Like Polypropylene

- Closure type:

  With Zip Closure

- Cleanroom Class:

  100/ISO 5

- Pockets:

  Without Pockets

- Gender:

  Unisex

- Sleeve or leg length:

  Long

- Garment application:

  Cleanroom

- Air Permeability:

  0.06 cu. ft./min./sq. ft.

- Bacterial Filtration Efficiency:

  >99.9%

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Particle shedding (Helmke Drum):

  Level I

- H_2O Resistance:

  Zero Penetration

- H_2O Vapor Transmission Rate (avg.):

  777 g/m²/24 h

- Tensile Strength:

  25.2 lbs./in (warp); 29.4 lbs./in (filling)

- Tearing Strength:

  4.6 lbs./in (lengthwise yarns); 5.7 lbs./in (widthwise yarns)

- Thickness:

  0.22 mm

- Weight:

  63 g/m²

6. VWR® Basic SPP Coveralls

White, L, 38¾" (body), 29½" (leg), 25"

Catalog #: 414004-341

Supplier: VWR International



KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

Disposable coverall made from spunbond polypropylene (SPP) fabric, offering lightweight and breathable protection for non-hazardous environments. Ideal for general industrial use, food processing, and clean areas requiring basic contamination control.

- Lightweight and breathable fabric minimizes heat buildup
- Zipper front closure for easy donning and removal
- Elastic wrists and ankles for secure coverage
- Disposable, single-use design for contamination control
- Economical solution for basic protection needs
- Non-linting material helps maintain cleanliness
- Ideal for general industrial, food processing, and nonhazardous environments

The Basic Protection SPP Coverall is an economical and practical solution for environments requiring lightweight, disposable protective apparel. Constructed from spunbond polypropylene (SPP) fabric, this garment offers a balance of comfort and functionality. The non-woven material is breathable and non-linting, making it suitable for clean areas, food processing, and general industrial applications where contamination control is essential but exposure risks are minimal.

Designed for ease of use, the coverall features a zipper front closure for quick donning and removal, along with elastic wrists and ankles to ensure a secure fit and reduce gaps. The single-use design supports hygiene compliance and simplifies inventory management, while the lightweight construction minimizes heat buildup during extended wear.

Although not intended for hazardous chemical or liquid protection, the Basic Protection SPP Coverall provides an effective barrier against dust, dirt, and dry particulates. This makes it an ideal choice for controlled environments, pre-gowning areas, and routine operations where basic protection is required. By combining cost-efficiency, comfort, and contamination control, this coverall delivers dependable performance for facilities seeking reliable disposable apparel for everyday tasks.

Packaging: Coveralls are packaged 25 per case.

Documents

Certificates

Search by Lot Number

- 414004-336_D4191939
- 76285-346_A1192248
- 76285-348_A3191936
- 76285-348_A3192248
- 89208-738_A1191936

More

Application Notes

- VWR Basic Protection SMS Coveralls.pdf

Product Literature

- VWR Protection Apparel

Specifications

Color:	
White	
Clothing Size:	
L	
Length:	
38¾" (body), 29½" (leg)	
Waist size:	
25"	
Cat. No.:	
414004-341	
Fabric:	
Spunbound polypropylene	
Closure type:	
With Zip Closure	
Cleanroom Class:	
10000/ISO 7	
Pockets:	
Without Pockets	
Gender:	
Unisex	
Sleeve or leg length:	
Long	
Garment application:	
Cleanroom|Industrial|Laboratory	
Particle shedding (Helmke Drum):	
Level II	
H_2O Resistance:	
First line barrier	
Weight:	
48 g/m²	

---

7. VWR® Basic SPP Lab Coats, Disposable, Lightweight

White, L, 40", 31½", 32½"

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Catalog #: 89208-814

Certificates

Supplier: VWR International



Product Details & Documents

Breathable, disposable SPP lab coats support comfort and contamination control during routine gowning and general laboratory, cleanroom, and industrial tasks in non-hazardous environments.

- Lightweight SPP fabric promotes breathability for comfortable wear during longer shifts
- Snap-front closure allows fast donning and easy changes between work areas
- Non-linting construction helps reduce particle transfer in controlled environments
- Disposable design simplifies contamination control protocols and removes laundering from operations
- Multiple cuff and pocket styles help align garments with workflow preferences
- Basic barrier performance protects against dust, dirt and dry particulate exposure

Designed for low-risk tasks, these lab coats fit easily into routine gowning programs for clean areas, laboratories, food processing, and general industrial spaces. Because these lab coats are intended for non-hazardous environments, they are best used where dust, grime, and dry particulates are the main concern.

This product family includes options with elastic or knit cuffs, as well as pocketed and no-pocket designs, so teams can choose the style that best matches glove overlap, storage needs, and movement through controlled areas. This helps standardize apparel across different stations while keeping garment selection straightforward.

The breathable, nonwoven spunbond polypropylene (SPP) construction offers a practical balance of comfort and cleanliness for everyday wear, with non-linting properties to reduce particle contamination. The disposable design supports hygiene compliance by reducing the risk of cross-contamination and simplifies inventory management.

Documents

Certificates

Search by Lot Number

- 414004-344_A3191347
- 414004-345_A1191345
- 414004-348_15191935

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- 414004-349_D4191938
- 414004-349_D6191938

Product Literature

- Production insight Solutions for Critical Environments and Manufacturing Processes
- VWR Protection Apparel
- VWR Protection from Head to Toe

Datasheet

- VWR Basic Protection SPP Lab Coats

Application Notes

- VWR Basic Protection SPP Lab Coats.pdf

Specifications

- Color:

  White

- Clothing Size:

  L

- Length:

  40"

- Chest size:

  31½"

- Sleeve:

  32½"

- Cat. No.:

  89208-814

- Fabric:

  Spunbond polypropylene

- Closure type:

  Press studs / snaps

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Cleanroom Class:

  10000/ISO 7

- Pockets:

  With Pockets

- Gender:

  Unisex

- Sleeve or leg length:

  Long

- Garment application:

  Cleanroom|Industrial|Laboratory

- Particle shedding (Helmke Drum):

  Level II

- H_2O Resistance:

  First line barrier

- Weight:

  40 g/m²

8. VWR® Maximum Fluid-Impervious Lab Coat

Maximum Protection Fluid-Impervious Lab Coat, White, L

Catalog #: 414004-347

Supplier: VWR International



KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

Fluid-impervious lab coats are the cleanest and most durable within the entire VWR® Protection line of apparel.

- Fluid-impervious material designed to repel water
- Excellent particulate barrier
- Low-linting

Engineered to optimize barrier protection, cleanliness, and comfort, these garments are appropriate for industrial, pharmaceutical, food processing, and certain environmental cleanup applications.

Lab coats feature snap front closure, knit cuffs, and three front pockets.

Certifications: Lab coats are rigorously tested and manufactured in an ISO Certified facility under stringent process controls to ensure that each garment meets exacting quality standards and performs to specification. Lot controlled and validated through independent lab testing.

Documents

Certificates

Search by Lot Number

Specifications

Description:	
Maximum Protection Fluid-Impervious Lab Coat	
Color:	
White	
Clothing Size:	
L	
Cat. No.:	
414004-347	
Garment application:	
Laboratory	

---

9. VWR® Basic Protection SMS Lab Coats, Disposable

Light blue, L, 40", 27", 32½"

Catalog #: 414004-355

Supplier: VWR International

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

Latex-free disposable SMS lab coats are designed to provide breathable, lightweight coverage for routine contamination control and light splash tasks.

- Multi-layer SMS construction balances durability, breathability, and basic barrier performance
- Latex-free design supports shared work environments
- Knit cuffs help keep sleeves positioned during routine work
- Snap-front closure and collar support easy gowning and removal
- Three pockets provide convenient storage for small items

These lab coats support everyday gowning programs where basic particulate control and light splash protection are sufficient. They are suited for general lab work, cleanroom support tasks and production areas with limited exposure risk.

SMS construction combines layered polypropylene materials to balance airflow with light barrier performance. This helps reduce heat buildup during extended wear while maintaining coverage for routine activities.

Available in multiple sizes and colors, supporting standardization across teams or zones. They are intended for non-hazardous environments, and higher-level PPE should be selected when exposure risk increases.

Documents

Certificates

Search by Lot Number

- 414004-356_A1191345
- 414004-357_15191595
- 414004-358_15191595
- 414004-361_15191935
- 414004-362_A1191346

More

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Datasheet

- VWR Basic Protection SMS Lab Coats

Application Notes

- VWR Basic Protection SMS Lab Coats.pdf

Product Literature

- VWR Protection Apparel
- VWR® Focus Production Volume 2 Issue 1

Specifications

Color:	
Light blue	
Clothing Size:	
L	
Length:	
40"	
Chest size:	
27"	
Sleeve:	
32½"	
Cat. No.:	
414004-355	
Fabric:	
Spunbound polypropylene	
Closure type:	
Press studs / snaps	
Cleanroom Class:	
10000/ISO 7	
Pockets:	
With Pockets	
Gender:	
Unisex	
Sleeve or leg length:	
Long	
Garment application:	
Cleanroom|Industrial|Laboratory	
Air Permeability:	
95.3 cu. ft./min./sq. ft.	
Bacterial Filtration Efficiency:	
90%	
Particle shedding (Helmke Drum):	
Level II	
H_2O Resistance:	
16.7 G	
Water Vapor Transmission Rate:	
965 g/m²/24 h	

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Tensile Strength:
13.0 lbs./in. (warp), 16.1 lbs./in. (filling)
Tearing Strength:
3.1 lbs./in. (lengthwise yarns), 2.6 lbs./in. (widthwise yarns)
Weight:
50.45 g/m²

---

10. VWR® Maximum Protection Lab Coats

White L, 40'', 40

Catalog #: 76336-855

Supplier: VWR International

Product Details & Documents

- VWR® Maximum Protection lab coats are engineered for durability and comfort, making them an essential choice for maintaining compliance and safety in critical environments.
- Durable fabric made from high-quality materials provides excellent protection against particulates, chemicals, and liquids
- Elastic wrists provide a snug fit to prevent contaminants from entering the sleeve area (also available with knit cuffs)
- Knit collar adds comfort while maintaining a professional appearance and secure barrier
- Lightweight and breathable design for comfort during extended wear in controlled environments
- Low-lint fabric minimizes particle shedding
- Crucial for maintaining cleanroom integrity
- VWR® Maximum Protection lab coats are specifically designed for environments where safety, cleanliness, and protection are paramount. These lab coats provide superior barrier protection against contaminants, making them ideal for use in cleanrooms, laboratories, pharmaceutical manufacturing, and biosafety level facilities. The provide a reliable barrier against particulate contamination, ensuring cleanliness and sterility during sensitive production processes. Ideal for high-level containment facilities where maximum protection is critical, these garments offer protection from chemical splashes and biological hazards.
- Ideal for use in ISO Class 5 - 8 cleanrooms to ensure operations remain compliant with cleanliness standards. The material construction combines comfort with durability for long wear periods without sacrificing protection. The zipper closure allows quick and secure fitting, improving efficiency in high-paced environments. All styles feature one chest pocket and two hip pockets. These lab coats are available with knit cuffs or elastic wrists.
- **Certifications:** Lab coats are rigorously tested and manufactured in an ISO certified facility under stringent process controls to ensure that each garment meets exacting

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

quality standards and performs to specification. Lot controlled and validated through independent lab testing.

- **Packaging:** Lab coats are packaged 25 per case. Bulk packed lab coats are packaged 450 per gaylord.

- **Documents**

- **Certificates**

- Search by Lot Number
-

- 414004-368_15191935
- 414004-372_A1191936
- 414004-373_A1191936

- **Datasheet**

- TDS VWR Maximum Protection Lab Coats.pdf
- TDS VWR Maximum Protection Zipper Labcoats 63 g Microporous.pdf
- TDS VWR® Maximum Protection Zipper Labcoats 60 g Microporous.pdf

- **Product Literature**

- VWR Protection Apparel

Specifications

- **Color:**
- White
- **Clothing Size:**
- L
- **Length:**
- 40"
- **Chest size:**
- 40"
- **Sleeve:**
- 32½"
- **Cat. No.:**
- 76336-855
- **Fabric:**
- Microporous laminate (PP/PE)
- **Closure type:**
- With Zip Closure
- **Cleanroom Class:**
- 100/ISO 5
- **Pockets:**
- With Pockets
- **Gender:**
- Unisex

- **Sleeve or leg length:**
- Long
- **Garment application:**
- Cleanroom
- **Air Permeability:**
- 0.06 cu. ft./min./sq. ft.
- **Bacterial Filtration Efficiency:**
- >99.9%
- **Particle shedding (Helmke Drum):**
- Level I
- **H_2O Resistance:**
- Minimal penetration
- **Water Vapor Transmission Rate:**
- 733 g/m²/24 h
- **Tensile Strength:**
- 25.2 lbs./in. (warp), 29.4 lbs./in. (filling)
- **Tearing Strength:**
- 4.8 lbs./in. (lengthwise yarns), 5.7 lbs./in. (widthwise yarns)
- **Thickness:**
- 0.22 mm
- **Weight:**
- 63 g/m²

---

11. VWR® Basic Protection SMS Lab Coats, Disposable

White, S, 36¾", 24¾", 30"

Catalog #: 414004-366

Certificates

Supplier: VWR International

Product Details & Documents

Latex-free disposable SMS lab coats are designed to provide breathable, lightweight coverage for routine contamination control and light splash tasks.

- Multi-layer SMS construction balances durability, breathability, and basic barrier performance
- Latex-free design supports shared work environments

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Knit cuffs help keep sleeves positioned during routine work
- Snap-front closure and collar support easy gowning and removal
- Three pockets provide convenient storage for small items

These lab coats support everyday gowning programs where basic particulate control and light splash protection are sufficient. They are suited for general lab work, cleanroom support tasks and production areas with limited exposure risk.

SMS construction combines layered polypropylene materials to balance airflow with light barrier performance. This helps reduce heat buildup during extended wear while maintaining coverage for routine activities.

Available in multiple sizes and colors, supporting standardization across teams or zones. They are intended for non-hazardous environments, and higher-level PPE should be selected when exposure risk increases.

Documents

Certificates

Search by Lot Number

- 414004-356_A1191345
- 414004-357_15191595
- 414004-358_15191595
- 414004-361_15191935
- 414004-362_A1191346

More

Datasheet

- VWR Basic Protection SMS Lab Coats

Application Notes

- VWR Basic Protection SMS Lab Coats.pdf

Product Literature

- VWR Protection Apparel
- VWR® Focus Production Volume 2 Issue 1

Specifications

- Color:

  White

- Clothing Size:

  S

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Length:

  36¾"

- Chest size:

  24¾"

- Sleeve:

  30"

- Cat. No.:

  414004-366

- Fabric:

  Spunbound polypropylene

- Closure type:

  Press studs / snaps

- Cleanroom Class:

  10000/ISO 7

- Pockets:

  With Pockets

- Gender:

  Unisex

- Sleeve or leg length:

  Long

- Garment application:

  Cleanroom|Industrial|Laboratory

- Air Permeability:

  95.3 cu. ft./min./sq. ft.

- Bacterial Filtration Efficiency:

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

90%

- Particle shedding (Helmke Drum):

  Level II

- H_2O Resistance:

  16.7 G

- Water Vapor Transmission Rate:

  965 g/m²/24 h

- Tensile Strength:

  13.0 lbs./in. (warp), 16.1 lbs./in. (filling)

- Tearing Strength:

  3.1 lbs./in. (lengthwise yarns), 2.6 lbs./in. (widthwise yarns)

- Weight:

  50.45 g/m²

12. VWR® Basic SPP Frocks

White, XL, 46", 36½"

Catalog #: 414004-381

Supplier: VWR International



KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

Disposable frock made from spunbond polypropylene (SPP) fabric, offering lightweight and breathable protection for non-hazardous environments. Designed for comfort and contamination control, it features snap-front closure, non-linting material, and an economical single-use design.

- Lightweight and breathable fabric reduces heat buildup during long shifts

Non-linting material helps maintain clean environments

Snap-front closure for easy donning and removal

Elastic cuffs for flexibility

Extended coverage compared to lab coats

Disposable, single-use design for contamination control

Economical solution for basic protection needs

The VWR® Basic Protection Frock is designed for environments where cleanliness and contamination control are essential, but exposure risks remain minimal. Made from spunbond polypropylene (SPP), this non-woven fabric offers a lightweight and breathable solution that ensures comfort during extended wear. Its non-linting properties help reduce particle contamination, making it suitable for clean areas, food processing, and general industrial applications.

The frock features a snap-front closure for quick and secure fastening, along with elastic cuffs to accommodate different glove types and ensure a secure fit. The disposable design supports hygiene compliance by minimizing cross-contamination and simplifying inventory management. While not intended for hazardous chemical or liquid protection, the frock provides an effective barrier against dust, dirt, and dry particulates, making it ideal for routine tasks in controlled environments. Combining cost-effectiveness, breathability, and basic contamination control, VWR® Basic Protection SPP Frocks deliver a practical solution for facilities seeking dependable single-use apparel for everyday operations.

Packaging: Frocks are packaged 30 per case.

Documents

Certificates

Search by Lot Number

- 414004-383_A3191936

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- 414004-384_A1191936
- 414004-400_A3191936

Datasheet

- VWR Basic Protection SPP Frocks

Application Notes

- VWR Basic Protection SPP Frocks.pdf

Product Literature

- VWR Protection Apparel

Specifications

Color:
White
Clothing Size:
XL
Length:
46"
Sleeve:
36½"
Cat. No.:
414004-381
Fabric:
Spunbound polypropylene
Closure type:
Press studs / snaps
Cleanroom Class:
10000/ISO 7
Pockets:
Without Pockets
Gender:
Unisex
Sleeve or leg length:
Long
Garment application:
Cleanroom|Industrial|Laboratory
Air Permeability:
840.63 cu. ft./min/sq. ft.
Bacterial Filtration Efficiency:
55%
Particle shedding (Helmke Drum):
Level II
H_2O Resistance:
21.7 G
Water Vapor Transmission Rate:
1257 g/m²/24 h
Tensile Strength:

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

25.9 lbs./in. (warp), 23.1 lbs./in. (filling)

Tearing Strength:

4.2 lbs./in. (lengthwise yarns), 4 lbs./in. (widthwise yarns)

Weight:

48.82 g/m²

---

13. VWR® Basic SMS Frocks

White, L, 43 1/2", 23 1/2", 35 1/2"

Catalog #: 414004-388

Supplier: VWR International



Product Details & Documents

Basic Protection SMS Frocks are designed to provide lightweight, breathable coverage for non-hazardous environments. Made from SM

S (Spunbond-Meltblown-Spunbond) material, they offer a dependable barrier against dust, dirt, and light liquid splashes while ensuring comfort during extended wear.

- Spunbond-Meltblown-Spunbond construction for lightweight durability and breathability

Snap-front closure is easy to wear and remove while maintaining a secure fit

Elastic cuffs help to keep sleeves in place

Full-length coverage provides protection for clothing and skin in controlled environments

Reliable barrier protection; shields against common workplace contaminants

Clean, professional design suitable for labs and production areas

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Affordable option for environments requiring basic protection

The Basic Protection SMS Frock is engineered for environments where comfort and essential coverage are key. Constructed from SMS (Spunbond-Meltblown-Spunbond) material, this garment combines durability with breathability, making it suitable for extended wear in controlled settings. The SMS fabric's multi-layer design provides a dependable barrier against dust, dirt, and light liquid splashes, ensuring protection without sacrificing mobility.

Featuring a snap-front closure for easy donning and doffing, along with elastic cuffs for a secure fit, the frock maintains a professional appearance while enhancing user safety. The lightweight structure reduces heat buildup, promoting comfort during long shifts. Ideal for laboratories, cleanrooms, and production areas, this frock delivers practical protection for non-hazardous applications where compliance and convenience matter.

Certifications: Frocks are rigorously tested and manufactured in an ISO certified facility under stringent process controls to ensure that each garment meets exacting quality standards and performs to specification. Lot controlled and validated through independent lab testing.

Packaging: Frocks are packaged 30 per case.

Documents

Certificates

Search by Lot Number

- 414004-386_A4171617
- 414004-388_A1192248

Datasheet

- VWR Basic Protection SMS Frocks

Application Notes

- VWR Basic Protection SMS Frocks.pdf

Product Literature

- VWR Protection Apparel

Specifications
Color:
White
Clothing Size:
L
Length:
$43^{1}/_{2}$"
Chest size:
$23^{1}/_{2}$"
Sleeve:

35½"

Cat. No.:
414004-388

Fabric:
Spunbound polypropylene

Closure type:
Press studs / snaps

Cleanroom Class:
10000/ISO 7

Pockets:
With Pockets

Gender:
Unisex

Sleeve or leg length:
Long

Garment application:
Cleanroom|Industrial|Laboratory

Air Permeability:
95.3 cu. ft./min./sq. ft.

Bacterial Filtration Efficiency:
90%

Particle shedding (Helmke Drum):
Level II

H_2O Resistance:
16.7 G

Water Vapor Transmission Rate:
965 g/m²/24 h

Tensile Strength:
13 lbs./in. (warp), 16.1 lbs./in. (filling)

Tearing Strength:
3.1 lbs./in. (lengthwise yarns), 2.6 lbs./in. (widthwise yarns)

Weight:
50.45 g/m²

---

14. VWR® Advanced Snap Closure Frocks with Elastic Cuff

White, M, 42½", 22¾", 34½"

Catalog #: 414004-407

Supplier: VWR International

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

Exceptionally durable, low-lint disposable frocks designed for comfort and protection in cleanroom and laboratory gowning workflows.

- Breathable microporous construction is clean, durable, and offers a dependable fluid and particulate barrier
- Snap front and collar closure supports fast gowning changes in busy controlled environments
- Raglan sleeves with elastic cuffs help maintain sleeve position and glove overlap coverage
- The serged seams provide enhanced durability and protection
- Pocketless design reduces particle traps and supports cleaner garment use

These frocks are built for controlled work areas where quick gowning, consistent coverage and easy changeout are a must. The snap-front design is simple to don, while raglan sleeves support comfortable movement during routine handling and room-to-room workflow.

The advanced fabric delivers a soft, cloth-like feel while helping manage dry particulates and light fluid exposure without feeling overly restrictive. Its clean, low-shedding construction makes it a practical choice for contamination-conscious environments.

Compared with basic spunbond frocks, this family is better suited to operations that need a stronger balance of comfort and barrier performance in a disposable format. Lot-controlled manufacturing and a broad size range help support more consistent gowning programs across teams.

Documents

Certificates

Search by Lot Number

- 414004-404_A3191347
- 414004-405_A3191346
- 414004-409_D6191939

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Datasheet

- TDS VWR Advanced Protection Frocks.pdf

Product Literature

- VWR Protection Apparel

Specifications

Color:
White

Clothing Size:
M

Length:
42½"

Chest size:
22¾"

Sleeve:
34½"

Tensile Strength:
21.7 lbs./in. (warp), 25.0 lbs./in. (filling)

Air Permeability:
0.06 cu. ft./min./sq. ft.

Bacterial Filtration Efficiency:
>99.9%

Sleeve or leg length:
Long

Tearing Strength:
3.4 lbs./in. (lengthwise yarns), 4.8 lbs./in. (widthwise yarns)

Gender:
Unisex

Closure type:
Press studs / snaps

Weight:
56 g/m²

H_2O Resistance:
Significate barrier

Cat. No.:
414004-407

Thickness:
0.21 mm

Water Vapor Transmission Rate:
777 g/m²/24 h

Cleanroom Class:
1000/ISO 6

Garment application:
Cleanroom

Pockets:
Without Pockets

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Fabric:
Microporous polypropylene
Particle shedding (Helmke Drum):
Level II

---

15. VWR® Maximum Non-Skid High-Top Boot Covers

White, Universal, 17½", 14"

Catalog #: 414004-414

Supplier: VWR International



Product Details & Documents

Improve traction and maintain cleaner footwear coverage during gowning and facility movement with high-top boot covers designed for controlled environments.

- Non-skid sole with high coefficient of friction supports traction on wet, smooth, and high-traffic floors
- Microporous laminate provides fluid and particulate protection while allowing vapor transmission for comfort
- High-top design extends coverage above the ankle to help contain debris during movement
- Low-linting material supports cleaner movement
- Serged seams improve durability during donning, walking, and task changes
- Lot-controlled, ISO-certified manufacturing supports traceability and consistent product quality

Designed for gowning sequences and controlled-area entry while helping contain footwear debris and improving traction across smooth or damp floors. Ideal for cleanroom support areas, pharmaceutical operations, food processing and other environments where slip resistance and contamination control are priorities.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

The microporous laminate balances barrier performance with breathability to support comfort during extended wear. The high-top design adds coverage during walking and material handling, while options such as ankle ties and multiple sizing configurations help ensure a secure, consistent fit.

Manufactured under controlled conditions with lot-level traceability to support consistent quality across reorders and documentation requirements. Skid-resistance testing with defined coefficient-of-friction values provides reliable traction and contamination-control coverage in regulated facilities.

Documents

Certificates

Search by Lot Number

- 414004-414_01192093
- 414004-415_01192093
- 414004-417_03192093
- 414004-418_01192093
- 414004-419_A6192091

Datasheet

- TDS VWR Maximum Protection Non-Skid High-Top Boot Covers.pdf
- VWR Maximum Non-Skid Boot Covers

Product Literature

- VWR Protection Apparel
- VWR Protection from Head to Toe

Specifications

Color:	
White	
Shoe size:	
Universal	
Height:	
17½"	
Length:	
14"	
Cat. No.:	
414004-414	
Fabric:	
Microporous laminate (PP/PE)	
Cleanroom Class:	
100/ISO 5	
Gender:	

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Unisex

Seam type:

Serged

Garment application:

Cleanroom

Bacterial Filtration Efficiency:

>99.9%

Particle shedding (Helmke Drum):

Level I

H_2O Resistance:

Significate barrier

Tensile Strength:

26.6 lbs./in. (warp), 24.9 lbs./in. (filling)

Tearing Strength:

11.7 lbs./in. (lengthwise yarns), 16.4 lbs./in. (widthwise yarns)

Thickness:

0.21 mm

Weight:

51.53 g/m²

---

16. VWR® Advanced Protection Sleeves, Breathable

White, Universal, 49.5 cm (19½")

Catalog #: 89208-810

Supplier: VWR International



Product Details & Documents

Breathable microporous protective sleeves designed to extend arm coverage in contamination-sensitive workflows requiring fluid and particulate barrier performance.

- Microporous fabric supports barrier performance with breathable wear

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Sonically welded seams promote consistent construction
- Designed to provide fluid and particulate protection
- Available with thumb loop options for secure positioning
- Manufactured under controlled conditions for consistent quality

These sleeves provide targeted arm protection in workflows where full garment coverage is not required, but additional barrier protection is needed. They are suited for laboratory, pharmaceutical and industrial applications.

The microporous fabric is designed to provide fluid and particulate barrier performance while maintaining breathability. Welded seams support consistent construction and reduce potential weak points.

Available in multiple lengths and with optional thumb loops, the sleeves can be selected based on coverage preference and glove interface needs. Always match sleeve selection to the task's specific exposure profile.

Documents

Certificates

Search by Lot Number

- 414004-420_10190246
- 414004-420_10192230
- 76169-442_04191905
- 76169-442_04191906
- CoQ VWR® Advanced Protection Sleeves

Datasheet

- TDS VWR® Advanced Protection Sleeves.pdf

Product Literature

- VWR Production insight V1
- VWR Protection Apparel
- VWR Protection from Head to Toe
- VWR™ Focus Production

Specifications

Color:	
White	
Clothing Size:	
Universal	
Length:	
49.5 cm (19½")	
Cat. No.:	
89208-810	

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Fabric:
Microposous polypropylene
Cleanroom Class:
1000/ISO 6
Gender:
Unisex
Garment application:
Cleanroom
Air Permeability:
0.06 cu.ft./min./sq.ft.
Bacterial Filtration Efficiency:
>99.9%
Particle shedding (Helmke Drum):
Level II
H_2O Resistance:
Significate barrier
Water Vapor Transmission Rate:
777 g/m²/24 h
Tensile Strength:
21.7 lbs./in. (warp), 25.0 lbs./in. (filling)
Tearing Strength:
3.4 lbs./in. (lengthwise yarns), 4.8 lbs./in. (widthwise yarns)
Thickness:
0.21 mm
Weight:
56 g/m²

---

17. VWR® Irradiated Frocks

White, L, 43$^1/_2$", 23$^1/_2$", 35$^1/_2$"

Catalog #: 414004-463

Supplier: VWR International

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

VWR® Irradiated Frocks are manufactured from a specially formulated breathable microporous fabric that provides significant fluid and barrier protection.

- Gamma irradiated to a Sterility Assurance Level (SAL) of 10^{-4}

Lowest level of particle shedding; Level I Helmke Drum classification

Durable fabric with excellent breathability and water vapor transmission rate

Significant fluid and particulate barrier: 99.9%

Bacterial filtration efficiency

Soft, cloth-like fabric

These garments exhibit excellent water vapor transmission to optimize user comfort. Frocks are gamma irradiated to address the concern of bio-burden contamination. Manufactured and packaged in an ISO Class 8 (FED-STD-209E Class 100,000/M3.5) cleanroom.

Certifications: Frocks are rigorously tested and manufactured in an ISO Certified facility under stringent process controls toensure that each product meets exacting quality standards and performs to specification. Garments are validated through independent lab testing.

Delivery information: Each case is supplied with a certificate of irradiation.

Packaging: Packed individually in sealed polyethylene bags contained within a larger carton liner, 25 frocks per case.

Documents

Certificates

Search by Lot Number

- 414004-462_A1191350

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- 414004-462_A1191601
- 414004-463_A1191350
- 414004-463_A1191601
- 414004-464_A3191350

More

Datasheet

- TDS VWR Irradiated Frocks.pdf

Product Literature

- VWR Protection Apparel

Specifications

Color:
White

Clothing Size:
L

Length:
$43^1/_2$"

Chest size:
$23^1/_2$"

Sleeve:
$35^1/_2$"

Cat. No.:
414004-463

Fabric:
Microporous Polyproyplene

Closure type:
Press studs / snaps

Cleanroom Class:
100/ISO 5

Pockets:
Without Pockets

Gender:
Unisex

Sleeve or leg length:
Long

Garment application:
Cleanroom|Pharmaceutical

Air Permeability:
0.06 cu. ft./min./sq. ft.

Bacterial Filtration Efficiency:
>99.9%

Particle shedding (Helmke Drum):
Level I

H_2O Resistance:
Zero penetration

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Water Vapor Transmission Rate:
777 g/m²/24 h
Tensile Strength:
22.0 lbs./in. (warp), 21.0 lbs./in. (filling)
Tearing Strength:
6.1 lbs./in. (lengthwise yarns), 8.7 lbs./in. (widthwise yarns)
Thickness:
0.21 mm
Weight:
56 g/m²

---

18. VWR® Basic Protection SPP Gowns

Yellow, Universal, 45", 27", 23"

Catalog #: 414004-467

Supplier: VWR International



Product Details & Documents

Disposable gowns made from spunbond polypropylene (SPP), offering lightweight, breathable protection for basic cleanroom and laboratory applications. Designed for comfort and coverage, these gowns feature full-length sleeves, elastic cuffs, and tie closures for a secure fit. Ideal for environments requiring non-sterile, particulate control without compromising mobility.

- Made from spunbond polypropylene (SPP) for lightweight and breathable protection
- Disposable, single-use gowns reduce cross-contamination risk
- Long sleeves and full-length design for maximum protection
- Elastic cuffs for a secure fit at the wrists to prevent sleeve slippage and maintain barrier integrity
- Adjustable back ties (neck and waist) for a comfortable and secure fit
- Non-sterile garments are suitable for general cleanroom, lab, and controlled environment use
- Latex-free formulation is safe for users with latex sensitivities
- Helps maintain hygiene and safety standards in controlled areas

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

VWR® Basic protection SPP gowns provide reliable, lightweight coverage for cleanroom and laboratory environments where basic contamination control is essential. Designed for non-sterile applications, they offer cost-effective protection against particulates and light splashes while supporting compliance with hygiene standards. Ideal for use in controlled environments, these gowns are latex-free, easy to dispose of, and perfect for pharmaceutical, biotech, and general lab settings.

Certifications: Tested and manufactured in an ISO certified facility under stringent process controls to ensure that each product meets exacting quality standards and performs to specification. Products are validated through independent lab testing.

Packaging: Gowns are packaged 50 per case.

Documents

Certificates

Search by Lot Number

Datasheet

- VWR Basic Protection SPP Gowns

Application Notes

- VWR Basic Protection SPP Gowns.pdf

Product Literature

- VWR Protection Apparel

Specifications

Color:	
Yellow	
Clothing Size:	
Universal	
Length:	
45"	
Chest size:	
27"	
Sleeve:	
23"	
Cat. No.:	
414004-467	
Fabric:	
Spunbound polypropylene	
Closure type:	
With Back Fastening	
Cleanroom Class:	
10000/ISO 7	
Pockets:	
Without Pockets	
Gender:	

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Unisex

Sleeve or leg length:

Long

Garment application:

Cleanroom|Industrial|Laboratory|Medical|General Purpose

Particle shedding (Helmke Drum):

Level II

H_2O Resistance:

First line barrier

Tensile Strength:

12.6 lbs./in. (warp), 10.4 lbs./in. (filling)

Tearing Strength:

1.6 lbs./in. (lengthwise yarns), 1.6 lbs./in. (widthwise yarns)

Weight:

25.49

---

19. VWR® Maximum Protection Gowns

Blue, Universal, 45", 27", 23"

Catalog #: 414004-469

Supplier: VWR International



Product Details & Documents

These gowns are the cleanest and most durable within the entire VWR® Protection line of apparel.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Full protection from fluids and light chemical splash
- Manufactured from fluid-impervious material
- Lowest level of particle shedding
- Clean, low-linting fabric
- Mullen bursting strength: 18 psi
- Wyzenbeek abrasion mass loss: 6.17%

Gowns provide barrier protection against fluids, biologicals, particulates, and light chemical splash. Elastic cuffs and ties at the neck and waist ensure secure closure. Serged seams. Available in white or blue.

Appropriate for use in industrial, pharmaceutical, food processing, and certain environmental cleanup applications.

Certifications: Gowns are rigorously tested and manufactured in an ISO certified facility under stringent process controls to ensure that each garment meets exacting quality standards and performs to specification. Lot controlled and validated through independent lab testing.

Packaging: Gowns are packaged 50 per case.

Documents

Certificates

Search by Lot Number

Datasheet

- TDS VWR Maximum Protection Gowns Made with Impervious Fabric.pdf

Product Literature

- VWR Protection Apparel

Specifications

Color:	
Blue	
Clothing Size:	
Universal	
Length:	
45"	
Chest size:	
27"	
Sleeve:	
23"	
Cat. No.:	
414004-469	
Fabric:	
Double laminated (PP/PE)	
Closure type:	
With Back Fastening	
Cleanroom Class:	

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

100/ISO 5

Pockets:

Without Pockets

Gender:

Unisex

Sleeve or leg length:

Long

Garment application:

Cleanroom

Air Permeability:

0.06 cu. ft./min./sq. ft.

Bacterial Filtration Efficiency:

>99.9%

Particle shedding (Helmke Drum):

Level I

H_2O Resistance:

Zero Penetration

Tensile Strength:

24.4 lbs./in. (warp), 20.3 lbs./in. (filling)

Tearing Strength:

7.7 lbs./in. (lengthwise yarns), 13.7 lbs./in. (widthwise yarns)

Weight:

58.58 g/m²

20, VWR® Irradiated Non-Skid Shoe Covers, Gamma-Irradiated

White, Universal, 5", 14⅛", +

Catalog #: 414004-476

Supplier: VWR International



Product Details & Documents

Sterile, low-lint shoe covers that improve traction and help reduce footwear-borne contamination during gowning, room entry and material handling in pharmaceutical manufacturing and biotechnology labs.

- Sterility Assurance Level (SAL) of 10^{-6}, reducing bio-burden contamination risk

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Low-lint fabric with >99.9% bacterial filtration efficiency
- Non-skid sole provides secure traction on smooth or wet surfaces
- Produced and packaged in an ISO Class 8 environment ensuring stringent process controls
- Tensile strength and tear resistance tested to ASTM standards
- Lightweight design with elastic fit for easy donning and secure wear

These shoe covers are constructed from a low-lint, fluid-resistant polypropylene-based material, helping reduce particulate shedding and limit transfer of contaminants ro ensure sterility, safety and contamination control. Gamma irradiation provides an added level of cleanliness, supporting contamination-sensitive workflows ideal for pharmaceutical manufacturing, biotechnology labs and other controlled environments.

The textured non-skid sole is designed to improve traction , with a superior coefficient of friction for enhanced safety of 3.54 COF (kinetic), 2.88 COF (static) to reduce slip risk during routine movement. An elasticized ankle opening ensures a secure fit over standard footwear, maintaining coverage integrity throughout use.

Their durability is validated through rigorous testing, including abrasion resistance up to 1000 cycles, with Mullen bursting strength of 18.0 psi. Lightweight and easy to don, VWR® Irradiated Non-Skid Shoe Covers combine comfort with uncompromising protection, making them an essential component of any contamination control program.

Documents

Certificates

Search by Lot Number

- 414004-476_A6191591

Datasheet

- TDS VWR Irradiated Non-Skid Shoe Covers.pdf

Product Literature

- VWR Protection Apparel

Specifications

Color:	
White	
Shoe size:	
Universal	
Height:	
5"	
Length:	
14⅛"	
Sterile:	
+	
Cat. No.:	

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

414004-476

Fabric:
60 g laminated PP

Cleanroom Class:
100/ISO 5

Gender:
Unisex

Seam type:
Serged

Garment application:
Cleanroom

Bacterial Filtration Efficiency:
>99.9%

Particle shedding (Helmke Drum):
Level I

H_2O Resistance:
Pass

Tensile Strength:
24.4 lbs./in. (warp), 20.3 lbs./in. (filling)

Tearing Strength:
7.7 lbs./in. (lengthwise yarns), 13.7 lbs./in. (widthwise yarns)

Synth. Blood Penetration Resistance:
Pass

Weight:
58.58 g/m²

HEARING and HEAD PROTECTION (Earplug, Earmuffs and ear Protection)

1, JacksonSafety H20 Metal Detectable Reusable Ear Plugs

Reusable ear plugs, soft TPE, triple flange, push-in insertion, Blue, 100 pair/box, 26

Catalog #: 76558-374

Supplier: Sellstrom

Supplier Number: 13822

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

Comfortable and easy-to-use metal detectable earplugs for industries where retention and detection are crucial.

- Special blue color contrasts with most food products

Metal bearing embedded in the earplug for easy detection Ridged for a better grip with insertion and removal

Non-irritating, ridged, detectable, reuseable, corded, universal fit

Corded style helps prevent loss. Ideal for food production and beverage industries and pharmaceutical facilities. Soft TPE flange for comfortable fit and seal Individual packaging for hygienic storage.

Certifications: CSA Class AL; ANSI S3.19.

Specifications

Description:
Reusable ear plugs, soft TPE, triple flange, push-in insertion
Color:
Blue
Packaging:
100 pair/box
Noise reduction rating:
26

---

2. Sellstrom H10 Disposable Earplugs

Premium disposable earplugs, uncorded, Hi-vis green, 32, 200 pair/dispenser box

Catalog #: 76558-992

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Supplier: Sellstrom

Supplier Number: S23410

Product Details & Documents

Sellstrom® H10 Disposable Earplugs are designed to match the contours of your inner ear to ensure maximum noise reduction and hearing protection. Used to provide a quiet environment and block out loud noises, the self-adjusting foam quickly expands to fit the ear canal. The earplugs are tested to a noise reduction rating of 32 dB.

- One size fits all, sold in a pack of 200 pairs

Made from non-irritating polyurethane material, enhances comfort for long-term wear

Bullet shape matches contours of inner ear to ensure maximum noise reduction and hearing protection. Used to provide a quiet environment and block out loud noises, the self-adjusting foam quickly expands to fit the ear canal.

Noise Suppression: Protecting your ears from exposure to hazardous noises around you, these one-time/disposable foam ear plugs offer one of the highest noise reduction rating of 32 dB. Sound-absorbing super soft PU foam materials bring you better noise reduction performance while promoting hearing safety in the workplace. The plugs not only effectively block out noise, but the convenient packaging also ensures hygiene protection.

Loud noise, continuous or intermittent, can cause permanent damage to the ear and result in hearing impairment. These foam earplugs act by absorbing sound and echo.

Certifications: Independently tested and certified to NRR 32 (ANSI S3.19) and CSA Class AL.

Packaging: These plugs are individually packed in pairs in a convenient dispenser box making them easily portable.

Specifications

Description:
Premium disposable earplugs, uncorded
Color:
Hi-vis green
Noise reduction rating:
32
Packaging:
200 pair/dispenser box

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

3. Sellstrom Reusable Earplugs - Tapered

Reusable earplugs, tapered, uncorded, Blue/Hi-vis green, 100 pair/box, 27

Catalog #: 76558-526

Supplier: Sellstrom

Supplier Number: S23420



Product Details & Documents

Sellstrom® Reusable Tapered Earplugs are suitable for extended wear and provide a secure fit with your hard hat and other safety gear. Reusable, comfortable, lightweight and easy to use, these ear plugs are a great choice in hearing protection. With a noise reduction rating of 27 dB, they are a smart choice to maintain focus and keep distractions at a minimum.

- Suitable for extended wear

Provides a secure fit with your hard hat and other safety gear

Reusable, comfortable, lightweight and easy to use

With a newly developed 4-flange design, these universally sized, hi-vis earplugs have a washable ridged stem for better grip during insertion and removal. These ear plugs are a great choice in hearing protection. Made with a non-allergenic polymer material, these can be washed and reused, helping to reduce wastage.

The sound-blocking, tapered pairs ensure optimum ear canal coverage, helping you skillfully silence out your world. The plugs not only effectively block out noise, but the convenient packaging also ensures hygiene protection. Ideal for professional use and practical for shooting, hunting, traveling, sports, studying, steel and hardware work, manufacturing, oil drilling etc.

Certifications: Independently tested and certified to NRR 27 (ANSI S3.19) and CSA Class AL.

Packaging: Sold in a pack of 100, our plugs are individually packed in pairs in a convenient dispenser box making them easily portable.

Specifications

Description:

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Reusable earplugs, tapered, uncorded

Color:

Blue/Hi-vis green

Packaging:

100 pair/box

Noise reduction rating:

27

---

4. Metal Detectable Earplugs, Moldex®

Rockets® metal detectable reusable earplugs, 50 pairs/box

Catalog #: 56219-250

Supplier: Moldex/Metric

Supplier Number: 6415



Product Details & Documents

Moldex® Metal detectable earplugs are perfect for food processing and other applications that require detectability. Cords are securely attached to the plugs. All Moldex® hearing protection is independently tested for protection that can be counted on.

- Moldex® Metal detectable corded earplugs are available in reusable Rockets® or soft foam SparkPlugs®
- Both models feature a securely attached metal detectable cord and a bright blue color that is ideal for any hearing protection program, especially in the food processing industry
- SparkPlugs® are rated NRR 33, the highest independently tested NRR available for use in the most noisiest environments
- Rockets® feature an independently tested NRR 27 and can be washed and reused
- SparkPlugs® are made of extra-soft foam and have a tapered design to fit snugly and comfortably in the ear
- SparkPlugs® have an enclosed metal ball bearing which eliminates any exposed metal
- Rockets® have an enclosed metal spring which eliminates any exposed metal

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- The ball bearing or spring are in seperate holes ensuring the plugs are still detectable even if the cord is removed
- Independently tested to ANSI S3.19-1974
- 100% PVC-free, like all Moldex® products and packaging, offering a greener alternative
- Made in U.S.A.

Documents

Datasheet

- Rockets Reusable Earplugs.pdf
- Sparkplugs Disposable Foam Earplugs.pdf

Specifications

Description:
Rockets® metal detectable reusable earplugs

Packaging:
50 pairs/box

---

5. Howard Leight Quiet™ Earplugs, Honeywell Safety

Earplugs, 26 dB

Catalog #: 55533-018

Supplier: Honeywell Safety Products

Supplier Number: QD1



Product Details & Documents

Comfortable, reusable foam earplugs require no rolling prior to insertion. Insert using the built-in flexible foam stem.

- Easy to clean for long-term use
- No-roll design is easy to handle and fit
- Noise reduction rating: 26 dB

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Smooth, non-irritating skin provides all-day comfort.

May be washed with soap and water.

Certifications: Meet ANSI S12.6 standard. CSA certified and CE marked.

Ordering information: Available with or without connecting cord.

Specifications

Description:
Earplugs
Noise reduction rating:
26 dB

---

6. Rockets® Reusable Earplugs, Moldex™

Earplugs, 26 dB

Catalog #: 56219-252

Supplier: Moldex/Metric
Supplier Number: 640



Product Details & Documents

Reusable earplugs feature a brightly colored, easy grip handle for inserting plug into the ear.

- An air bubble in the tip offers cushioned comfort all day long
- Soft, flexible flanges provide a superior seal and fit most ear canal sizes
- Available with or without connecting cord
- Washable

Certifications: Meet ANSI 3.19-1974 standard.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Ordering information: Each pair comes with a Pocket-Pak® carrying case for hygienic storage of plugs not in use.

Specifications

Description:
Earplugs
Noise reduction rating:
26 dB

---

7. Jazz Band® Banded Earplugs, Moldex®

Jazz Band® hearing protector, 25 dB

Catalog #: 56610-661

Supplier: Moldex/Metric
Supplier Number: 6506



Product Details & Documents

An exclusive AdB coating on the ear pods not only increases attenuation, but also repels dirt and allows the pod to be washed and reused.

- Lightweight, comfortable alternative to earmuffs
- Colorful band features soft foam ear pods
- Band will not interfere with eyewear
- Hangs easily around neck with optional cord

To use, simply position pods in ear, with band under chin (or behind head); then reach behind the head and pull top of ear upwards, push pod into ear canal with a wiggling motion to obtain a snug seal. Ear pods are easily replaced.

Specifications

Description:
Jazz Band® hearing protector
Noise reduction rating:

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

25 dB

---

8. Pura-Fit® 6800 and 6900 Earplugs, Moldex®

Earplugs, 31 dB

Catalog #: 56610-663

Supplier: Moldex/Metric

Supplier Number: 6800



Product Details & Documents

For convenient, comfortable hearing protection

- Convenient, comfortable hearing protection
- Soft foam fits snugly, tapered design allows easy insertion
- Brightly colored for easy compliance checks

Earplugs **56610-663** are hygienically pair-packed in biodegradable paper pouches. Earplugs with cord (**56610-673**) are packaged in a plastic pouch.

Soft foam plugs fit snugly and comfortably into ears. Tapered design allows easy insertion into any size ear canal. Brightly colored for easy compliance checks.

Certifications: Meet ANSI S3.19 in independent testing.

Specifications

Description:
Earplugs

Noise reduction rating:
31 dB

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

9. Jackson® Safety H70 Onyx Ear Muffs

Ear muffs, headband style, adjustable, dielectric; Cushion material: Foam, Black, 23

Catalog #: 76558-762

Supplier: Sellstrom

Supplier Number: 20771



Product Details & Documents

The Jackson® Safety H70 Onyx Ear Muffs headband style design features an ultra-soft cushioning headband for extended use with ball-and-socket pivoting ear cups for optimum pressure distribution and adjusts to most head shapes and sizes.

Promoting safety and ensuring security, the dielectric insulation protects users from electric shocks and shorts, the durable thermoplastic material retains shape and pressure for consistent noise reduction. These ear muffs have a lightweight design, with a noise reduction rating (NRR) of 23 dB to suit low noise environments, such as lawn mowers, industrial work, traffic noise and more.

Ear muffs can be the most effective equipment to protect your hearing from hunting, shooting, manufacturing, yard work and more.

Cup material: ABS
Headband material: Soft EVA foam
Band material: EVA foam

Certifications: These black Safety Ear Muffs are certified to meet ANSI S3.19-1974 standards.

Specifications

Description:
Ear muffs, headband style, adjustable, dielectric; Cushion material: Foam

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Color:
Black
Noise reduction rating:
23

10. JacksonSafety H70 Vibe® Earmuffs

H70 VIBE Earmuffs, ear muff style: over the head, band material: comfort foam, headband material: soft EVA foam, Orange, 23 (ANSI S3.19)

Catalog #: 76558-638

Supplier: Sellstrom

Supplier Number: 20773



Product Details & Documents

Jackson® H70 Vibe® Earmuffs are built for comfort and convenience, without compromising hearing protection. The headband style design features highly padded ear cups for all-day comfort and an innovative design that adjusts to most head shapes and sizes. Promoting safety and ensuring security, the dielectric insulation protects users from electric shocks and shorts. The durable thermoplastic material retains shape and pressure for consistent noise reduction. These ear muffs have a lightweight design, with a noise reduction rating (NRR) of 23 dB to suit low noise environments, such as lawn mowers, industrial work, traffic noise, and more.

- Cup material: Thermoplastic

  Cushion material: EVA foam

The Jackson Safety H70 Vibe Headband Earmuffs feature highly padded ear cups for all-day comfort and an innovative design that adjusts to most head shapes and sizes. The dielectric, durable thermoplastic material retains the shape and pressure for consistent noise reduction. The headband earmuff features a noise reduction rating (NRR) of 23 dB. This means it provides noise reduction to suit low-noise environments, such as lawn mowers, industrial work, and traffic noise. In addition, it meets ANSI S3.19-1974.

When it comes to providing safety solutions with long-lasting value, durability and comfort, Jackson Safety has set the standard. Whether the need is for welding protection in a steel fabrication environment, head protection on a construction site, or hearing protection at an airport, Jackson Safety provides the widest range of safety choices to meet the needs of every job and every worker.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Specifications

- Description:

  H70 VIBE Earmuffs, ear muff style: over the head, band material: comfort foam, headband material: soft EVA foam

- Color:

  Orange

- Noise reduction rating:

  23 (ANSI S3.19)

11. Sellstrom HP424 Premium Ear Muff

HP424 Premium ear muff, over the head style; Material: Cushion - foam, cup - ABS, headband - soft EVA foam, band - EVA foam, Black, NRR 24 (ANSI S3.19)

Catalog #: 76558-854

Supplier: Sellstrom

Supplier Number: S23403

Product Details & Documents

Ergonomically designed to reduce neck strain. Padded head band and swivel cups are lined with soft EVA foam cushions to provide non-stop comfort around head and ears. Ear cups can be adjusted to fit all sizes while keeping band close to the head.

- These earmuffs passively isolate noise and don't require batteries and are easy to carry and store with their perfect size and foldable design

The strong stainless-steel wire swivel fork arms ensure strength and long-lasting durability

Ideal for professional use like construction work, ground support, hunting, wood working etc.

Noise suppression: Silence out world with the noise dampening foam. Loud noises increase the likelihood of hearing loss and cause other negative health outcomes, try our product to reduce and filter out sounds, for better hearing protection.

Pair these 24dB NRR noise cancelling ear muffs with Sellstrom's 32dB NRR disposable uncorded foam ear plugs to ensure maximum protection in high levels of sound exposure.

Certifications: The HP424 Premium ear muffs are independently tested and certified to NRR 24 (ANSI S3.19) and CSA Class A.

Specifications

Description:
HP424 Premium ear muff, over the head style; Material: Cushion - foam, cup - ABS, headband - soft EVA foam, band - EVA foam

Color:
Black

Noise reduction rating:
NRR 24 (ANSI S3.19)

---

12. Sellstrom HP427 Premium Ear Muff

HP427 Premium ear muff, over the head, 10/box, Orange/black, 27 (ANSI S3.19)

Catalog #: 76558-578

Supplier: Sellstrom

Supplier Number: S23404



Product Details & Documents

The Sellstrom® HP427 Premium Ear Muff provides a slim profile and comfortable cuff pads suitable for extended use, a fully adjustable, EVA foam telescopic headband allows for a personalized fit that holds securely in place without slipping, to ensure maximum safety. Independently tested and certified to NRR 27 (ANSI S3.19) and CSA Class AL.

- Cup material: ABS

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Cushion material: Foam

Headband material: Soft EVA foam

Band material: EVA foam

Adjustable: In conjunction to a slim profile and comfortable cuff pads suitable for extended use, a fully adjustable, EVA foam telescopic headband allows for a personalized fit that holds securely in place without slipping, to ensure maximum safety. Compact: Thanks to its perfect size and foldable design, our ear muffs are easy to carry and store while effectively blocking hazardous levels of sound; The strong stainless steel wire swivel fork arms ensure strength and long-lasting durability.

Noise suppression: HP427 Ear Muffs deliver advanced noise cancellation with a slim built and low profile design; Adding to its ultra-lightweight construction, it also offers a noise reduction rating of 27dB, helping you skillfully silence out your world.

Ideal for professional use, it is practical for shooting, hunting, sports events, study, construction work (steel and hardware), manufacturing, oil drilling and more. Independently tested and certified to NRR 27 (ANSI S3.19) and CSA Class AL. Frequently Bought Together: Pair our 27dB lightweight Noise Cancelling Safety Ear Muffs with Sellstrom's 32 dB NRR Disposable Uncorded Foam Ear Plugs to ensure maximum protection in high levels of sound exposure.

Specifications
Description:
HP427 Premium ear muff, over the head, 10/box
Color:
Orange/black
Noise reduction rating:
27 (ANSI S3.19)

---

13. Sellstrom HPD425 Premium Dielectric Ear Muffs

Premium dielectric ear muff, soft EVA foam, adjustable, Hi-Vis green/black, 25

Catalog #: 76558-710

Supplier: Sellstrom

Supplier Number: S23407

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

Perfect fit: Ergonomically designed to reduce neck strain; Foam telescopic headband allows a personalized fit that holds securely in place without slipping, ensuring utmost protection.

- Ideal for professional use

Cuff pads can be easily adjusted for non-stop comfort around head and ears

EVA foam head and band material

Over the head ear muff with ABS cup and foam cushion

Ensuring optimal security, the dielectric insulation protects users from electric shocks and shorts. These multi-functional design fully encompasses the ear for maximum insulation, while automatically blocking hazardous sound levels.

Heavy-Duty: Featuring heavy duty non-conductive swivel fork arms, our earmuffs passively isolate noise while ensuring strength and durability. The hi-vis green/black ear cups are visible in low light conditions, providing additional jobsite protection. It is practical for shooting, hunting, sports events, study, steel and hardware work, manufacturing, oil drilling etc.

Noise Suppression: Hi-vis ear muffs have a lightweight design build for comfort and convenience without compromising hearing protection. With durable ear cuffs made to withstand tough environments, they safeguard your hearing with a noise reduction of 25 dB.

Certifications: HPD425 Premium Ear Muffs are independently tested and certified to NRR 25 (ANSI S3.19) and CSA Class A.

Specifications

Description:	
Premium dielectric ear muff, soft EVA foam, adjustable	
Color:	
Hi-Vis green/black	
Noise reduction rating:	

14. Sellstrom HPS428 Premium Cap Mounted Ear Muffs

Premium cap mounted ear muffs, Red/black, 28

Catalog #: 76558-504

Supplier: Sellstrom

Supplier Number: S23409

Product Details & Documents

Get reliable hearing protection with a cap-mounted design built for demanding worksites. The ergonomic EVA foam headband and cushioned pads help create a secure, comfortable fit that stays put during movement, so you can focus on the job instead of readjusting your gear.

- Ergonomic comfort support: EVA foam headband helps distribute pressure evenly for longer wear

Slip-resistant fit: Adjustable positioning helps keep the muffs stable and securely in place

Battery-free passive protection: Reduces noise through mechanical isolation, no electronics required

Rugged mounting hardware: Stainless steel wire swivel arms add strength and support long-term use

Hard-hat compatible: Cap-mounted style fits most slotted hard hats and works well over additional headgear

These passive noise-isolating ear muffs deliver strong sound reduction without batteries or charging. Reinforced with stainless steel swivel fork arms for added durability, they’re made to mount onto most slotted hard hats. Ideal for construction, woodworking, ground support, and other high-noise tasks.

Certifications: NRR 28 (ANSI S3.19) and CSA Class A certified.

Specifications

Description:
Premium cap mounted ear muffs
Color:

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Red/black

Noise reduction rating:

28

---

15. ValueMuff™ Earmuffs, Elvex®

Earmuffs ValueMuff™, 25 dB

Catalog #: 33200-000

Supplier: Elvex

Supplier Number: HB-25



Product Details & Documents

Dielectric, comfortable, lightweight muff at an economical price

- Soft, pliable Superseal™ cushions and low headband force of 2.4lbs
- Flexible slide clips for easy adjustment
- Good attenuation

Certifications: Meets ANSI 53.19-1974 standard.

Specifications

Description:

Earmuffs ValueMuff™

Noise reduction rating:

25 dB

---

16. PELTOR™ Optime™ Series Earmuffs, 3M™ Company

Over-the-head earmuffs Peltor™ Optime™ 105, 30 dB (29 - 33 dB)

Catalog #: 56615-924

Supplier: 3M

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Supplier Number: 7000009665



Product Details & Documents

Earmuffs combine excellent attenuation with comfortable durability. They provide a protective seal without excess pressure while the pivoting earcup connections help maintain the seal and proper alignment.

- Unique dual-cup design and soft, foam-filled cushions provide noise reduction and comfort
- Ultra-light with liquid/foam filled earmuff cushions

Double-shell technology boosts the noise blocking ability

Specifications

Description:

Over-the-head earmuffs Peltor™ Optime™ 105

Noise reduction rating:

17. Leightning® Dielectric Lightweight Earmuffs, Honeywell Safety

Earmuffs Leightning®, 25 dB

Catalog #: 55533-010

Supplier: PIP

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Supplier Number: QM24PLUS



Product Details & Documents

Dielectric three-position, ultra-lightweight earmuffs are ideal for prolonged use and comfort.

- Adjustable crown strap allows secure fit when worn behind the head or under the chin
- High-visibility red cups with black band

Weight: 170 g (6 oz.)

Specifications

Description:

Earmuffs Leightning®

Noise reduction rating:

25 dB

---

18. Peltor™ OPTIME 95™ Low-Profile Folding Earmuffs, Essendant LLC MS

Peltor™ OPTIME 95 low-profile folding earmuffs, Beige, 21 dB

Catalog #: 500009-123

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Supplier: Janitorial Supplies

Supplier Number: MMMH6FV



Product Details & Documents

Ensure proper hearing protection with lightweight muffs that offer portability and optimum fit.

- Wide liquid/foam-filled ear cushions
- When folded, no foreign particles can enter the inner cup

Designed for noise levels up to 95 dBA.

Specifications

Description:

Peltor™ OPTIME 95 low-profile folding earmuffs

Color:

Beige

Noise reduction rating:

21 dB

---

19. JacksonSafety C10 Bump Caps

Bump cap, pinlock suspension, Yellow

Catalog #: 76558-500

Supplier: Sellstrom

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Supplier Number: 14809



Product Details & Documents

High-quality bump caps are ideal when head protection is not required, but some protection is still needed.

- Used to protect head from minor bumps and scalp lacerations

Made from tough and durable high-density polypropylene material

Easy-to-use 4 pt. pin-lock suspension fits head sizes $6^1/_2$ to $8^1/_4$

Includes a replaceable extra-absorbent sweatband (model 18428) for added comfort and convenience

Can be customized with the company logo or branding needs

Specifications

Description:
Bump cap, pinlock suspension
Color:
Yellow

---

20. Jackson® Safety SC-6 Cap-Style Hard Hats

Cap-style hard hat, White, Cap

Catalog #: 76558-690

Supplier: Sellstrom

Supplier Number: 14834

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

Hard hat is made from lightweight dielectric HDPE for superior impact resistance and high visibility. Featuring a smooth domed cap-style design it offers a full visor to reduce glare from sun or overhead lighting.

- Classic smooth dome shape for improved impact deflection
- Longer bill for improved protection from sun and falling debris
- Lightweight material is molded from high density polyethylene (HDPE)

Foam-backed absorbent head band

Includes an extra-absorbent brow pad and universal accessory slot. Slotted cap allows use with dozens of accessories including hard hat interchange system.

Comfortable 4-point ratchet suspension provides over 30 adjustable settings for a comfortable fit (sizes 6.5 to 8").

Special features: Attachment points for chin straps, ComfortPad, Dielectric, Slotted, Reverse Donning.

370 Speed Dial™ ratcheting headgear suspension adjustment.

Certifications: ANSI Z89.1, Type 1, Class C, G & E, CSA Z94.1, Type 1, Class E, reverse donning.

Specifications

Description:
Cap-style hard hat
Color:
White
Style:
Cap

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

21. JacksonSafety Blockhead® FG Premium Fiberglass Full Brim Hard Hats

Full brim hard hat, non-vented, Fiberglass, Composite wrap, 4 point 370 speed dial

Catalog #: 76558-934

Supplier: Sellstrom

Supplier Number: 20600



Product Details & Documents

The Jackson Safety Blockhead® FG series premium fiberglass full brim hard hat is designed with a modern contoured dome shape and extra-wide brim wrapped using a special water transfer decal that gives a stylish 'composite' look. Molded from special fiberglass materials, this hard hat is ideal for general and high-heat applications.

Blockhead® FG hard hat features Jackson Safety's 370 speed dial premium ratcheting headgear, an industry best, and include a 4-pt ratcheting suspension to fit head sizes 6½ to 8 as well as a replaceable sweatband.

Available in a vented and Non-vented mondels. In vented version, vent holes reduce heat build-up when working in direct sun, hot climates and high-heat applications such as foundry and steel mill work environments.

Certifications: Blockhead® FG hard hat meets ANSI Z89.1, Class C, G, and E.

Specifications

Description:
Full brim hard hat, non-vented
Material:
Fiberglass
Color:
Composite wrap

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Suspension:
4 point 370 speed dial

---

22. JacksonSafety Sentry III Hard Hats - Front Brim Style

6.5 - 8", HDPE, Yellow, Cap style with foam absorbent head band, Non-vented, 6-point ratcheting

Catalog #: 76558-722

Supplier: Sellstrom

Supplier Number: 14407



Product Details & Documents

This 6-point ratchet suspension provides extra stability, balance and adjustment between head sizes 6.5 to 8" for a better and comfortable fit. Additionally, it includes an extra absorbent brow pad for added convenience.

- Made from strong, yet ultra-lightweight high-density polyethylene material providing unsurpassed durability

Dielectric, slotted

This low-profile, silhouette-styled cap gives comfort, impact resistance and high visibility

Features a low-profile silhouette-style design

Includes a universal accessory slot for compatibility with accessories to extend protection or vision rang

Low riding nape strap prevents cap from slipping

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Attachment points for chin straps

The Sentry III cap style hard hat is made of lightweight and durable HDPE material and features a low-profile design and a comfortable 6-pt ratchet suspension. Made with a longer bill for improved protection from the sun, overhead lighting, and falling debris. Optimized comfort with two height adjustments available. Meets reverse donning standards.

Certifications: Meets ANSI Z89.1 Type 1, Class C, G & E standards.

Delivery information: Includes an extra-absorbent brow pad for added user convenience.

Packaging: Sold in a case of 12.

Specifications

Size:
6.5 - 8"
Material:
HDPE
Color:
Yellow
Style:
Cap style with foam absorbent head band
Type:
Non-vented
Suspension:
6-point ratcheting

---

23. Jackson® Safety Advantage Full-Brim Hard Hats, Non-Vented

Hard hat, non-vented, with accessory slot, White, Full brim

Catalog #: 76558-548

Supplier: Sellstrom

Supplier Number: 20800

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

The Jackson® Safety Full Brim Non-Vented (Class E) Advantage Series Hard Hat combines head protection weather protection and modern design. Lightweight in design molded from high density polyethylene (HDPE) these hard hats are ideal for general all-around head protection. The Advantage hard hat features a wrap-around brim for improved protection from elements such as sun and rain. The 4-pt easy-dial ratcheting suspension fits head sizes $6^{1}/_{2}$ to 8 for a comfortable fit.

- Available in a variety of colors
- Features a contoured dome shape with a uniquely identifiable ridgeline
- Lightweight in design molded from high density polyethylene (HDPE) ideal for general all-around head protection

Foam-backed absorbent head band

Replaceable sweatband provides all-day comfort by helping to keep sweat from getting in eyes.

Special features: Attachment points for chin straps, ComfortPad, Dielectric, Reverse Donning.

Certifications: Meets ANSI Z89.1 Type 1 Class C G and E ensuring safe with the strictest quality standards.

Specifications

Description:
Hard hat, non-vented, with accessory slot
Color:
White
Style:
Full brim

24. Jackson® Safety Advantage A208 Full Brim Hard Hats, Vented

White

Catalog #: 76558-410

Supplier: Sellstrom

Supplier Number: 20820

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

The Jackson® Safety Full Brim Vented Advantage Series Hard Hat combines head protection, weather protection and modern design. Lightweight in design, molded from high density polyethylene (HDPE), these hard hats are ideal for general all-around head protection. The Advantage hard hat features a wrap-around brim for improved protection from elements such as sun and rain. Vent holes reduce heat build-up when working in direct sun and hot climates. The 4-pt easy-dial ratcheting suspension fits head sizes $6^1/_2$ to 8 for a comfortable fit. Available in a variety of colors and customized logos.

- Head band type: Foam-backed absorbent

Special features: Attachment points for chin straps, ComfortPad, dielectric, non-slotted

Certifications: Meets ANSI Z89.1, Type 1, and Class C, ensuring you remain safe with the strictest quality standards.

Ordering information: Each hard hat comes with a replaceable sweatband. An optional chin strap (sold separately) can be used for added security.

Specifications

Color:
White

---

25. Jackson® Safety CH300 Industrial Climbing-Style Hard Hats, Non-Vented

Hard hat, non-vented, White, Climbing inspired

Catalog #: 76559-052

Supplier: Sellstrom

Supplier Number: 20900

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

The Jackson Safety CH-300 is a ultra-modern 'Climbing-Inspired' industrial hard hat that provides ultimate comfort and head protection.

- Rapid-Dial ratcheting headgear allows for quick and easy adjustment even while wearing gloves
- A super comfortable 6 pt. ratcheting suspension securely fits head sizes $6^1/_2$ to 8

Foam-backed absorbent head band

Lightweight molded from high density polyethylene (HDPE) it provides all-around head protection in confined spaces for at-height and scaffolding work and on construction sites.

Built-in chin strap chin cup and replaceable extra-absorbent sweatband provides added security and all-day comfort.

Special features: Chin Strap, ComfortPad, Dielectric, Slotted.

Certifications: Meets ANSI Z89.1 Type 1 Class C G E and EN 397 European Standards ensuring safe with the strictest quality standards.

Specifications

Description:
Hard hat, non-vented
Color:
White

---

26. JacksonSafety Climbing Industrial Style Vented Hard Hats

Industrial climbing-style hard hat, vented, ABS, White, Foam-backed absorbent with 4-point chin strap, 6 point, with rapid dial adjustment

Catalog #: 76558-462

Supplier: Sellstrom

Supplier Number: 20920

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

The Jackson Safety CH-400V Industrial Climbing Vented Hard Hat features a 'climbing inspired' hard hat shape. The 6-point ratcheting suspension fits head sizes $6^1/_2$ to 8 making it more comfortable than 'traditional' hard hats. Specially designed sliding vent holes allow easy opening and closing depending on weather conditions.

- Lightweight in design, molded from high-quality ABS materials

Provides ultimate all-day comfort and head protection

Features chin strap, comfort pad, sliding vents and slots

This industrial hard hat provides all-around head protection in confined spaces, for at-height and scaffolding work, and on construction sites. A unique sliding vent hole system allows easy opening when working in direct sun/hot climates - or closed when used in cold or rainy conditions.

Certifications: CH-400V hard hat meets ANSI Z89.1, Type 1, and Class C

Delivery information: Includes - Built-in chin strap, chin cup and replaceable extra-absorbent sweatband.

Specifications

Description:
Industrial climbing-style hard hat, vented
Material:
ABS
Color:
White
Type:
Foam-backed absorbent with 4-point chin strap
Suspension:

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

6 point, with rapid dial adjustment

---

27. Pioneer Hi-Vis Cooling Hard Hat Sunshade - Hi-Vis Yellow/Green - O/S

Hi-vis foldable mesh cooling hard hat sunshade, O/S, Polyester, Hi-vis yellow-green

Catalog #: 76558-458

Supplier: Sellstrom

Supplier Number: V2051360U-O/S



Product Details & Documents

This Hi-Vis hard hat sunshade provides quick and easy protection from the sun while working outdoors. It's ideal for construction work, roadside, and any environment where you need to beat the heat.

- Made with ultra-cool and breathable polyester tricot material

Wraparound design provides 360° protection from the sun and damaging UV rays

Contrasting trim with reflective tape provides increased visibility

Fits all full brim style hard hats

Folds away for easy storage

Specifications

Description:

Hi-vis foldable mesh cooling hard hat sunshade

Size:

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

O/S

Material:

Polyester

Color:

Hi-vis yellow-green

---

28. Pioneer Hi-Vis Mesh Cooling Hard Hats Sunshade

Supplier: Sellstrom



Product Details & Documents

This mesh hard hat sun shade will keep you cooler on the job and provide high visibility so you can stand out and be seen. It's ideal for construction work, road work, and any work environment where you need to beat the heat.

Provides maximum sun protection for neck and ears. Polyester mesh style provides breathability and cool comfort. Two-tone reflective striping enhances visibility. Elastic binding is suitable all cap style hard hats. Extra fabric can easily be tucked inside shirt collar.

FOOTWEAR

1. VWR® Cleanroom Clogs

L (US: 10–11.5; EU: 41–42), White

Catalog #: 76076-796

Supplier: VWR International

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

Cleanroom Clogs from VWR® provide comfort and durability for use in cleanroom environments.

- Antistatic
- Autoclavable
- Smooth surface for day long comfort
- Special conical design prevents spilled liquids from entering clog
- Heel strap
- Non-slip sole
- Anatomic heel basin

Cleanroom Clogs from VWR® have been designed with foot comfort in mind. Smooth surface and aeration holes on both sides provide day long comfort. Special conical design prevents spilled liquids from entering inside the clog.

These shoes are suitable for autoclave sterilization. They can also be cleaned in 100 °C with domestic detergents, liquid disinfecting solutions, EO, or formaldehyde.

Ideal for use with VWR® Cleanroom Disposable or Launderable Socks.

Ordering information: Clogs can be ordered by the pair or per case.

Packaging: Packaged six pair per case.

Documents

Certificates

Search by Lot Number

Product Literature

- VWR Cleanroom Clogs
- VWR Cleanroom Clogs for Critical Cleanroom Environments
- VWR Protection Apparel
- VWR™ Focus Production

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Specifications

Shoe size:
L (US: 10–11.5; EU: 41–42)
Color:
White

---

2. VWR® Cleanroom Safety Shoes, Slip-On

EU: 34, White

Catalog #: 76944-194

Supplier: VWR International



Product Details & Documents

Slip-on cleanroom safety shoes combine convenience with compliance. They are designed for controlled environments, offering ESD protection, non-slip soles, and easy sterilization or washing. Ideal for pharma, semiconductor, and medical cleanrooms, these shoes ensure comfort, quick donning, and safety without compromising contamination control.

- Slip-on design for quick and easy donning; ideal for controlled environments.
- ESD protection prevents electrostatic discharge, protecting sensitive equipment (Resistivity: 1.78×10^{7} Ω (left), 2.01×10^{7} Ω (right))
- Non-slip soles offer enhanced traction for safety on cleanroom floors
- Washable/autoclavable design supports sterilization and contamination control
- Lightweight and comfortable design reduces fatigue during long shifts
- Durable materials are resistant to chemicals and wear
- Meets cleanroom and ESD standards; cleanroom class ISO 7/Class 10000
- Particle shedding (Helmke Drum): Level II

In controlled environments such as pharmaceutical production, semiconductor fabrication, medical device assembly, or biotech labs, footwear is more than a comfort choice. It's a critical component of contamination control and worker safety. Slip-on cleanroom safety shoes blend

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

operational efficiency with protective performance, enabling teams to move through gowning, workstations, and material flows without compromising cleanliness, electrostatic safety, or ergonomics.

This streamlined design supports standard operating procedures by accelerating gowning in high-throughput areas and shift changes, reducing particle harborage typically found in multi-piece, lace-based footwear, and improving compliance; when shoes are quick to put on and comfortable, adherence increases.

Slip-on cleanroom shoes are engineered to minimize particle generation and simplify sanitation. Smooth uppers, closed insteps, and low-shedding materials help prevent debris release. These models offer washable or sterilizable construction (e.g., machine-washable or autoclavable options), supporting routine decontamination cycles and aligned with cleanroom housekeeping schedules. This allows facilities to keep footwear within validated hygiene ranges and reduces cross-contamination risk between zones.

In electronics, medical electronics, and precision assembly, even minor electrostatic events can damage components or create latent faults. Cleanroom slip-on safety shoes commonly incorporate static dissipative pathways from the footbed through the outsole, helping to safely bleed off charge when used in conjunction with ESD flooring and grounding protocols. The result is a more stable electrostatic environment and fewer process interruptions tied to ESD incidents.

Personnel safety is foundational. Outsoles built for non-slip performance help mitigate falls on smooth epoxy or PVC cleanroom floors, often subject to wet cleaning regimens. Where tasks involve material handling or heavy equipment, steel toe or reinforced toe variants add impact protection without compromising cleanliness. Together, these features support both occupational safety goals and cleanroom quality metrics.

Long shifts demand footwear that balances protection and comfort. Slip-on cleanroom safety shoes typically feature lightweight construction to reduce fatigue, supportive insoles and shock absorption for prolonged standing, and breathable yet low-shedding linings that maintain wearer comfort while respecting particulate constraints.

Prioritizing comfort not only improves morale, it helps maintain consistent technique and concentration, reducing operator error over extended production runs.

Cleanroom footwear must withstand frequent cleaning, exposure to disinfectants, and repetitive movement across hard flooring. Durable materials and sealed seams extend service life, and reusable, washable, or autoclavable designs lower consumable waste compared to single-use overshoes. Over time, the combination of longevity and reduced replacement frequency can meaningfully improve total cost of ownership.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Slip-on cleanroom safety shoes are adaptable across a spectrum of controlled environments, including: Pharma and Biotech: sterile manufacturing suites, QC labs, and filling lines requiring strict hygiene and easy sanitation; Semiconductor and Electronics: assembly areas where ESD control is paramount and particulate management protects yields; Medical Devices and Aerospace: precision assembly and testing spaces that benefit from low-shedding materials and stable footing.

Documents

Certificates

Search by Lot Number

Specifications

Shoe size:	
EU: 34	
Color:	
White	

---

3. Rubber Work Overshoes, Tingley

S, Black

Catalog #: 83007-898

Supplier: Tingley Rubber

Supplier Number: 1400.SM.01



Product Details & Documents

100% waterproof overshoes made from a injection-molded, seamless rubber construction and a deep cleated outsole, which releases debris and provide good slip resistance. The boots stretch easily to fit even over the bulkiest workshoes.

- Reinforced heel and toe
- Excellent tensile strength
- Heavy-duty heel kick-off cleat for easy no-hands removal

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Molded-in button for secure closure
- Material will not crack or stiffen in cold weather
- Unlined for easy cleaning and decontamination
- Additional material in the heel, toe, and sole provide longer wear; less material in the upper reduces weight and leg fatigue

Designed to resist acids, alcohols, bases, and diluted water solutions of most water-soluble chemicals.

Color: Black

Height: 25.4 cm (10")

Caution: Not recommended for constant contact with petroleum and oil-based products.

Specifications
Shoe size:
S
Color:
Black

---

4. DuraPro® XCP Steel Toe Boots with Steel Shank, Onguard

3, Brown

Catalog #: 10000-462

Supplier: Onguard Industries

Supplier Number: 84086-03

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

High performance compound provides ideal chemical resistance in the upper and superior abrasion and slip resistance in the outsole.

- Protective toe cap
- Comfortable, waterproof protection
- 360° pull tab for easy donning
- Fuel oil resistant
- Chemical resistant
- Energy absorbing

A 360° pull tab allows for easy donning and doffing, and a sloped comfort top prevents chafing when walking, bending and kneeling. These boots feature a protective toe cap that offers maximum protection against falling objects. The built-in protective toe cap serves to protect from impacts of an energy level of 125 J and a compression at a load of 11121 N (2500 lbf). The boots offer a perfect fit, optimizing comfort for everyday use. They are 100% waterproof to keep feet dry under wet and dirty conditions. The outsole is resistant against oil, which assures that potentially adverse effects of oily substances on the protective properties of the boots are minimized. They also offer protection against a wide variety of chemicals, and feature energy absorption in the heel region which limits impact to the foot while walking. Shock absorption capabilities within the footwear minimizes the risk of injuries.

Certifications: ASTM certified. Steel toe complies with ASTM F2413-11 with steel shank.

Specifications

Shoe size:
3
Color:
Brown

---

5. Boss® Rubber Hip Steel Toe Boots, Buckled

7, Black

Catalog #: 79050-614

Supplier: PIP

Supplier Number: 2HS623107

Product Details & Documents

Ideal use construction, mining, oil and gas, manufacturing, food processing, farm & equestrian and general industrial.

- Adjustable buckle closure

Belt loop strap

Hip boot

Steel toe and reinforced knee

Hand plied, waterproof

Specifications

Shoe size:
7
Color:
Black

---

6. Boss® Steel Toe Boots, Pull-on, 16"

12, Black

Catalog #: 79050-478

New Product

Supplier: PIP

Supplier Number: 382-810/12

Product Details & Documents

Ideal for use in construction, remediation, environmental clean up, concrete work, food industry and municipalities.

- 100% waterproof protection

Lightweight durable/up to 25% lighter than classic PVC boots

Energy absorbing tread adds all day comfort

Tougher outsole for good abrasion resistance

Flexible upper material stays supple in cold temperatures to make walking easier

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Pre-formed insole is removable and wicks perspiration to keep feet dry and comfortable

Low profile 'kick off' ledge on back of boots

Resistant to certain acids and alkalies, fats, oils hydrocarbons and other chemicals

Less toe spring allows for more surface contact for improved channeling of water for better traction/slip resistance and comfort. Mid-Sole is designed to utilize additional material in the standard area of the shank providing increased support and comfort.

Certifications: Meets ASTM F3445-21 for Slip Resistance. Meets ASTM F2413-18 M/I/C Impact and Compression. Prop 65 Compliant.

Specifications

Shoe size:
12
Color:
Black

---

7. Viking Boots, Onguard

10.2 cm (4") Galosh, M, Black

Catalog #: 21921-700

Supplier: Onguard Industries

Supplier Number: 86010-M



KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

Sturdy PVC over boots provide complete waterproof protection and are flexible even in cold weather. They fit over most work shoes and boots.

- Sturdy, provides complete waterproof protection
- Fits over most work shoes and boots
- Flexible even in cold weather
- Kick-off lugs and noncorrosive metal snaps for easy removal
- Special fold line for snug fit, if required
- Self-cleaning, maximum slip-resistant sole

Three styles available.

Color: Black

Specifications

Description:
10.2 cm (4") Galosh
Shoe size:
M
Color:
Black

---

8. Hazmax® Knee Boots, Onguard

Supplier: Onguard Industries



Product Details & Documents

One-piece, seamless, injection-molded PVC/Urethane over shoe 43.2 cm (17"). Fits over most work shoes and boots.

- Nonconductive adjustable polyester strap with non-metallic buckle and snaps

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- High-visibility green upper with black, easy-to-clean, nonslip cleated sole
- Heel kick-off lug for easy removal
- Available in men's sizes only

Boot provides maximum resistance to chemicals and hazardous materials.

Color: Green

Caution: Warning: Not for use for fire protection.

9. Slicker Boots, Overboots with Strap, Onguard

11, Yellow

Catalog #: 21921-806

Supplier: Onguard Industries

Supplier Number: 88050-11



Product Details & Documents

Injected molded seamless construction made from PVC / FLEX-O-THANE compound. Fit over most work shoes and boots.

- Excellent cold weather flexibility
- Non-absorbent polyester liner for easy cleaning and quick drying
- Non-conductive, adjustable polyester strap with plastic buckle and snap for better fit
- Self-cleaning, cleated sole
- Kick-off lug for easy boot removal

Complete waterproof protection plus high chemical resistance. Excellent for use in construction, concrete work, utilities and food processing

Color: Yellow

Height: 41 cm (16")

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Ordering information: When ordering, order by shoe size.

Specifications

Shoe size:
11
Color:
Yellow

---

10. Hazmax® Hazardous Material Boots, Onguard

6, Green/yellow

Catalog #: 21921-960

Supplier: Onguard Industries

Supplier Number: 87012-06

Product Details & Documents

The boot that continues to set the standard for biological hazards and waste protection.

- Steel toe, steel shank, steel midsole with Ultragrip® sipe outsole
- 16" boot height
- Exceeds CSA standards for dielectric footwear
- One-piece injection molded construction
- Replaceable cushioned insoles
- Cut off bands
- Kick off lug

Hazmax® hazardous material boots are the finest boots made for hazardous material handling. They are manufactured from a high viscosity and flexible PVC alloy, and feature a non-absorbent polyester lining for easy cleaning and quick drying. The one-piece injection molded construction eliminates seams, while the steel toe, steel shank, and steel midsole offer complete protection. They will provide limited flash-fire protection (escape only) in the event of a chemical fire. Ideally suited for use in applications involving dangerous chemicals, gasses, or biological hazards and waste.

Certifications: Steel toe complies with ASTM F2413-11 and CSA Z195.

Specifications

Shoe size:
6
Color:
Green/yellow

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

11. Flex-O-Thane/PVC Men's OverShoes, Onguard

XS (4–5), Yellow

Catalog #: 21921-980

Supplier: Onguard Industries

Supplier Number: 88010-XS

Product Details & Documents

Premium overshoe protection powered by heavy Flex-O-Thane material.

- Comfortable
- Waterproof
- Chemical resistant
- Injected molded seamless construction
- Excellent cold weather flexibility
- Self-cleaning, slip resistant outsole
- Kick off lug for easy on and off

Flex-O-Thane construction provides added cold weather flexibility and durability. These overshoes will fit over most shoes and boots, and feature a four-way cleated outsole that is self cleaning and offers excellent slip resistance. These overshoes offer a perfect fit, optimizing comfort for everyday use. They are 100% waterproof to keep feet dry under wet and dirty conditions, and they offer protection against a wide variety of chemicals.

Specifications

Shoe size:
XS (4–5)
Color:
Yellow

---

12. Polyblend Steel Toe Workshoes with Cleated Outsole, Onguard

6, Black

Catalog #: 21922-082

Supplier: Onguard Industries

Supplier Number: 86104-06

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

The Polyblend compound is designed to provide moderate chemical resistance.

- Protective toe cap
- Comfortable, waterproof design
- Fuel oil resistant
- Reinforced steel shank for added safety and comfort
- Unique PVC/polyurethane formula provides moderate chemical resistance
- Non-slip, self cleaning soles
- Cleated outsole to prevent clogging on wet or muddy surfaces

Boots feature a protective toe cap that offers maximum protection against falling objects. The built-in protective toe cap serves to protect from impacts at an energy level of 125 J and a compression at a load of 11121 N (2500 lbf). These boots offer a perfect fit, optimizing comfort for everyday use. They are 100% waterproof to keep feet dry under wet and dirty conditions. The outsole is oil resistant, which assures that potentially adverse effects of oily substances on the protective properties of the boots are minimized.

Certifications: Steel toe complies with ASTM F2413-11.

Specifications

Shoe size:	
6	
Color:	
Black	

---

13. SureFlex Boots with Safety-Loc™ Outsole, Onguard

Supplier: Onguard Industries



Product Details & Documents

100% waterproof knee boots made from high performance PVC compound upper and a PVC/Nitrile sole.

- Protective steel toe cap

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- PVC/nitrile soles, high performance PVC compound uppers, and steel toes
- Slip resistant

Resists animal fats, oils, chemicals. Slip resistant, and have a Safety-Loc™ outsole. For use in chemicals, farming, and food processing.

Color: Balck/Orange

14. PVC Overshoes with Four Way Cleated Outsole, Onguard

S (6–7), Black

Catalog #: 21921-715

Supplier: Onguard Industries

Supplier Number: 86030-S

Product Details & Documents

Premium overshoe protection, with heavy Flex-O-Thane PVC construction for added durability.

- 17" height for extended calf protection
- Injected molded seamless construction
- Excellent cold weather flexibility
- Self-cleaning, slip resistance outsole
- Kick off lug for easy on/off
- Fits over most work shoes and boots

PVC overshoes offer a perfect fit, optimizing comfort for everyday use. They are 100% waterproof to keep feet dry under wet and dirty conditions, and offer protection against a wide variety of chemicals. Overshoes are ideally suited for use in construction, farming, utilities, and food processing applications.

Specifications

Shoe size:	
S (6–7)	
Color:	
Black	

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

15. Standard Steel Toe Kneeboot with Cleated Outsole, Onguard

Supplier: Onguard Industries

Product Details & Documents

Durable and comfortable foot protection where mild chemical resistance is required.

- Mild chemical resistance
- Cut-off bands for height adjustment
- Pull-up and kick-off lugs for easy on and off

Excellent for use in general maintenance, construction, and utility applications.

Certifications: Steel toe style complies with ASTM F2413-05.

16. DuraPro® Plain Toe Boots with Steel Shank, Onguard

Supplier: Onguard Industries

Product Details & Documents

Protection and comfort is revolutionized with the DuraPro® line of protective footwear.

- Comfortable, waterproof protection
- Anti-skid outsole
- Fuel oil resistant
- Chemical resistant
- Energy absorbing

A 360° pull tab allows for easy donning and doffing, and a sloped comfort top prevents chafing when walking, bending and kneeling. These boots offer a perfect fit, optimizing comfort for everyday use. They are 100% waterproof to keep feet dry under wet and dirty conditions. The outsole is resistant against oil, which assures that potentially adverse effects of oily substances on the protective properties of the boots are minimized. They also offer protection against a wide variety of chemicals, and feature energy absorption in the heel region which limits impact to the foot while walking. Shock absorption capabilities within the footwear minimizes the risk of injuries.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

17. DuraPro® Steel Toe Boots with Steel Shank, Onguard

3, Blue

Catalog #: 10000-406

Supplier: Onguard Industries

Supplier Number: 89086-03

Product Details & Documents

Protection and comfort is revolutionized with the DuraPro® line of protective footwear.

- Protective toe cap
- Comfortable, waterproof protection
- Anti-skid outsole
- Fuel oil resistant
- Chemical resistant
- Energy absorbing

A 360° pull tab allows for easy donning and doffing, and a sloped comfort top prevents chafing when walking, bending and kneeling. These boots feature a protective toe cap that offers maximum protection against falling objects. The built-in protective toe cap serves to protect from impacts of an energy level of 125 J and a compression at a load of 11121 N (2500 lbf). The boots offer a perfect fit, optimizing comfort for everyday use. They are 100% waterproof to keep feet dry under wet and dirty conditions. The outsole is resistant against oil, which assures that potentially adverse effects of oily substances on the protective properties of the boots are minimized. They also offer protection against a wide variety of chemicals, and feature energy absorption in the heel region which limits impact to the foot while walking. Shock absorption capabilities within the footwear minimizes the risk of injuries.

Certifications: ASTM certified. Steel toe complies with ASTM F2413-11 with steel shank.

Specifications

Shoe size:

3

Color:

Blue

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

18. DuraPro® XCP Plain Toe Boots with Steel Shank, Onguard

3, Brown

Catalog #: 10000-434

Product Details & Documents

High performance compound provides ideal chemical resistance in the upper and superior abrasion and slip resistance in the outsole.

- Comfortable, waterproof protection
- 360° pull tab for easy donning
- Fuel oil resistant
- Chemical resistant
- Energy absorbing

A 360° pull tab allows for easy donning and doffing, and a sloped comfort top prevents chafing when walking, bending and kneeling. These boots offer a perfect fit, optimizing comfort for everyday use. They are 100% waterproof to keep feet dry under wet and dirty conditions. The outsole is resistant against oil, which assures that potentially adverse effects of oily substances on the protective properties of the boots are minimized. They also offer protection against a wide variety of chemicals, and feature energy absorption in the heel region which limits impact to the foot while walking. Shock absorption capabilities within the footwear minimizes the risk of injuries.

Specifications

Shoe size:	
3	
Color:	
Brown	

---

19. Plain Toe PVC Safety Boots with Steel Shank, Onguard

Product Details

Boots provide reliable, industry proven protection.

- Comfortable, waterproof protection
- Superior traction on slippery surfaces
- PVC upper provides mild chemical resistance and helps comply with HACCP guidelines

Injection-molded seamless construction with replaceable cushion insoles. Boots feature a Safety-Loc™ sole, cut-off bands for height adjustment, steel shank, and pull-up/kick-off lugs for easy on/off. These boots offer a perfect fit, optimizing comfort for everyday use. They are 100%

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

waterproof to keep feet dry under wet and dirty conditions, and offer protection against a wide variety of chemicals. Excellent for use in commercial fishing, shrimping, and food processing.

.

20. Steelite™ Protector FW14, Safety Shoes, Lace-Up, Portwest

3, Black

Catalog #: 76104-148

Supplier: Portwest
Supplier Number: FW14BKR35



Product Details & Documents

This popular safety shoe is lightweight and durable, allowing wearers to work confidently in any environment. It is made from split buffalo leather and oil resistant PU/PU outsole.

- Protective steel toecap
- Puncture-resistant steel midsole
- Direct injected dual density construction
- Lightweight PU cushioned midsole
- Slip-, fuel-, and oil-resistant outsole
- Removable EVA cushion footbed
- Anti-static

Superb slip-resistant, oil-resistant, and energy absorbing outsole with protective steel toecap and midsole.

Color: Black

Certifications: ASTM F2413-11

Specifications

- Shoe size:

  3

  Color: Black

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

21. Steelite™ Protector FW10, Safety Boots, Lace-Up, Portwest

3, Black

Catalog #: 76104-360

Supplier: Portwest
Supplier Number: FW10BKR35



Product Details & Documents

Extremely comfortable and sturdy boots made from split leather and a dual density PU/PU outsole.

- Protective steel toecap
- Puncture-resistant steel midsole
- Direct injected dual density construction
- Lightweight PU cushioned midsole
- Slip-, fuel-, and oil-resistant outsole
- Removable EVA cushion footbed
- Anti-static

Comprehensive protection with 200 joule steel toecap, steel midsole, and a slip-resistant, energy absorbent heel.

Color: Black

Certifications: ASTM F2413-11

Specifications

- Shoe size:

  3

- Color:

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Black

22. Steelite™ Trekker FW63 Boot, Safety Ankle Boots, Lace-Up, Portwest

4, Black

Catalog #: 76104-960

Supplier: Portwest
Supplier Number: FW63BKR36



Product Details & Documents

S1P Trekker boot in a workwear friendly color combination of black and gray suede leather upper, with breathable inner lining and closed eyelets and a dual density PU/PU sole.

- Protective steel toecap
- Puncture-resistant steel midsole
- Direct injected dual density construction
- Lightweight PU cushioned midsole
- Slip-, fuel-, and oil-resistant PU outsole
- Removable EVA cushion footbed
- 3D breathable mesh lining
- Anti-static

Color: Black/Gray

Certifications: ASTM F2413-11

Specifications

- Shoe size:

  4

- Color:

  Black

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

23. Steelite™ Total FW95, Safety Wellington Boots, Portwest

4, Black

Catalog #: 76104-862

Supplier: Portwest
Supplier Number: FW95BKR36



Product Details & Documents

The Total Safety Wellington offers ultimate S5 protection to the wearer

- Protective steel toecap
- Puncture-resistant steel midsole
- Dual density PVC/Nitrile construction
- Slip-, fuel-, and oil-resistant PVC/Nitrile outsole
- 100% waterproof
- Washable nylon inner lining
- 15" height
- Anti-static

Steel toecap and midsole. PVC/Nitrile construction that is waterproof and resistant to oil, fuels, and acids. Suitable for a variety of environments.

Color: Black

Certifications: ASTM F2413-11

Specifications

- Shoe size:

  4

- Color:

  Black

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

24. Steelite™ Mustang FW69, Safety Boots, Lace-Up, Portwest

7, Brown

Catalog #: 76104-842

Supplier: Portwest

Supplier Number: FW69BRR39



Product Details & Documents

Designed for comfort, safety, and reliability these safety boots are made from water-proof Crazy Horse Leather upper and a dual-density PU/TPU outsole.

- Protective steel toecap
- Puncture-resistant steel midsole
- Direct injected dual density construction
- Lightweight PU cushioned midsole
- Slip-, fuel-, and oil-resistant TPU outsole
- 360° ankle support system
- Removable EVA cushioin footbed
- Anti-static

The Mustang boot has full S3 protection with a 360° rubber external chassis system for maximum ankle support.

Color: Brown

Certifications: ASTM F2413-11

Specifications

- Shoe size:

  7

- Color:

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Brown

25. Steelite™ FW57, All Weather Safety Boots, Lace-Up, Portwest

6, Black

Catalog #: 76104-938

Supplier: Portwest
Supplier Number: FW57BKR38



Product Details & Documents

This waterproof ankle boot features a waterproof and breathable membrane, nubuck leather upper and a PU/TPU outsole. It is perfect for use in all conditions.

- Protective steel toecap
- Puncture-resistant steel midsole
- Direct injected dual density construction
- Lightweight EVA cushioned midsole
- Slip-, fuel-, and oil-resistant and heat resistant TPU/TPU outsole
- Waterproof membrane
- Removable EVA cushion footbed
- Anti-static

Steel toecap and midsole for total protection with a tough TPU outsole for greater stability and abrasion.

Color: Black

Certifications: ASTM F2413-11

Specifications

- Shoe size:

  6

- Color:

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Black

26. Steelite™ Ohio EH, Safety Boots, Lace-Up, Portwest

39, Brown

Catalog #: 76105-888

Supplier: Portwest

Supplier Number: UFT69BRR39



Product Details & Documents

Our high-quality Steelite™ Ohio safety boot has a protective steel toecap.

- Puncture resistant steel midsole
- Full grain tumbled brown leather
- Direct injected dual density construction
- Lightweight PU cushioned midsole
- Slip, fuel and oil resistant rubber outsole
- Waterproof membrane
- Heat resistant outsole

Specifications

- Shoe size:

  39

- Color:

  Brown

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

27. Men's Raider Steel Toe Work Boots, Black, Dickies®

7, Black

Catalog #: 76149-316

Supplier: Dickies

Supplier Number: DW7025FBK7

Product Details & Documents

Dickies® style DW7025 made from premium full grain leather upper and an oil resistant rubber outsole.

- Protective steel toe cap
- Cushioned insoles and rubber outsoles
- Premium full grain leather upper
- Fully lined with moisture wicking performance fabric
- Padded collar/tongue
- Removable insole
- Oil resistant rubber outsole
- Injected welt technology

Fully lined with moisture absorbing performance fabric for additional comfort and breathability.

Color: Black

Certifications: ASTM F2413-11 electric hazard protection.

Specifications

- Shoe size:

  7

- Color:

  Black

28. Men's Solo Steel Toe Work Shoes, Dickies®

7, Beige

Catalog #: 76149-222

Supplier: Dickies

Supplier Number: DW1222FBR7

Product Details & Documents

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Dickies® style DW1222 made from Split suede leather upper with durable nylon mesh underlay and an oil resistant and slip resistant rubber outsole.

- Protective steel toe cap
- Padded collar and tongue for comfortable fit
- Breathable, moisture wicking mesh lining
- Shock absorbing EVA midsole with an oil and slip resistant rubber outsole
- Abrasion-resistant toe and heel guards
- Removable EVA insole
- Reinforced toe and heel guards

Color: Beige

Certifications: ASTM F2413-11 protective toe classification; electrical hazard standard

Specifications

- Shoe size:

  7

- Color:

  Beige

29. Escape Steel Toe Work Boots, Dickies®

13, Beige

Catalog #: 76149-240

Supplier: Dickies

Supplier Number: DW1422FBR13

Product Details & Documents

Dickies® style DW1422 made from suede leather upper with mesh underlay.

- Protective steel toe cap
- Reinforced toe and heel guards
- Breathable, moisture wicking mesh lining
- Padded collar and tongue
- Removable EVA comfort insoles
- Lightweight shock absorbing EVA midsole with an oil and slip resistant rubber outsole

Color: Beige

Certifications: ASTM F2413-11 steel toe and electric hazard protection.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Specifications

- Shoe size:

  13

- Color:

  Beige

30. Men's Raider Work Boots, Wheat, Dickies®

7, Beige

Catalog #: 76149-266

Supplier: Dickies

Supplier Number: DW7014FWE7

Product Details & Documents

Dickies® style DW7014 made from premium full grain leather upper and an oil resistant rubber outsole.

- Cushioned insoles and rubber outsoles
- Premium full grain leather upper
- Fully lined with moisture wicking performance fabric
- Padded collar/tongue
- Removable insole
- Oil resistant rubber outsole
- Injected welt technology

Fully lined with moisture absorbing performance fabric for additional comfort and breathability.

Color: Honey

Specifications

- Shoe size:

  7

- Color:

  Beige

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

31. Men's Raider Work Boots, Black, Dickies®

7, Black

Catalog #: 76150-728

Supplier: Dickies

Supplier Number: DW7015FBK7

Product Details & Documents

Dickies® style DW7015 made from premium full grain leather upper and an oil resistant rubber outsole.

- Cushioned insoles and rubber outsoles
- Premium full grain leather upper
- Fully lined with moisture wicking performance fabric
- Padded collar/tongue
- Removable insole
- Oil resistant rubber outsole
- Injected welt technology

Fully lined with moisture absorbing performance fabric for additional comfort and breathability.

Color: Black

Specifications

- Shoe size:

  7

- Color:

  Black

32. Men's Raider Steel Toe Work Boots, Black, Dickies®

Supplier: Bulwark Protection

Product Details & Documents

Dickies® style DW7025 made from premium full grain leather upper and an oil resistant rubber outsole.

- Protective steel toe cap
- Cushioned insoles and rubber outsoles
- Premium full grain leather upper
- Fully lined with moisture wicking performance fabric

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Padded collar/tongue
- Removable insole
- Oil resistant rubber outsole
- Injected welt technology

Fully lined with moisture absorbing performance fabric for additional comfort and breathability.

Color: Black

Certifications: ASTM F2413-11 electric hazard protection.

33. Rubber Chest, Wader

10

Catalog #: 470232-034

Supplier Number: 7439275



Product Details & Documents

The 2 ply Boot foot Wader is a rugged and classic poly rubber wader design.

- Web suspenders with quick release buckles
- Top draw cord
- Inside security pocket
- Foam reinforced rubber boots

Constructed of 300 denier polyester outer shell and vulcanized rubber, the OXBOW is produced as a single piece construction wader. Sealed with rubber seam tape and vulcanized, it is designed for durability and value.

Specifications

- Shoe size:

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

10

33. Rubber Hip Boot

8

Catalog #: 470232-040

Supplier: TRIPLE S SPORTING SUPPLIES INC

Supplier Number: 7439268



Product Details & Documents

The 2-ply Boot foot Hipper is a rugged and classic poly rubber hip boot design.

- Adjustable and durable web leashes
- Felt Sole foam reinforced rubber boots

Constructed of 300 denier polyester outer shell and vulcanized rubber, the OXBOW is produced as a single piece construction hipper. Sealed with rubber seam tape and vulcanized, it is designed for durability and value.

Specifications

- Shoe size:

8

35. Workbrutes® PVC Overshoes, Tingley Rubber

XS, Black

Catalog #: 76199-744

Supplier: Tingley Rubber

Supplier Number: 35111.XS

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

PVC Overshoes with thicker, deeper cleats for better grip and longer wear.

- Covers work shoe up to ankle
- Heavy duty heel kick off for easy off

Frigiflex® PVC compound contains special additives for high stretch and flexibility in cold temperatures. The seamless construction provides 100% waterproof protection.

Cleated outsole spits out debris and provides excellent traction. The injection molding puts less material in the upper, eliminating unnecessary weight, for reduced leg fatigue. Engineered for a longer life by adding more material to the sole at the greatest wear points: the heel, toe and cleats. Key interior entry points are specially textured to allow overshoes to easily slip on and off over rubber sole shoes.

Specifications

- Shoe size:

  XS

  Color: Black

36. Turbo Toe Safety Steel Toe Caps, Magid®

XXS, Purple

Catalog #: 76213-986

Supplier: Magid Glove

Supplier Number: TTXXS

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

The Turbo Toe Steel Toe Cap overshoes protect the toe area from accidental impact, crushing or stubbing. It can be comfortably worn over low-heel, dress and running shoes and most boots.

- Made of flexible, pliable PVC
- Wide size range to accommodate both men and women
- Toe is color-coded to indicate size
- 100% waterproof, will not harden, stiff or crack

Treads under sole to prevent slipping and help move liquid away from the foot. Ideal for any working environment that carries a risk of toe damage or has a steel toe cap requirement. Perfect for visitors, casual or temporary workers, management, clerical staff and sales people.

Certifications: CE marked. Certified to standard Z334-14 – Protective Footwear. Class 7231 02 – Occupational Health & Safety Products – Grade 1: over the shoe toe protectors withstands impact velocity minimum of 3.32m/s. Tested to ASTM Standard F2413/F2412 and meets 75 lb. impact (I/75) and compression (C/75) resistance rating.

Specifications

- Shoe size:

  XXS

- Color:

  Purple

37. Foot Guards, Zoro

Foot Guard, 3 oz., Universal, Green

Catalog #: 76249-400

Supplier: Zoro

Supplier Number: 5T457

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

Unisex foot guard with elastic strap.

Specifications

- Description:

  Foot Guard, 3 oz.

- Shoe size:

  Universal

- Color:

  Green

38. Workbrutes® G2 Over Large Work Boots

2XL, Black

Catalog #: 77619-240

Supplier: Tingley Rubber

Supplier Number: 45850.2X

Product Details & Documents

Workbrutes® G2 are wider and have more room in the toe for the ideal fit over safety toe work boots and other large shoes, while high-quality PVC provides ultimate protection from liquids, mud and harsh chemical environments.

- 17" height overshoe
- Seamless injection-molding for 100% liquidproof protection
- Expansion pleats for easy donning even over work boots
- Thumb pocket at the top allows a non-slip grip for easy on
- Frigiflex® PVC compound stays stretchy and flexible in cold tempearture
- Increased thickness in the heel, toe and cleats for longer life
- No lining for easy cleaning, laundering and decontamination

Molded-in buttons and holes for ideal fit and protection. High-stretch upper with durable, abrasion resistant outsole. Heavy-duty heel kick for hands-free removal.

Ideal applications: Farm/agriculture, food Processing, construction, petroleum refineries, municipalities, transportation, hazardous waste cleanup, general industry.

Chemical resistance: Hydrocarbons, some exposure to fats, certain acids and alkalis.

Not recommended for use with ketones, aldehydes and similar solvents.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Specifications

- Shoe size:

  2XL

- Color:

  Black

39. ESD safety shoes, lace-up, uvex 1 G2 planet, 6824

Supplier: uvex



Product Details & Documents

These particularly lightweight S1 P safety shoes are made from recycled and sustainable materials.

- Made from synthetic materials, making it suitable for people allergic to chrome
- Meet ESD specifications with volume resistance under 35 megaohms
- Elastic laces for quick, individual adjustment (normal laces also provided)
- Softly padded dust flap and collar
- Virtually seam-free upper design made from textile material to prevent pressure points
- New uvex xenova® composite toe cap and metal-free, penetration resistant midsole, does not restrict the flexibility of the shoe
- uvex x-dry knit planet textile material made from 100% recycled PET bottles

The new, innovative uvex i-PUREnrj sole technology offers the highest level of shock absorbing properties at the forefoot and at the heel, resulting in excellent rebound over the entire midsole and optimal stability thanks to the foam heel basket. A new, wider, 100% metal-free uvex xenova® safety toe cap provides more toe room and an optimum fit. This toe cap offers compact design, anatomical shape, good lateral stability and no thermal conductivity. All sole materials are free of silicone, plasticisers and other paint wetting impairment substances.

uvex x-tended grip planet TPU outsole (made from up to 10% reprocessed PU waste from our production), uses the latest in biomechanical research, is extremely durable and, therefore very slip resistant, with tread that makes it particularly suitable for use on industrial floors. Non metallic, penetration resistant midsole made from 100% recycled material, in accordance with the latest standards, does not restrict the flexibility of the shoe.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Removable anti-static comfortable insole with a surface made from 100% recycled PET bottles and foam made from reprocessed PU production waste and recycled PU, with a moisture transport system and additional heel and forefoot shock absorption as well as good arch support. TPU scuff cap (made from 40% recycled material) protects the outer shoe material from wear. Breathable lining made from 18% bamboo and 52% recycled polyester for optimised climate management.

Width: 11

Certifications: EN ISO 20345: 2011 S1 P SRC.

40. ESD safety shoes, lace-up, uvex 1 G2 planet, 6823

Supplier: uvex



Product Details & Documents

These extremely lightweight S1 P safety shoes are made from recycled and sustainable materials.

- Made from synthetic materials, making it suitable for people allergic to chrome
- Meets the ESD specification with volume resistance under 35 megaohms
- Elastic laces for quick, individual adjustment (normal laces also provided)
- Soft padding on dust tongue and collar
- Virtually seam-free upper design made from textile material to prevent pressure points
- uvex x-dry knit planet textile material made from 100% recycled PET bottles
- New uvex xenova® composite toe cap and metal-free, penetration-resistant midsole, does not restrict the flexibility of the shoe

The new, innovative uvex i-PUREnrj sole technology offers the highest level of shock absorbing properties at the forefoot and at the heel, resulting in excellent rebound over the entire midsole and optimal stability thanks to the foam heel basket. A new, wider, 100% metal-free uvex xenova® safety toe cap provides more toe room and an optimum fit. This toe cap offers compact design, anatomical shape, good lateral stability, and no thermal conductivity. All sole materials are free of silicone, plasticisers, and other paint wetting impairment substances.
uvex x-tended grip planet TPU outsole made from up to 10% reprocessed PU waste from our production, uses the latest in biomechanical research, is extremely durable and, therefore, very slip resistant, with tread that makes it particularly suitable for use on industrial floors. Non metallic, penetration resistant midsole made from 100%

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

recycled material, in accordance with the latest standards, does not restrict the flexibility of the shoe.
Removable anti-static comfortable insole with a surface made from 100% recycled PET bottles and foam made from reprocessed PU production waste and recycled PU, with a moisture transport system and additional heel and forefoot shock absorption as well as good arch support. TPU scuff cap made from 40% recycled material protects the outer shoe material from wear. Breathable lining made from 18% bamboo and 52% recycled polyester for optimised climate management.
Width: 11
Certifications: EN ISO 20345:2011 S1 P SRC.

41. ESD safety shoes, lace-up, uvex 1 G2 planet, 6823

Supplier: uvex



Product Details & Documents
These extremely lightweight S1 P safety shoes are made from recycled and sustainable materials.

- Made from synthetic materials, making it suitable for people allergic to chrome
- Meets the ESD specification with volume resistance under 35 megaohms
- Elastic laces for quick, individual adjustment (normal laces also provided)
- Soft padding on dust tongue and collar
- Virtually seam-free upper design made from textile material to prevent pressure points
- uvex x-dry knit planet textile material made from 100% recycled PET bottles
- New uvex xenova® composite toe cap and metal-free, penetration-resistant midsole, does not restrict the flexibility of the shoe

The new, innovative uvex i-PUREnrj sole technology offers the highest level of shock absorbing properties at the forefoot and at the heel, resulting in excellent rebound over the entire midsole and optimal stability thanks to the foam heel basket. A new, wider, 100% metal-free uvex xenova® safety toe cap provides more toe room and an optimum fit. This toe cap offers compact design, anatomical shape, good lateral

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

stability, and no thermal conductivity. All sole materials are free of silicone, plasticisers, and other paint wetting impairment substances.
uvex x-tended grip planet TPU outsole made from up to 10% reprocessed PU waste from our production, uses the latest in biomechanical research, is extremely durable and, therefore, very slip resistant, with tread that makes it particularly suitable for use on industrial floors. Non metallic, penetration resistant midsole made from 100% recycled material, in accordance with the latest standards, does not restrict the flexibility of the shoe.
Removable anti-static comfortable insole with a surface made from 100% recycled PET bottles and foam made from reprocessed PU production waste and recycled PU, with a moisture transport system and additional heel and forefoot shock absorption as well as good arch support. TPU scuff cap made from 40% recycled material protects the outer shoe material from wear. Breathable lining made from 18% bamboo and 52% recycled polyester for optimised climate management.
Width: 11
Certifications: EN ISO 20345:2011 S1 P SRC.

RESPIRATORY PRTECTION (Disposable Respirators, PAPR Respirators and Reusable Respirators)

1. VWR® Disposable N95 Particulate Respirators

N95 Respirator

Catalog #: 89201-508

Supplier: VWR International



Product Details & Documents

VWR® N95 disposable respirators combine excellent safety and comfort features to ensure reliable protection and a lightweight, secure fit.

- Meets NIOSH requirements for minimum filter efficiency of 95% against 0.3 µm particles
- Provides protection against solid and liquid particles that do not contain oil
- Lightweight construction allows for comfortable, extended use

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

An adjustable noseclip provides a secure seal against the user's face.

Documents

Certificates

Search by Lot Number
Images 360

- 89201-508
- 89201-508_022218

BSE/TSE Certificates

- 89201-508_P

Product Literature

- Focus Industrial
- Production Insight Solutions for Controlled Environments and Manufacturing Processes
- VWR Protection from Head to Toe
- VWR® Production Insight Vol 8 Issue 2

Specifications

- Description:

  N95 Respirator

2. KleenGuard™ 3400 N95 Particulate Respirators

N95 particulate respirator, RA3415, White, One size

Catalog #: 78114-202

Supplier: Ansell

Supplier Number: 54627



KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

N95 particulate respirators guard against the risks posed by airborne particles and contaminants with a filtration efficiency of at least 95% for 0.3 µm particles free of oil.

- Molded cup style, NIOSH approved
- Meets Flame test per ASTM D 2859 and Class 1 Flammability requirements per 16 CFR 1610
- Natural contoured shape offers a personalized fit with minimal adjustments
- Full face seal easily conforms to the face for better fit and comfort
- Foldable and portable design
- Available with or without an exhalation valve
- Recyclable through The RightCycle™ Program

KleenGuard™ 3400 Series N95 Particulate Respirators feature a molded cup design that's comfortable enough to wear all day. A NIOSH approved N95 particulate respirator, its natural contoured shape, full face seal, adjustable straps and nose clip provide an individualized fit for enhanced comfort, while still delivering protection against airborne particles and contaminants with a filtration efficiency of at least 95% for 0.3 µm particles free of oil. KleenGuard™ 3400 Series N95 Particulate Respirators meet Flame test per ASTM D 2859 and Class 1 Flammability requirements per 16 CFR 1610. This respirator is suitable for applications where sparks may be present, including metalworking, torch cutting, welding, metal grinding, polishing, surface prep/finishing, assembly.

The KleenGuard™ 3400 Series N95 Particulate Respirator is available in two models: RA3415 and RA3415V. The RA3415V includes an exhalation valve which enhances worker comfort by expelling warm air. The exhalation valve enhances worker comfort by expelling warm air and the offset exhalation valve allows the respirator to be foldable and portable for ease of use throughout the day. (The RA3415 does not include an exhalation valve.) For protection, performance and comfort, there is no better choice than KleenGuard™ N95 Respirators.

Once the respirators have been used, they can be recycled through The RightCycle™ Program, the first manufacturer-led PPE recycling program.

Packaging: Respirators are packaged 10/box, 12 boxes/case.

Specifications

- Description:

  N95 particulate respirator, RA3415

- Color:

  White

- Size:

  One size

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

3. KleenGuard™ 3300 OV N95 Particulate Respirators

OV N95 particulate respirator, RA3316, Gray, One size

Catalog #: 78114-200

Supplier: Ansell

Supplier Number: 54629



Product Details & Documents

N95 particulate respirators guard against the risks posed by airborne particles and contaminants with a filtration efficiency of at least 95% for 0.3 micron particles free of oil. The KleenGuard™ 3300 Series respirators feature a carbon layer to minimize unpleasant organic vapor odors.

- Molded cup style, NIOSH approved
- Preformed nose bridge
- Soft foam nose seal for comfort
- Adjustable nose clip fits snugly around the nose
- Welded head straps
- Carbon layer minimizes unpleasant organic vapor odors
- Foldable and portable design
- Available with or without an exhalation valve
- Recyclable through The RightCycle™ Program

KleenGuard™ 3300 Series OV N95 Particulate Respirators offer a contoured fit and comfort without compromising protection. A NIOSH approved N95 particulate respirator, it guards against the risks posed by airborne particles and contaminants with a filtration efficiency of at least 95% for 0.3 micron particles free of oil. The KleenGuard™ 3300 Series OV N95 Particulate Respirator features a grey molded cup design, preformed nose bridge for minimal adjustments, a soft foam nose seal for comfort, an adjustable nose clip that fits snugly around the nose, and welded head straps for a secure fit. In addition, the carbon layer minimizes unpleasant organic vapor odors.

The KleenGuard™ 3300 Series OV N95 Particulate Respirator is available in two models: RA3316 and RA3316V. The RA3316V includes an exhalation valve which enhances worker comfort by expelling warm air. The exhalation valve enhances worker comfort by expelling warm air and the offset exhalation valve allows the respirator to be foldable and portable for ease of use throughout the day. (The RA3316 does not include an exhalation valve.) For protection, performance and comfort, there is no better choice than KleenGuard™ N95 Respirators.

Once the respirators have been used, they can be recycled through The RightCycle™ Program, the first manufacturer-led PPE recycling program.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Packaging: RA3316 respirators are packaged 20/box, 12 boxes/case. RA3316V respirators are packaged 10/box, 12 boxes/case.

Specifications

- Description:

  OV N95 particulate respirator, RA3316

- Color:

  Gray

- Size:

  One size

4. KleenGuard™ 3800 P95OV Particulate Respirators

P95OV particulate respirator with exhalation valve, RA3836V, White, One size

Catalog #: 78114-196

Supplier: Ansell

Supplier Number: 55931



Product Details & Documents

N95 particulate respirators guard against the risks posed by airborne particles and contaminants with a filtration efficiency of at least 95% for 0.3 µm particles free of oil.

- Molded cup style, NIOSH approved
- Meets Flame test per ASTM D 2859 and Class 1 Flammability requirements per 16 CFR 1610
- Natural contoured shape offers a personalized fit with minimal adjustments
- Full face seal easily conforms to the face for better fit and comfort

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Foldable and portable design
- Available with or without an exhalation valve
- Recyclable through The RightCycle™ Program

KleenGuard™ 3400 Series N95 Particulate Respirators feature a molded cup design that's comfortable enough to wear all day. A NIOSH approved N95 particulate respirator, its natural contoured shape, full face seal, adjustable straps and nose clip provide an individualized fit for enhanced comfort, while still delivering protection against airborne particles and contaminants with a filtration efficiency of at least 95% for 0.3 µm particles free of oil. KleenGuard™ 3400 Series N95 Particulate Respirators meet Flame test per ASTM D 2859 and Class 1 Flammability requirements per 16 CFR 1610. This respirator is suitable for applications where sparks may be present, including metalworking, torch cutting, welding, metal grinding, polishing, surface prep/finishing, assembly.

The KleenGuard™ 3400 Series N95 Particulate Respirator is available in two models: RA3415 and RA3415V. The RA3415V includes an exhalation valve which enhances worker comfort by expelling warm air. The exhalation valve enhances worker comfort by expelling warm air and the offset exhalation valve allows the respirator to be foldable and portable for ease of use throughout the day. (The RA3415 does not include an exhalation valve.) For protection, performance and comfort, there is no better choice than KleenGuard™ N95 Respirators.

Once the respirators have been used, they can be recycled through The RightCycle™ Program, the first manufacturer-led PPE recycling program.

Packaging: Respirators are packaged 10/box, 12 boxes/case.

Specifications

- Description:

  P95OV particulate respirator with exhalation valve, RA3836V

- Color:

  White

- Size:

  One size

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

5. KleenGuard™ 3300 OV N95 Particulate Respirators

OV N95 particulate respirator, RA3316, Gray, One size

Catalog #: 78114-200

Supplier: Ansell

Supplier Number: 54629



Product Details & Documents

N95 particulate respirators guard against the risks posed by airborne particles and contaminants with a filtration efficiency of at least 95% for 0.3 micron particles free of oil. The KleenGuard™ 3300 Series respirators feature a carbon layer to minimize unpleasant organic vapor odors.

- Molded cup style, NIOSH approved
- Preformed nose bridge
- Soft foam nose seal for comfort
- Adjustable nose clip fits snugly around the nose
- Welded head straps
- Carbon layer minimizes unpleasant organic vapor odors
- Foldable and portable design
- Available with or without an exhalation valve
- Recyclable through The RightCycle™ Program

KleenGuard™ 3300 Series OV N95 Particulate Respirators offer a contoured fit and comfort without compromising protection. A NIOSH approved N95 particulate respirator, it guards against the risks posed by airborne particles and contaminants with a filtration efficiency of at least 95% for 0.3 micron particles free of oil. The KleenGuard™ 3300 Series OV N95 Particulate Respirator features a grey molded cup design, preformed nose bridge for minimal adjustments, a soft foam nose seal for comfort, an adjustable nose clip that fits snugly around the nose, and welded head straps for a secure fit. In addition, the carbon layer minimizes unpleasant organic vapor odors.

The KleenGuard™ 3300 Series OV N95 Particulate Respirator is available in two models: RA3316 and RA3316V. The RA3316V includes an exhalation valve which enhances worker comfort by expelling warm air. The exhalation valve enhances worker comfort by expelling warm air and the offset exhalation valve allows the respirator to be foldable and portable for ease of use throughout the day. (The RA3316 does not include an exhalation valve.) For protection, performance and comfort, there is no better choice than KleenGuard™ N95 Respirators.

Once the respirators have been used, they can be recycled through The RightCycle™ Program, the first manufacturer-led PPE recycling program.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Packaging: RA3316 respirators are packaged 20/box, 12 boxes/case. RA3316V respirators are packaged 10/box, 12 boxes/case.

Specifications

- Description:

  OV N95 particulate respirator, RA3316

- Color:

  Gray

- Size:

  One s

6. KleenGuard™ 3800 P95OV Particulate Respirators

P95OV particulate respirator with exhalation valve, RA3836V, White, One size

Catalog #: 78114-196

Supplier: Ansell

Supplier Number: 55931



Product Details & Documents

P95OV particulate respirators deliver protection against airborne particles and contaminants with a minimum filtration efficiency of 95% against oil and non-oil based particles. The P95OV respirator also features a carbon layer to minimize unpleasant organic vapor odors.

- Molded cup style, NIOSH approved
- Natural contoured shape for a personalized fit with minimal adjustments
- Full-face seal easily conforms to the face for better fit and comfort
- Adjustable straps fit a wide variety of face shapes and sizes
- Adjustable nose clip to fit snugly around the nose bridge

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Carbon layer minimizes unpleasant organic vapor odors
- Exhalation valve enhances worker comfort by expelling warm air
- Eligible for recycling via RightCycle™

KleenGuard™ 3800 Series P95OV Particulate Respirators provide P95 rated filtration efficiency. A NIOSH approved particulate respirator, the RA3836V includes an exhalation valve which enhances worker comfort by expelling warm air. Its natural contoured shape, full face seal, adjustable straps and nose clip provide an individualized fit for enhanced comfort, while still delivering protection against airborne particles and contaminants with a minimum filtration efficiency of 95% against oil and non-oil based particles. In addition, the respirator features a carbon layer to minimize unpleasant organic vapor odors.

The RA3836V is suitable for typical applications such as general manufacturing, pharmaceutical manufacturing, lead abatement, mold remediation, paint preparation and mining. Featuring a natural contoured shape, the KleenGuard™ 3800 Series P95OV offers a personalized fit with minimal adjustments. The full-face seal easily conforms to the face for better fit and comfort. Adjustable straps fit a wide variety of face shapes and sizes. An adjustable nose clip can fit snugly around the nose bridge. For protection, performance and comfort, there is no better choice than KleenGuard™ respirators.

Once the respirators have been used, they can be recycled through The RightCycle™ Program, the first manufacturer-led PPE recycling program (when used in non-hazardous applications as classified by federal, state, and local regulations).

Packaging: Respirators are packaged 10/box, 8 boxes/case.

Specifications

- Description:

  P95OV particulate respirator with exhalation valve, RA3836V

- Color:

  White

- Size:

  One size

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

7. Special Ops® Series Disposable N95 Particulate Respirators, Moldex®

M2800 Respirators, Medium/Large

Catalog #: 56219-186

Supplier: Moldex/Metric

Supplier Number: M2800N95

Product Details & Documents

Use in hot, humid, and dirty environments such as welding, soldering, brazing, grinding, sanding, sweeping, bagging, stone quarrying, metal machining, cement mixing, underground mining, polishing, buffing, lime, poultry, and textiles

The M2700 models also feature a Ventex® valve to let hot air out more quickly so workers stay cooler. In addition to the Ventex® valve, the M2800 models have an added carbon layer to filter out nuisance levels of ozone and organic vapors and flame retardants added to the shell to decrease flammability. These extra features make the M2800 models also useful in foundry operations, lab settings, agriculture, printing, food processing, paint and varnish manufacturing, chemical and waste processing, and sewage treatment.

All masks are NIOSH certified to have a filter efficiency of 95% or greater against non-oil based particulate aerosols. Masks are free of oil.

The M2600 models are constructed of black Dura-Mesh® to prevent collapsing and to look cleaner longer in order to get maximum use out of each mask. They are also lined with Softspun® for comfort and durability. Masks feature a contoured nose bridge with soft foam nose flange and an elastic HandyStrap® for all-day comfort. The HandyStrap® also features a buckle that allows the mask to hang around the neck when not in use.

Specifications

- Description:

  M2800 Respirators

- Size:

  Medium/Large

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

8. 2600 Disposable N95 Particulate Respirators, Moldex®

Medium/Large

Catalog #: 46610-306

Supplier: Moldex/Metric

Supplier Number: 2600N95



Product Details & Documents

The particulate respirators are made with Softspun® lining for added comfort and durability.

- Stretch cloth strap feels cool and comfortable against the skin
- Featuring a contoured nose bridge with soft foam nose flange, this respirator allows all-day comfort
- Dura-Mesh® shell will not collapse in heat and humidity
- Certified to have a filter efficiency of 95% or greater against particulates free of oil

The respirators have a cloth HandyStrap® with a buckle allowing the mask to hang around the neck when not in use.

Specifications

- Size:

  Medium/Large

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

9. 2200 Disposable N95 Particulate Respirators, Moldex®

Respirators, Medium/large

Catalog #: 56219-004

Supplier: Moldex/Metric

Supplier Number: 2200N95



Product Details & Documents

Disposable respirators provide a filter efficiency level of 95% or greater against particulate aerosols free of oil up to 10 times OSHA Permissible Exposure Limit (PEL).

- Facepiece is naturally contoured without pressure points
- Seal is maintained without a metal noseband
- Straps are securely attached so they do not break at the seal
- Dura-Mesh® outer shell resists collapsing in heat and humidity and stays clean-looking longer

Available in three sizes: small, medium/large, and alternate shape (for workers with rounder facial features and flatter nose bridges).

Specifications

- Description:

  Respirators

- Size:

  Medium/large

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

10. 2300 Disposable N95 Particulate Respirators, Moldex®

Respirators, Medium/Large

Catalog #: 56219-020

Supplier: Moldex/Metric

Supplier Number: 2300N95



Product Details & Documents

Disposable respirators provide a filter efficiency level of 95% or greater against oil-free particulate aerosols up to 10 times OSHA Permissible Exposure Limit (PEL).

- Disposable
- Crush-resistant Dura-Mesh® shell
- Filter efficiency level of 95% or greater against oil-free particulate aerosols
- Up to 10X OSHA Permissible Exposure Limit (PEL)

Exhale valve lets worker breathe out easily, keep cool longer

Medium/large size respirators are also available in a locker/dispenser for easy storage and dispensing. Locker/dispenser contains a personal supply of five respirators. A separate locker compartment allows storage of a used respirator during worker breaks. Helps prevent premature disposal.

The contoured facepiece with Softspun® lining keeps worker comfortable. Durable mask with crush-resistant Dura-Mesh® outer shell will not absorb moisture or collapse. Stays clean-looking longer for more wear, greater economy. Straps are securely attached so they do not break at the seal. Available in three sizes: small, medium/large, and alternate shape (for workers with rounder facial features and flatter nose bridges).

Specifications

- Description:

  Respirators

- Size:

  Medium/Large

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

11. Tychem® Hoods, Bullard®

Tychem® QC hood, single bib

Catalog #: 16005-040

Supplier: Bullard

Supplier Number: 20TJ

Product Details & Documents

Tychem® hoods provide a variety of simple, effective, and economical options for respiratory protection.

- Simple, effective, and economical options for respiratory protection
- Covers entire head, face, and neck to provide splash and overspray protection
- Neck cuff design maintains positive pressure inside the hood by inflating the inner collar to provide a snug, comfortable fit and continuous airflow
- Wide-angle lens offers large field of vision while accommodating beards, prescription eyeglasses, or safety glasses
- Lighter and more comfortable than tight-fitting full facepiece respirators
- Durable enough to reuse, yet economical enough to discard after each use
- Approved for NIOSH for use in Type-C applications

These hoods do not require fit testing or extensive recordkeeping. Tychem® QC hoods are poly-coated and are ideal for use with pharmaceutical manufacturing, painting, healthcare applications, and general industry. Tychem® SL hoods all feature taped and sealed seams and are SARANEX® film-coated for use in applications where chemical protection properties are critical. Approved for NIOSH for use in Type C applications.

Specifications

- Description:

  Tychem® QC hood, single bib

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

12. EVA PAPRs (Powered Air Purifying Respirators), Complete Systems, Bullard®

Tychem® QC hood with single bib, assigned protection factor 25, 20TJ

Catalog #: 89097-706

Supplier: Bullard

Supplier Number: EVA20TJ



Product Details & Documents

The EVA is simple, safe, and dependable.

- Versatile respirator for particulate or chemical environments
- Lightweight, compact, well-balanced design
- Compatible with range of head tops
- Standard comfort belt

In addition, the EVA offers Active Flow Technology™, which maintains an airflow of 8.5 cfm (high speed), 1000 Assigned Protection Factor (depending upon head top), and dual alarms for low flow and low battery. Finally, the EVA has a visual battery fuel gauge to check remaining charge at the push of a button, a brushless motor with ten times the life of a brush motor PAPR, and optional genius charger for battery trending analysis.

The system features one-button operation, a choice of two air speeds, and a single filter design.

Certifications: NIOSH certified.

Ordering information: Complete systems include blower, battery, belt, charger, headtop, breathing tube, and air flow indicator. Filters/cartridges must be ordered separately.

Specifications

- Description:

  Tychem® QC hood with single bib, assigned protection factor 25

- Headtop:

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

20TJ

- Cat. No.:

  89097-706

- Airflow:

  8.5/7.0 cfm (Hi/Lo Speed)

- Alarm:

  77dBA Low Voltage and 77dBA Low Flow

- Battery Life:

  4 - 10 h

- Battery Type:

  Lithium Ion Polymer

  Motor: Brushless

13. Ultimate FX Full Facepiece Air Purifying Respirator FF-400, 3M

Medium

Catalog #: 89135-090

Supplier: 3M

Supplier Number: 7000002284



KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

Designed for flexibility in extreme environments.

- Head harness, comfort cradle, and soft silicone nose cup allow secure, comfortable wear over extended periods
- Large lens provides superior peripheral vision
- Bonded silicone gaskets and easy-to-use respirator cartridge/filter attachments

Scotchgard™ protector helps lens resist dirt, paint, and stains. Cool Flow™ exhalation valve reduces heat and moisture buildup inside facepiece.

Specifications

- Size:

  Medium

14. Airline Hoses and Couplers, Honeywell Safety

Coupler, 0.953 cm ($^3/_8$") I.D. Hose

Catalog #: 56223-041

Supplier: PIP

Supplier Number: 88600H



Product Details & Documents

For use with North Safety Products airline hood and full facepiece respirators.

Ordering information: Choose from two sizes. For other sizes, contact your Avantor representative.

Specifications

- Description:

  Coupler

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Size:

  0.953 cm (3/8") I.D. Hose

Product Details & Documents

Helps provide head, face, neck and shoulder coverage.

- Provides head, face, neck and shoulder coverage
- For applications that require frequent replacement of entire headgear assembly
- Fully assembled
- OSHA APF 1000

Can be suitable for applications that require frequent replacement of the entire headgear assembly, such as pharmaceutical manufacturing, or in situations where there is less soiling of the outer fabric.

Fully assembled and ready to use out of the box. Color: white.

Certifications: OSHA APF 1000

Ordering information: Includes hood, suspension, and inner shroud.

Documents

Certificates

Search by Lot Number

- 89205-950_B241571

Specifications

- Description:

  Economy hood

- Color:

  White

- Size:

  Small-medium

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

15. Versaflo™ S-Series Economy Hoods, 3M™

Economy hood, White, Small-medium

Catalog #: 89205-948

Supplier: 3M

Supplier Number: 7000127463

Product Details & Documents

Helps provide head, face, neck and shoulder coverage.

- Provides head, face, neck and shoulder coverage
- For applications that require frequent replacement of entire headgear assembly
- Fully assembled
- OSHA APF 1000

Can be suitable for applications that require frequent replacement of the entire headgear assembly, such as pharmaceutical manufacturing, or in situations where there is less soiling of the outer fabric.

Fully assembled and ready to use out of the box. Color: white.

Certifications: OSHA APF 1000

Ordering information: Includes hood, suspension, and inner shroud.

Documents

Certificates

Search by Lot Number

- 89205-950_B241571

Specifications

- Description:

  Economy hood

- Color:

  White

- Size:

  Small-medium

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

16. Quantitative Fit Testing Respirator, 3M™

Small

Catalog #: 56222-920

Supplier: 3M

Supplier Number: 7000148501



Product Details & Documents

Developed exclusively for quantitative face-fit testing to ensure proper worker protection.

- Not designed for respiratory protection

Features the 3M 6000 series facepiece, with a probe installed for testing convenience.

Packaging: Caution: All 3M™ products must be used in accordance with OSHA regulations and the user instructions, warnings, and limitations accompanying each product.

Caution: All 3M™ products must be used in accordance with OSHA regulations and the user instructions, warnings, and limitations accompanying each product.

Specifications

Size: Small

17. Positive Pressure Hood Systems, H-Series, 3M™

Air Supply Hose with Schrader Fittings, 7.6 m (25')

Catalog #: 43100-138

Supplier: 3M

Supplier Number: 7000126388

Product Details & Documents

Positive pressure hoods provide a high level of respiratory protection while allowing easy breathing. Lightweight, loose-fitting Tychem® QC hoods feature a unique airflow design to prevent fogging. Hoods feature a solvent-resistant polyester face shield that is U-shaped to provide excellent peripheral and downward vision. Hoods are available with hard hat and collar.

- High level of respiratory protection while allowing easy breathing
- Lightweight, loose-fitting Tychem® QC feature unique airflow design to prevent fogging

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Solvent-resistant polyester face shield that is U-shaped to provide excellent peripheral and downward vision
- Available with hard hat and collar

Breathing tubes are supplied with connector and clamps

PAPR systems come with either a web belt, a vinyl belt, or a comfort belt.

Supplied air is provided through either a high- or low-pressure assembly. High-pressure assembly has three control devices to choose from. Vortex cooling assemblies let the worker regulate airflow and cool air by as much as 28°C (50°F). Vortemp™ heating assembly lets the worker regulate airflow and warm air by as much as 28°C (50°F). Air regulating valve assembly allows the worker to regulate airflow to the headgear. High-pressure air supply hose comes in 7.6m, 15.2m, or 30.5m lengths (25', 50', or 100'). The low-pressure assembly also regulates the airflow to the headgear. Low-pressure air supply hose comes in 7.6m, 15.2m, or 30.5m (25', 50', or 100') lengths.

Reusable breathing tube 56221-388 is 91cm (36") long.

Certifications: All systems are NIOSH approved when properly assembled.

Ordering information: Each PAPR system includes motor blower, battery pack, battery charger, flow meter, power cord, blower plugs, and belt. Hood assemblies, breathing tubes, and cartridges sold separately.

Caution: All 3M™ products must be used in accordance with OSHA regulations and the user instructions, warnings, and limitations accompanying each product.

Specifications

- Description:

  Air Supply Hose with Schrader Fittings, 7.6 m (25')

18. L-Series Positive Pressure Headgear, 3M™

Vortex Cooling Tube

Catalog #: 67100-630

Supplier Number: 7000126275

Product Details & Documents

Comfortable respirators are safe and cost-effective. No fit testing required. Positive pressure airflow has no breathing resistance and helps provide a higher level of respiratory protection. Wide-view lens provides better downward and peripheral vision. The lightweight headgear can be worn with facial hair, prescription eyewear, or safety glasses.

- Comfortable, safe and cost effective; no fit testing required

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Positive pressure airflow has no breathing resistance, provides higher level of respiratory protection
- Wide-view lens provides better downward and peripheral vision
- Can be worn with facial hair, prescription eyewear, or safety glasses

The L-500 series features a fully-adjustable, lightweight bumpcap

Supplied air is provided through either a high- or low-pressure assembly. The Vortex cooling assembly lets the worker regulate airflow and cool air by as much as 28°C (50°F). The Vortemp™ heating assembly lets the worker regulate airflow and warm air by as much as 28°C (50°F). The air regulating valve assembly allows the worker to regulate airflow to the headgear. The low-pressure assembly also regulates the airflow to the headgear.

Caution: All 3M™ products must be used in accordance with OSHA regulations and the user instructions, warnings, and limitations accompanying each product.

Loose-fitting faceseal attaches to the face shield for respiratory protection up to 25x PEL (permissible exposure limit). Select from three styles: face shield, welding shield, or face shield/welding shield combination. Face shield protects face and eyes from debris, provides respiratory protection when down, and flips up when not needed. Welding shield/face shield combination features an inner shield to help reduce particles hitting the face and eyes during applications where the welding shield might be lifted. The inner shield provides respiratory protection when welding shield is up and allows workers to sight the work-piece before lowering the welding shield into place. The L-700 series features a lightweight hard hat that is fully adjustable and meets ANSI Class I plus Class II side-impact requirements for industrial protective headgear. A loose-fitting faceseal attaches to the face shield to provide respiratory protection up to 25x PEL. Select face shield, welding shield, or face shield/welding shield combination. The L-900 series features a helmet that meets ANSI Class I plus Class II side-impact requirements for industrial protective headgear. Model 53310-112 comes with a Tyvek® neck shroud, and model 53310-114 comes with a Nomex® neck shroud. Select face shield or face shield/welding shield combination. The L-900 series meets CAN/CSA Z94.1-92, Class G. Both powered and supplied air require breathing hose 67100-608. Cartridges are ordered separately.

Certifications: All systems are NIOSH approved when properly assembled.

Specifications

- Description:

  Vortex Cooling Tube

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

19. Qualitative Fit Test Apparatus, 3M™

Qualitative fit test apparatus FT-10, with 3M™ Sensitivity solution FT-11, sweet

Catalog #: 56221-918

Supplier: 3M

Supplier Number: 7000001898



Product Details & Documents

Qualitative fit test apparatus used to check face-to-respirator seals on any particulate respirator or gas/vapor respirator with a particulate prefilter.

Meets the performance criteria for fit testing respirators under the current OSHA standard for respirator protection: 29 CFR 1910.134, appendix A.

Documents

- 67100-854

Specifications

- Description:

  Qualitative fit test apparatus FT-10, with 3M™ Sensitivity solution FT-11, sweet

20. Supplied Air Respirator Parts & Accessories, 3M™, 3M Company

Wing Nut W-2916, —

Catalog #: 67101-272

Supplier: 3M

Supplier Number: 1010015234

Product Details & Documents

An assortment of replacement parts and accessories designed for use on a variety of 3M™ Supplied Air Respirators.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Wing Nut W-2916 is a component of the 3M™ Compressed Air Filter and Regulator Panel W-2806.

High pressure Socket W-3281-2 is designed for use on the 3M™ Compressed Air Filter and Regulator Panel W-2806. It has a brass finish. High pressure Hose Socket W-3280-2 may be used on the 3M™ Supplied Air Hose W-9435 and W-2929. It also has a brass finish.
Neck protectors are designed to surround and protect the workers neck on 3M™ Breathe Easy™ and Supplied Air Systems.

High pressure Socket W-3281-2 is designed for use on the 3M™ Compressed Air Filter and Regulator Panel W-2806. It has a brass finish. High pressure Hose Socket W-3280-2 may be used on the 3M™ Supplied Air Hose W-9435 and W-2929. It also has a brass finish.

High pressure hose plug W-3279-2 may be used on the 3M™ Supplied Air Hose W-9435 or W-2929. It has a brass finish.

Neck protectors are designed to surround and protect the workers neck on 3M™ Breathe Easy™ and Supplied Air Systems.

Specifications

- Description:

  Wing Nut W-2916

- Size:

21. 7500 Series Reusable Half Mask Respirators, 3M™

Medium

Catalog #: 43100-106

Supplier: 3M

Supplier Number: 7000002162



KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

These durable, reusable respirators allow the user to change the filter to protect against particulates, gases, and vapors.

- Durable, reusable
- Made from soft, resilient silicone and heat-resistant plastics
- Cool Flow® exhalation valve reduces heat and moisture buildup

The respirators are made from soft, resilient silicone and heat-resistant plastics for unsurpassed comfort

Caution: All 3M™ products must be used in accordance with OSHA regulations and the user instructions, warnings, and limitations accompanying each product.

The Cool Flow® exhalation valve is designed to make breathing easier and to help reduce heat and moisture buildup in the facepiece. The head harness is designed to adjust easily and can be worn in either traditional or drop-down mode.

Ordering information: Respirators are supplied without cartridges. For an assortment of compatible cartridges with stacked P100 filters, see **56621-048** series.

Documents

- MMMA7503_11628246.pdf
- MMMA7503_11673523.pdf
- MMMA7503_11828412.pdf

Specifications

- Size:

  Medium

22. 6000 Series Half Facepiece Respirators, 3M™

Half facepiece respirator with P100 filters, Large

Catalog #: 56222-444

Supplier: 3M

Supplier Number: 7000126164

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

Lightweight, comfortable 6000 series half facepieces are used with 3M™ 6000 series cartridges and filters.

- Use with 3M™ 6000 series cartridges and filter
- P100 filters are NIOSH approved for protection against particles

These low-maintenance respirators can be disassembled, cleaned, and reused many times. No parts to replace except filters and cartridges. No retainers or extra parts are needed to attach the 6000 series filters or cartridges. Order the half-facepieces alone, or with a pair of P100 filters included. Three sizes.

The special P100 filters are approved for protection against particles. NIOSH approved.

Simply detach the neck strap and the facepiece drops down to the worker's chest.

Accessories information: NIOSH approved cartridge protects against formaldehyde and certain organic vapors and can be used with bayonet filter holders.

Caution: All 3M™ products must be used in accordance with OSHA regulations and the user instructions, warnings, and limitations accompanying each product.

Documents

Product Literature

- VWR Personal Protective Equipment Guide for Handling Production Chemicals - Xylene

Specifications

- Description:

  Half facepiece respirator with P100 filters

- Size:

  Large

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

23. Air Purifying Dual Cartridge Respirators, Honeywell Safety

7702 Series half-mask respirators, Large

Catalog #: 56222-948

Supplier: PIP

Supplier Number: 770030L



Product Details & Documents

Comfortable half-mask or full facepiece respirators for use with North Safety Products cartridges and filters.

- Reliable and latex-free respirators offer direct cartridge-to-facepiece connection
- 7700 and 7600 series have nonallergenic silicone facepieces
- 5500 and 5400 series have thermoplastic elastomer facepieces
- NIOSH approved when used with North Safety Products cartridges

Interchangeable cartridges and filters provide air purifying protection for a variety of applications.

Half-mask respirators fit snugly while the cradle suspension system alleviates pressure points. Can be worn with safety glasses or goggles. Full facepiece respirators provide eye, face, and respiratory protection and are made of soft, flexible materials for optimum comfort.

The 7700 and 7600 series respirators have facepieces made of nonallergenic silicone; the 5500 and 5400 series respirators feature facepieces constructed of thermoplastic elastomer. Impact-resistant, wraparound polycarbonate lens permits 200° vision field. Full facepiece respirators include an oral/nasal cup. The 7600 series respirators include a speaking diaphragm.

NIOSH approved when used with North Safety Products cartridges and/or filters. Full facepiece lens meets ANSI Z87.1 standard for impact and penetration resistance. The eyeglass frame for the 7600 series respirators is constructed of sturdy metal and attaches to the lens of the facepiece with a suction cup.

Ordering information: For additional information on the accessory cartridges and filters, see **56222-957** series.

Documents

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- 56222-944_101971260
- 56222-946_101905260
- 56222-948_102085319
- coc_56222-944_102504027
- coc_56222-944_102595957

More
Product Literature

- VWR Personal Protective Equipment Guide for Handling Chloroform
- VWR Personal Protective Equipment Guide for Handling Dichloromethane
- VWR Personal Protective Equipment Guide for Handling Toluene

Specifications

- Description:

  7702 Series half-mask respirators

  Size: Large

24. 6000 Series Full Facepiece Respirators, 3M™

Full facepiece respirators, Small

Catalog #: 56621-876

Supplier: 3M

Supplier Number: 7000002029



Product Details & Documents

Reusable, lightweight full facepieces; respirators feature easy-to-adjust headstraps for maximum comfort. The Cool Flow® exhalation valve is designed to make breathing easier and to help reduce heat and moisture buildup in the facepiece.

- Reusable, lightweight
- Cool Flow® exhalation valve reduces heat and moisture buildup

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Large lens is coated for scratch-resistance
- NIOSH approved for negative pressure air purifying and positive pressure dual-airline applications

The center adapter directs exhaled breath and moisture downward

NIOSH approved for negative pressure air purifying and positive pressure dual airline applications.

Large lens is coated for scratch-resistance and provides excellent visibility. No retainers or extra parts are required to attach filter, cartridges, or dual airline. Respirators are also available with a DIN port adapter.

Accessories information: NIOSH approved cartridge protects against formaldehyde and certain organic vapors and can be used with bayonet filter holders.

Caution: All 3M™ products must be used in accordance with OSHA regulations and the user instructions, warnings, and limitations accompanying each product.

Specifications

- Description:

  Full facepiece respirators

- Size:

  Small

25. Prefilter for Masks, 3M™

P95 particulate filter "solids from processing minerals, coal, iron ore, cotton, flour; metal fumes from welding, brazing, cutting of metals; liquid/oil based particles from sprays" for use with 5000 series respirators, Protects against solids from processing minerals, coal, iron ore, cotton, flour, metal fumes from welding, brazing, cutting of metals, liquid/oil based particles from sprays that do not emit harmful vapors

Catalog #: 43100-074

Supplier: 3M

Supplier Number: 7000002058

Product Details & Documents

For use with 5000-series respirators.

- NIOSH 42 CFR 84 approved

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Caution: All 3M™ products must be used in accordance with OSHA regulations and the user instructions, warnings, and limitations accompanying each product.

Specifications

- Description:

  P95 particulate filter "solids from processing minerals, coal, iron ore, cotton, flour; metal fumes from welding, brazing, cutting of metals; liquid/oil based particles from sprays" for use with 5000 series respirators

- Approved for use against:

  Protects against solids from processing minerals, coal, iron ore, cotton, flour, metal fumes from welding, brazing, cutting of metals, liquid/oil based particles from sprays that do not emit harmful vapors

26. 7800 Series Full Facepiece Respirators, 3M™

Full Facepiece Respirators, Small

Catalog #: 56222-175

Supplier: 3M

Supplier Number: 7000126199



Product Details & Documents

These reusable respirators can be used in a wide range of industrial applications. Respirators feature a double flanged face seal, nosecup, and six adjustable straps for a reliable fit.

- Double flanged face seal, nose cup, and six adjustable straps for reliable fit
- Durable, scratch-resistant polycarbonate lens

Extra-large inhalation and exhalation values make breathing easier

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Caution: All 3M™ products must be used in accordance with OSHA regulations and the user instructions, warnings, and limitations accompanying each product.

The durable, scratch-resistant polycarbonate lens provides a good field of vision.

Ordering information: All cartridges, filters, and retainers are ordered separately.

Documents

Product Literature

- VWR Personal Protective Equipment guide for handling Isopropyl Alcohol**Specifications**
  - Description:

    Full Facepiece Respirators
  - Size:

    Small

27. Respirator Filter Cartridges 6000 Series, 3M™

Acid gas, Chlorine, hydrogen chloride and sulfur dioxide or chlorine dioxide, hydrogen sulfide

Catalog #: 56222-936

Supplier: 3M

Supplier Number: 7000051850



Product Details & Documents

For use with 3M™ 6000 series respirator facepieces.

OSHA regulations require that gas-proof goggles be worn with half facepiece respirators when used against formaldehyde.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Ordering information: All cartridges are packaged two cartridges per pack.

Caution: Must be used in accordance with OSHA regulations and the user instructions, warnings, and limitations accompanying each product

Specifications

- Cartridge type:

  Acid gas

- Approved for use against:

  Chlorine, hydrogen chloride and sulfur dioxide or chlorine dioxide, hydrogen sulfide

28. Respirator Cartridges and Filters, Honeywell Safety

Defender* Multipurpose cartridge, Organic vapor, chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide (escape), hydrogen fluoride, chlorine dioxide, ammonia, methylamine, formaldehyde

Catalog #: 56223-250

Supplier: PIP

Supplier Number: 75SCL



Product Details & Documents

For use with North Safety Products air purifying dual cartridge respirators (see 56222-944 series).

- Simplify your inventory with one line of cartridges and filters
- NIOSH approved when used with Nort Safety Products 7700, 7600, 5500, and 5400 air-purifying respirators

Choose from a wide variety of cartridges, filters, and cartridge/filter combinations to suit your applications. Adapter assembly 56223-268 attaches pancake filter 56223-266 to a gas and vapor cartridge, and attaches to chemical cartridges except for the Defender® multipurpose cartridge. All cartridges and filters are NIOSH approved (meet 42 CFR 84 requirements) when used with North Safety products air-purifying respirators.

Documents

- 89400-398_102141803

Specifications

- Description:

  Defender* Multipurpose cartridge

- Approved for use against:

  Organic vapor, chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide (escape), hydrogen fluoride, chlorine dioxide, ammonia, methylamine, formaldehyde

29. Respirator Filter Cartridges with Stacked P100 Filter 6000 Series, 3M™

TC-84A-0704, Multi-gas/vapor/P100, Certain organic vapors, chlorine, chlorine dioxide, hydrogen chloride, ammonia, methylamine, sulfur dioxide, hydrogen fluoride, hydrogen sulfide (escape only), formaldehyde*

Catalog #: 56621-048

Supplier: 3M

Supplier Number: 7000002041



Product Details & Documents

For use with 3M™ 6000 series respirator facepieces.

- NIOSH-approved P100 filter is permanently attached
- Manufacturer's time use restrictions of 40 hours of use or 30 days
- Certain Organic Vapors/Acid Gas/P100 approved for use against chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride, hydrogen sulfide (escape only)

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Multi-Gas/Vapor/P100 approved for use against certain organic vapors, chlorine, chlorine dioxide, hydrogen chloride, ammonia, methylamine, sulfur dioxide, hydrogen fluoride, hydrogen sulfide (escape only)

NIOSH approved P100 filter is permanently attached. Manufacturer's time use restrictions of 40 hours of use or 30 days, whichever is first, apply if used in environments containing only oil aerosols.

Caution: All 3M™ products must be used in accordance with OSHA regulations and the user instructions, warnings, and limitations accompanying each product. OSHA regulations require that gas-proof goggles be worn with half facepiece respirators when used against formaldehyde.

Specifications

- NIOSH approval:

  TC-84A-0704

- Cartridge type:

  Multi-gas/vapor/P100

- Approved for use against:

  Certain organic vapors, chlorine, chlorine dioxide, hydrogen chloride, ammonia, methylamine, sulfur dioxide, hydrogen fluoride, hydrogen sulfide (escape only), formaldehyde*

30. Replacement Bayonet Assembly, 3M™

Bayonet Connection Replacement, for Six-point Head Harness

Catalog #: 89135-112

Supplier: 3M

Supplier Number: 7000052739

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

Bayonet connection replacement assembly includes inhalation valve. For use with 3M™ Ultimate FX full facepiece reusable respirators.

For facility sanitation, food processing, food safety

Specifications

- Description:

  Bayonet Connection Replacement, for Six-point Head Harness

31. VWR® FFP2, Disposable Particle Filtering Respirators

Supplier: VWR Collection



Product Details & Documents

These masks provide protection against particulates, dust and aerosols. For use against non toxic to low toxicity solid and liquid aerosols.

- Exhalation valve fitted with the exclusive `butterfly´ opening-closing system
- Extra light

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Latex- and PVC-free

EN 149:2001; EG 89/686 (11.B)

Certifications: EN 149:2001+A1:2009

Caution: *One size fits all

Documents

Certificates

Search by Lot Number

Images 360

- 113-0645
- 113-0646

CD Declaration

- CE VWR FFP2 Masks.pdf
- CE_VWR_Mask_FFP2_Valve.pdf
- EUDoC_portal_info

Certificate of Compliance

- CoC VWR FFP2 Disposable Particle Filtering Respirators
- COC_VWRI113-0645_070121
- VWRI113-0646_Conformity_050513.pdf

Product Literature

- VWR® for Lab Safety

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

32. Vertical fold flat disposable masks, F600 series

Disposable mask, valved, Class: FFP2, With valve: +

Catalog #: 111-2583

Supplier: JSP



Product Details & Documents

Vertical fold flat respirator with foam padded adjustable nose clip and extended chin coverage.

- Folds flat
- Foam padded nose bridge
- Toggle adjustment
- Individually packaged

A moldable nose bridge and foam pad on the inside provide comfort and a firmer fit. Metal-free toggle adjuster on each strap ensures an effective facial fit. Fold flat design is compact and easy to carry in a pocket. Packaged individually in a clear resealable bag. Valved and unvalved options are available.
Minimum filtration efficiency: 99% for FFP3 rated, 94% for FFP2 rated.

Certifications: EN 149:2001 + A1:2009.

Documents

Product Literature

- JSPA F600 Series Disposable Fold Flat Mask Range.pdf

Manual

- Manual Disposable Masks.pdf

Datasheet

- TDS Mask Vertical Fold Flat Ffp2V (F622).pdf

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

33. Moulded disposable mask, FFP3, JSP LTD

Moulded disposable mask, valved, Class: FFP3, With valve: +

Catalog #: 111-2586

Supplier: JSP



Product Details & Documents

Moulded disposable respirator with comfort foam surround, adjustable nose clip, four-point adjustable harness, and exhalation valve.

- Exhalation valve
- Foam padded nose bridge
- 4-point adjustable straps
- 99% minimum filtration efficiency

A mouldable nose bridge and 360° foam area around the inside provide comfort and a secure fit. Metal-free, 4-point adjustable straps create a firm and adaptable fit.

FFP3 rating provides 99% minimum filtration efficiency.

Certifications: Conforms to EN 149.

Documents

Product Literature

- JSPA F600 Series Disposable Fold Flat Mask Range.pdf

Manual

- Manual Disposable Masks.pdf

Datasheet

- TDS Mask Moulded FFP3 Valved (M632).pdf

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

34. MAINTENANCE-FREE HALF MASK RESPIRATORS, 4000 SERIES 3M

Maintenance-free half mask respirators, 4000 series

Supplier: 3M



Product Details & Documents

4000 series maintenance-free half masks are simple and ready to use respirators with an integrated cartridge and filters. They provide protection against a range of organic gases and vapours, also combination particulate hazards.

- Newly enhanced valve assembly reduces exhalation breathing resistance for improved breathing comfort
- Lightweight, well balanced, low profile design
- Integrated cartridge and filters are ready to use and maintenance-free
- Adjustable head cradle and easy to fasten neck straps
- Centrally positioned exhalation valve reduces heat and moisture build up
- Includes a resealable bag for hygienic storage and transportation

The lightweight, well balanced design features a centrally positioned exhalation valve that helps reduce heat and moisture build up, increasing comfort in hot and humid conditions.

The integrated cartridge and filters are maintenance-free. Simply use them until the change-out schedule indicates a replacement is needed or when the filters are full, and then discard. Masks will provide up to 40 hours of use when stored in the resealable bag provided. An adjustable head cradle helps fit to a broad range of head shapes and sizes, and the neck straps are easy to fasten. The low profile design won’t hinder peripheral vision, and the two large, bonded-carbon filters ensure low breathing resistance.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

FFA1P2 RD filter/cartridge protects against organic vapours, with a boiling point greater than 65 °C, up to 10× Workplace Exposure Limit (WEL) or 1000 ppm (whichever is lower), and 10× WEL for particulates.
FFA2P3 RD filter/cartridge protects against organic vapours with a boiling point greater than 65 °C, up to 10× Workplace Exposure Limit (WEL) or 5000 ppm (whichever is lower), and 20× WEL for particulates.
FFABE1P3 RD filter/cartridge provides protection against organic vapours with a boiling point greater than 65 °C, inorganic vapours, and acid gases up to 10× Workplace Exposure Limit (WEL) or 1000 ppm (whichever is lower), and 20× WEL for particulates.
FFABEK1P3 RD filter/cartridge provides protection against organic vapours with a boiling point greater than 65 °C, inorganic and acid gases and ammonia up to 10×Workplace Exposure Limit (WEL) or 1000 ppm (whichever is lower), and 20×WEL for particulates.

Documents

Certificates

Search by Lot Number

Datasheet

- TDS Half-mask respirator 4251+ ffa1p2 r d
- TDS Half-mask respirator 4255+ ffa2p3 r d
- TDS Half-mask respirator 4277+ ffabe1p3 r d
- TDS Half-mask respirator 4279+ ffabekp3 r d

FALL PROTECTION (Fall Harness, Fall Lanyard and Ropes and Carabiners)

1. Miller Titan™ II Hi-Viz Harness, Non-Stretch, Honeywell Safety

Miller Titan™ II Harness, with Mating Buckle Leg Straps, Large/XL, Back D-ring, 181.4 kg (400 lbs.)

Catalog #: 56619-042

Supplier: Honeywell Safety Products

Supplier Number: T4000/UAK

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

The new economical Miller Titan™ II line of harnesses from Honeywell Safety is an affordable fall protection solution for the general construction, manufacturing, oil and gas (refinery) markets.

- Increased worksite safety with Hi-Viz color webbing and ANSI Z359.11 compliance
- Easier vertical adjustability that stays in place
- Slip-resistant back D-ring pad and forward positioned side D-rings; keeps tool bags in the right place
- Oversized ID tags provide quick and easy harness size identification
- Back strap increases safety by preventing roll out in the event of a fall
- More comfort and better fit with lighter, strategically-placed padding that provides optimal airflow
- Meets all applicable OSHA, ANSI, and CSA requirements

Available with patented, stretchable elastomer or lightweight non-stretch webbing.

Certifications: OSHA 1926.502. ANSI Z359.11-14. ANSI A10.32. CSA Z259.10.

Specifications

- Description:

  Miller Titan™ II Harness, with Mating Buckle Leg Straps

- Size:

  Large/XL

- Connector:

  Back D-ring

- Load capacity:

  181.4 kg (400 lbs.)

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

2. Miller DuraFlex® Ultra and Python® Ultra Harnesses, Honeywell Safety

DuraFlex Python® ultra harness with mating-buckle leg straps and side D-rings

Catalog #: 56619-014

Supplier: PIP

Supplier Number: P950QC-7/UGN



Product Details & Documents

Harnesses feature sleek, quick-connect chest and leg strap buckles for easy donning

- Sleek, quick-connect chest and leg strap buckles for easy donning
- Buckles have a dual-tab release mechanism to prevent accidental opening
- Comfort-Touch back D-ring pad is designed with woven, breathable material for cooler extended-wear comfort
- Pad orients harness for quick, tangle-free donning

The DuraFlex® Ultra harnesses feature stretchable webbing that provides greater comfort and improves safety. The DuraFlex Python® Ultra harnesses feature cushioned tubular webbing in the shoulder straps to minimize discomfort around the neck and shoulder when user is required to wear a tool belt. Universal size fits large and X-large.

Buckles have a dual-tab release mechanism to prevent accidental opening. The Comfort-Touch back D-ring pad is designed with woven, breathable material for cooler extended wear comfort. Pad orients harness for quick, tangle-free donning.

Specifications

- Description:

  DuraFlex Python® ultra harness with mating-buckle leg straps and side D-rings

3. Delta™ No-Tangle™ Harnesses, ORS Nasco

Cross over harness, with pass-thru buckle legs and polyester strap, Universal, Front and back D-rings, Yellow/navy blue

Catalog #: 300058-284

Supplier: Safety & Industrial Supplies

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Supplier Number: 098-1102010



Product Details & Documents

This Harnesses Delta™ No-Tangle™ design for added comfort and easy donning.

- Spring loaded stand-up back D-ring ensures fast, easy, and safe connections
- Parachute buckles on lower shoulder straps for quick and easy adjustment
- Adjustable non-slip chest strap with easy to use pass-thru buckle
- Coated hardware for corrosion resistance

Specifications

- Description:

  Cross over harness, with pass-thru buckle legs and polyester strap

- Size:

  Universal

- Connector:

  Front and back D-rings

- Color:

  Yellow/navy blue

4. DBI-SALA® Delta™ II No-Tangle™ Construction Harness

Construction Vest Harness, with Tongue Buckle Legs and Polyester Strap, Universal, Back D-ring, Yellow/navy blue

Catalog #: 300075-538

Supplier: Safety & Industrial Supplies

Supplier Number: 098-1102526

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

Delta's No-Tangle™ design ensures comfort and simple donning. Adjustable non-slip chest strap with convenient pass-thru buckle.

- Parachute buckles on lower shoulder straps for quick and easy adjustment
- Spring loaded stand-up back D-ring ensures fast, easy, and safe connections
- Built-in belt loops to support a SALA belt or one of your own
- Wrap around no-tangle design slips on like a vest, making it quicker and easier to put on while providing ventilation, comfort, padding and security

Specifications

- Description:

  Construction Vest Harness, with Tongue Buckle Legs and Polyester Strap

- Size:

  Universal

- Connector:

  Back D-ring

- Color:

  Yellow/navy blue

5. Suspension Trauma Safety Straps, ORS Nasco

0.20 lbs.

Catalog #: 300075-670

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Supplier: Safety & Industrial Supplies

Supplier Number: 098-9501403



Product Details & Documents

It helps prevent the effects of suspension trauma after a fall.

- Allows worker who is suspended to stand up in their harness to relieve pressure
- A safety accessory that can be attached to most harness brands/styles right in the field

Specifications

- Weight:

  0.20 lbs.

6. Protecta First™ Full Body Harnesses, ORS Nasco

Vest-Style Harness, with Pass thru Buckle Legs, Universal, Polyester Straps, Back D-ring, Blue

Catalog #: 300075-678

Supplier: Safety & Industrial Supplies

Supplier Number: 098-AB17510



KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

Harnesses offer all the necessary elements for a complete fall protection system and allows the user to choose components based on personal preference and job constraints.

Lightweight and extremely strong polyester webbing provides ultimate durability and longevity. Provides fall protection in a wide variety of circumstances while maintaining a focus on value and safety.

Certifications: Meets or Exceeds OSHA 1926 & ANSI Z359 Performance Criteria.

Specifications

- Description:

  Vest-Style Harness, with Pass thru Buckle Legs

- Size:

  Universal

- Material:

  Polyester Straps

- Connector:

  Back D-ring

- Color:

  Blue

7. Suspension Trauma Pads, ORS Nasco

17 in [Min], 22 in [Max], 0.4 lbs.

Catalog #: 300058-338

Supplier: Safety & Industrial Supplies
Supplier Number: 098-9501207



Product Details & Documents

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Delta harness padding designed to add comfort to your harness, easy installation with velcro, can be removed and washed, can be added to any vest style harness.

- Strap material: 600D nylon

Specifications

- Length:

  17 in [Min], 22 in [Max]

- Weight:

  0.4 lbs.

8. DBI-SALA® Delta™ No-Tangle™ Harnesses, ORS Nasco

Small, Polyester Straps, 2× waist D-rings, back D-ring, Yellow/navy blue

Catalog #: 300051-790

Supplier: Safety & Industrial Supplies

Supplier Number: 098-1102201



KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

Vest-style harness with tongue buckle fasteners

- Adjustable non-slip chest strap with easy-to-use pass-thru buckle
- Coated hardware for corrosion resistance
- Delta No-Tangle™ design for added comfort and easy donning
- Parachute buckles on lower shoulder straps for quick and easy adjustment

Patented spring loaded Stand-Up D-ring and built-in iSafe™ Technology for inspection and inventory purposes.

Certifications: Meets or Exceeds all Applicable Industry Standards Including OSHA, ANSI and the Stringent ANSI Z 359.

Specifications

- Size:

  Small

- Material:

  Polyester Straps

- Connector:

  2× waist D-rings, back D-ring

- Color:

  Yellow/navy blue

9. Miners Body Belt, ORS Nasco

Large Suspension Belt, with Tongue Buckle Fasteners, Nylon, Fixed D-ring, 4.5", 3.5"

Catalog #: 300081-032

Supplier: Safety & Industrial Supplies

Supplier Number: 454-415335



Product Details & Documents

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

The suspension belt has tongue buckle fastening.

- Straps for attaching battery and respirator
- Not to be used for fall-arrest
- Brightly colored polyester webbing improves worker safety through better visibility

Specifications

- Description:

  Large Suspension Belt, with Tongue Buckle Fasteners

- Material:

  Nylon

- Connector:

  Fixed D-ring

- Width:

  4.5"

- Length:

  3.5"

10. DBI-SALA® Tongue Buckle Body Belts, ORS Nasco

Small, Polyester, Stainless Steel Grommet, Zinc Plated Steel, Side D-rings, 310 lbs.

Catalog #: 76107-094

Supplier: Safety & Industrial Supplies

Supplier Number: 098-1000022



Product Details & Documents

This tongue buckle adjustment is fast and easy.

- Ideal for added tool carrying options and back support
- Add a hip pad for greater comfort

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Durable polyester construction
- High strength corrosion-resistant hardware

Specifications

- Size:

  Small

- Material:

  Polyester, Stainless Steel Grommet, Zinc Plated Steel

- Connector:

  Side D-rings

- Load capacity:

  310 lbs.

11. Miller BackBiter® Tie-Back Lanyard, Honeywell Safety 1.8 m (6')

Catalog #: 56619-050

Supplier: PIP

Supplier Number: 913B/6FTGN



Product Details & Documents

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

This all-in-one lanyard features SoftStop shock absorber and a cross-arm anchorage connector specially designed for tie-back use

- Shock absorber and cross-arm anchorage connector specially designed for tie-back use
- Snap hook has 2268kg (5000lbs.) gate-load capacity from any angle
- Heavy-duty Cordura™ nylon webbing provides excellent abrasion resistance

The Miller 5K snap hook has 2268kg (5000lbs.) gate-load capacity from any angle. Heavy-duty Cordura™ nylon webbing provides excellent abrasion resistance. (Sperian 913B/6FTGN)

Specifications

- Length:

  1.8 m (6')

12. Miller Cross-Arm Anchorage Strap, Honeywell Safety

1.8 m (6')

Catalog #: 56619-164

Supplier: PIP
Supplier Number: 8183/6FTGN

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

For securing to I-beams and other structures

- 5.1cm (2") D-ring that slips through 7.6cm (3") D-ring to form secure attachment point for lanyards and other connecting devices

Strap features a 5.1cm (2") D-ring that slips through a 7.6cm (3") D-ring to form a secure attachment point for lanyards and other connecting devices. (Sperian 8183/6FTGN)

Maximum Capacity: 181 kg (400 lbs.)

Specifications

- Length:

  1.8 m (6')

13. Miller® Relief Step Safety Device, Honeywell Safety

Relief Step Safety Device

Catalog #: 89400-432

Supplier: PIP

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Supplier Number: 9099X/12-H5



Product Details & Documents

Alleviates the effects of orthostatic intolerance, also known as suspension trauma.

- Easy to deploy and use
- Attaches to any brand full-body harness
- Provides support and enhances blood circulation until rescue, permitting the ability to move and flex leg muscles

Specifications

- Description:

  Relief Step Safety Devic

14. Miller® MightyLite™ Self Retracting Lifeline, Honeywell Safety

Miller® MightyLite™ SRL, 20 ft. galvanized cable, Load Indicator, Steel Twist Lock Carabiner and Tagline, 3/16"

Catalog #: 89400-538

Supplier: PIP

Supplier Number: MML-OGC1-02/20FT



Product Details & Documents

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Miller® MightyLite™ Self-Retracting Lifelines (SRL's) are up to 30% lighter than competitive models in their class. Corrosion-resistant stainless steel and aluminum housing extend service life.

- Durable and dependable, corrosion-resistant stainless steel and aluminum housing extend service life
- No annual factory recertification required
- Rated for up to a 310 lb. (140.6 kg) user
- Available in 20' (6 m), 30' (9 m), 50' (15 m), 65' (20 m), 100' (30 m), 130' (40 m) and 175' (53 m) lengths

Certifications: Meets OSHA 1926.502, 1910.66, ANSI A10.32, *ANSI Z359.14-2012 Class B and CSA Z259.2.2-98 Type 2 requirements.

Delivery information: Carabiner and tagline included*

Specifications

- Description:

  Miller® MightyLite™ SRL

- Length:

  20 ft. galvanized cable

- Includes:

  Load Indicator, Steel Twist Lock Carabiner and Tagline

  Cable diameter: $^{3}/_{16}$"

15. Rope Clothesline

Rope Clothesline, 50', $^{7}/_{32}$"

Catalog #: 470089-222

Supplier: ROCKFORD MFG. CO.

Supplier Number: B407089R

Specifications

- Description:

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Rope Clothesline

- Length:

  50'

- Cable diameter:

  $\frac{7}{32}$"

16. Workman Personal Fall Limiters, MSA

12', Back D-connector, LC snap hook, 3", 5.5 lbs., Galvanized Steel Cable, 400 lbs.

Catalog #: 300008-965

Supplier: Safety & Industrial Supplies

Supplier Number: 454-10104792



Product Details & Documents

A constant lock-up rate to prevent the erratic, “jerky” lock-up (like a seat belt) found on some types of retractables.

- Durable, engineered thermoplastic housing increases service life
- Rugged, impact-absorbing protective bumpers for added durability

Specifications

- Length:

  12'

- Connector:

  Back D-connector

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Hook type:

  LC snap hook

- Width:

  3"

- Weight:

  5.5 lbs.

- Material:

  Galvanized Steel Cable

- Load capacity:

  400 lbs.

17. Web Lanyards, ORS Nasco

6 ft., Double locking snaps, 1", 1, ¾", Polyester, 3600 lbs., Yellow

Catalog #: 300075-582

Supplier: Safety & Industrial Supplies

Supplier Number: 098-1231106



Product Details & Documents

Adjustable options available for all lengths.

- Built in wear indicator

Specifications

- Length:

  6 ft.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Connector:

  Double locking snaps

- Width:

  1"

- No. of legs:

  1

- Hook opening:

  ¾"

- Material:

  Polyester

- Load capacity:

  3600 lbs.

- Color:

  Yellow

18. EZ Stop® III Shock Absorbing Lanyards, ORS Nasco

Self-Locking Snaps, 6 ft., 1⅜", ¾", Polyester, 3600 lbs., Yellow

Catalog #: 300075-590

Supplier: Safety & Industrial Supplies

Supplier Number: 098-1244006



Product Details & Documents

It has soft cover shock absorber for comfort.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Limits arresting forces to 900 lbs. or less
- 1 3/8" tubular web jacket and polyester core for durability and longevity

Specifications

- Description:

  Self-Locking Snaps

- Length:

  6 ft.

- Width:

  1⅜"

- Hook opening:

  ¾"

- Material:

  Polyester

- Load capacity:

  3600 lbs.

  Color: Yellow

19. ShockWave2™ Shock Absorbing Lanyards, ORS Nasco

1 in, 6 ft., Self-locking snaps, 1, ¾", Polyester, 3600 lbs., Yellow

Catalog #: 300075-592

Supplier: Safety & Industrial Supplies

Supplier Number: 098-1244306



KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

ShockWave2™ Shock absorbing lanyard expands and contracts, with self locking snap hooks at both ends.

Specifications

- Ø:

  1 in

- Length:

  6 ft.

- Connector:

  Self-locking snaps

- No. of legs:

  1

- Hook opening:

  ¾"

- Material:

  Polyester

- Load capacity:

  3600 lbs.

- Color:

  Yellow

20. ShockWave2™ 100% Shock Absorbing Lanyards, ORS Nasco

1 in, 6 ft., Self-locking snaps, 2, 2¼", Polyester, 3600 lbs., Yellow

Catalog #: 300051-792

Supplier: Safety & Industrial Supplies

Supplier Number: 098-1244412

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

ShockWave2™ 100% Tie-off shock absorbing lanyard expands and contracts, with self locking snap hooks at center and flat steel hooks at leg ends.

Specifications

- Ø:

  1 in

- Length:

  6 ft.

- Connector:

  Self-locking snaps

- No. of legs:

  2

- Hook opening:

  2¼"

- Material:

  Polyester

- Load capacity:

  3600 lbs.

- Color:

  Yellow

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

21. Proto® Elastic Lanyard with 2 Stainless Steel Carabiners, Stanley® Products

27 - 52", Hook, Carabiner, 1, Nylon (Outer); Stainless Steel (Carabiner), 15 lbs., Orange

Catalog #: 76191-082

Supplier: Safety & Industrial Supplies

Supplier Number: 577-LAN15LBDSS

Product Details & Documents

It is made of elastic material.

- Light, tight, and less likely to get caught on other equipment

Specifications

- Length:

  27 - 52"

- Connector:

  Hook

- Hook type:

  Carabiner

- No. of legs:

  1

- Material:

  Nylon (Outer); Stainless Steel (Carabiner)

- Load capacity:

  15 lbs.

- Color:

  Orange

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

22. Miller® MightyLite™ Self Retracting Lifeline, Honeywell Safety

Miller® MightyLite™ SRL, 20 ft. galvanized cable, Load Indicator, Steel Twist Lock Carabiner and Tagline, 3/16"

Catalog #: 89400-538

Supplier: PIP

Supplier Number: MML-OGC1-02/20FT



Product Details & Documents

Miller® MightyLite™ Self-Retracting Lifelines (SRL's) are up to 30% lighter than competitive models in their class. Corrosion-resistant stainless steel and aluminum housing extend service life.

- Durable and dependable, corrosion-resistant stainless steel and aluminum housing extend service life
- No annual factory recertification required
- Rated for up to a 310 lb. (140.6 kg) user
- Available in 20' (6 m), 30' (9 m), 50' (15 m), 65' (20 m), 100' (30 m), 130' (40 m) and 175' (53 m) lengths

Certifications: Meets OSHA 1926.502, 1910.66, ANSI A10.32, *ANSI Z359.14-2012 Class B and CSA Z259.2.2-98 Type 2 requirements.

Delivery information: Carabiner and tagline included*

Specifications

- Description:

  Miller® MightyLite™ SRL

- Length:

  20 ft. galvanized cable

- Includes:

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Load Indicator, Steel Twist Lock Carabiner and Tagline

- Cable diameter:

$\frac{3}{16}$"

23. Miller® TurboLite™ EXTREME Sharp Edge Personal Fall Limiters, Honeywell Safety

6', Aluminum captive eye carabiner, 189 kg (420 lbs.)

Catalog #: 76299-666

Supplier: PIP
Supplier Number: MTL-LEP1-63/6FT



Product Details & Documents

Cable lifeline for sharp edge applications.

- Designed for use in sharp edge applications with radius >0.005" (0.13 mm)
- Galvanized cable lifeline
- Available in lengths of 6 and 9'
- Single and twin configurations
- Variety of lifeline connector options
- Versatile, reliable, durable, simple, and safe

Miller® TurboLite™ personal fall limiters (PFLs) are designed for performance in edge applications, offering versatility, enhanced user mobility, and maximum safety. These devices maximize versatility for virtually any short-range application and provide protection for a wider range of workers. The quick and easy installation creates a better work experience while increasing safety and lowering the cost of ownership. These devices ensure compatibility with all Miller® harnesses. It is equipped with an easy to install shock-absorbing connector system and galvanized cable lifeline.

Specifications

- Length:

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

6'

- Connector:

  Aluminum captive eye carabiner

- Load capacity:

  189 kg (420 lbs.)

24. Workman Personal Fall Limiters, MSA

12', 1" steel carabiner, LC snap hook, 4", 3.5 lbs., Galvanized Steel Cable, 400 lbs.

Catalog #: 300000-288

Supplier: Safety & Industrial Supplies

Supplier Number: 454-10093350



Product Details & Documents

A constant lock-up rate to prevent the erratic, “jerky” lock-up (like a seat belt) found on some types of retractables.

- Durable, engineered thermoplastic housing increases service life
- Rugged, impact-absorbing protective bumpers for added durability

Specifications

- Length:

  12'

- Connector:

  1" steel carabiner

- Hook type:

  LC snap hook

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Width:

  4"

- Weight:

  3.5 lbs.

- Material:

  Galvanized Steel Cable

- Load capacity:

  400 lbs.

25. DBI-SALA® Python Safety™ Hook2Loop Bungee Tethers, ORS Nasco

31 - 52", Self-locking carabiner, Polyester, Aluminum, 10 lbs., Yellow

Catalog #: 76111-182

Supplier: Safety & Industrial Supplies

Supplier Number: 098-1500049



KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

It can be used with virtually any hand tool weighing less than 10 lbs.

- Designed to prevent dropped objects
- Features self-locking carabiner
- Constructed to endure harsh conditions and environments

Specifications

- Length:

  31 - 52"

- Connector:

  Self-locking carabiner

- Material:

  Polyester, Aluminum

- Load capacity:

  10 lbs.

- Color:

  Yellow

26. Miller® Turbo T-BAK Personal Fall Limiters, Honeywell Safety

7.5', Aluminum twist-lock carabiner, 181 kg (400 lbs.)

Catalog #: 89400-470

Supplier: PIP

Supplier Number: MTL-OTB2-64/9FT



Product Details & Documents

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

The Miller® Turbo T-BAK was designed to tie-back anywhere along the lifeline and is therefore the only product on the market that meets the ANSI Z359.14. Standard and provides a continuous 100% tie-off protection.

- Cost-effective alternative to tie-back, shock-absorbing lanyards
- All-in-one design reduces equipment required on the job site
- Anchors below a user's harness back D-ring for greater safety
- Integrated shock absorber especially designed for tie-back applications with load indicator device
- Working capacity: 7.5' (2.3 m)
- Heavy-duty web lifeline smoothly extends/retracts without interruption

Engineered with high-tech strength and abrasion-resistant webbing, the turbo T-BAK provides more tie-off anchorage locations with a greater variety of beam-size options. It also simplifies user training for improved safety.

Certifications: Meets all applicable OSHA, ANSI, CSA and CE standards, including the ANSI Z359.14-2012 requirement.

Specifications

- Length:

  7.5'

- Connector:

  Aluminum twist-lock carabiner

- Load capacity:

  181 kg (400 lbs.)

27. Miller® Falcon™ Self-Retracting Lifeline, Honeywell Safety

Miller® Falcon™ Self-Retracting Lifeline, with Stainless Steel Swivel, 30 ft. galvanized cable, Steel locking snap hook, Steel Twist-Lock Carabiner and Tagline, $^{3}/_{16}$"

Catalog #: 89400-528

Supplier: PIP

Supplier Number: MFS-OGC1-02/30FT

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

Nearly indestructible, the Miller® Falcon™ Self-Retracting Lifeline is built with a high impact-resistant nylon housing that withstands the harsh rigors of the toughest applications. Its smooth, round edges increase durability.

- Unique side payout design reduces wear on the entry guide bushing and cable for smooth operation with less drag
- Smooth, quiet operation; Engineered spring retraction tension is designed not to pull or drag on a worker to improve productivity and reduce fatigue
- Built-in, ergonomically-designed molded handle on the 50' (15 m) and 65' (20 m) cable units provide support and leverage when attaching to anchorage connector
- Dual swivels (unit top and snap hook) included on all cable models to minimize lifeline from twisting during use
- New and improved load indicators identify when the unit needs to be removed from service
- Cable models rated to 310 lbs. (140.6 kg) capacity, or 400 lbs. (181.4 kg) when using a SofStop shock absorber (928LS/18INBK)
- Web models rated for up to 400 lbs. (181.4 kg) worker

Load indicators on web models feature a flag on the webbing. Load indicators on cable models are on the snap hook. Units are repairable and require no annual factory recertification, which lowers the cost of ownership and increases productivity (except in Canada where the Canadian Standards Association requires annual factory recertification).

Certifications: Meets all applicable OSHA 1926.502, ANSI A10.32, ANSI Z359.14 Class B, and CSA Z259.2.2 requirements.

Specifications

- Description:

  Miller® Falcon™ Self-Retracting Lifeline, with Stainless Steel Swivel

- Length:

  30 ft. galvanized cable

- Hook type:

  Steel locking snap hook

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Includes:

  Steel Twist-Lock Carabiner and Tagline

- Cable diameter:

  $^{3}/_{16}$"

28. Miller® Falcon™ Edge Self-Retracting Lifelines, Honeywell Safety

SRL with Integrated Shock Absorber, Carabiner, and Tagline, 20 ft. galvanized cable, Steel locking swivel snap hook, $^{7}/_{32}$", 420 lbs.

Catalog #: 76299-774

Supplier: PIP

Supplier Number: MFS-LEP1-02/20FT



Product Details & Documents

Designed for sharp edge applications with an edge radius of ≥ 0.005" (0.13 mm), providing protection in applications that require anchoring at foot level.

- Up to 30% lighter than competitive models for easy installation and transport
- Reduce worker fatigue and increase productivity
- Equipped with RFID for efficient asset and inspection tracking
- Durable design with corrosion-resistant internal component
- Extended service life lowers cost of ownership
- Capacity to support user weights up to 420 lbs. in all connections at foot level and above

The versatility you need, and the safety you depend on. Designed for performance in edge applications, Falcon™ Edge SRLs offer versatility, reliability, and enhanced safety. Models

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

available for welding applications include a shock absorber cover that is flame retardant and resistant to weld splatter.

Certifications: Meets OSHA 1926.502, ANSI A10.32-2012, ANSI Z359.14-2014, SRL-LE Class B, and CSA Z259.2.2-17 Class SRL-LE requirements.

Specifications

- Description:

  SRL with Integrated Shock Absorber, Carabiner, and Tagline

- Length:

  20 ft. galvanized cable

- Hook type:

  Steel locking swivel snap hook

- Cable diameter:

  $^{7}/_{32}$"

- Load capacity:

  420 lbs.

29. Miller® TurboLite™ MAX Smooth Edge Personal Fall Limiters, Honeywell Safety

6', Aluminum captive eye carabiner, 189 kg (420 lbs.)

Catalog #: 76299-728

Supplier: PIP
Supplier Number: MTL-LEP1-63/6FT

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

Web lifeline for smooth edge applications.

- Designed for use in smooth edge applications with radius ≥ 0.060" (1.5 mm)
- Honeywell Spectra® webbing lifeline provides outstanding chemical, abrasion, and cut resistance
- Available in lengths of 6, 9 and 12'
- Single and twin configurations
- Variety of lifeline connector options

Miller® TurboLite™ Personal Fall Limiters (PFLs) are designed for performance in edge applications, offering versatility, enhanced user mobility, and maximum safety. These devices maximize versatility for virtually any short-range application and provide protection for a wider range of workers. The quick and easy installation creates a better work experience while increasing safety and lowering the cost of ownership. These devices ensure compatibility with all Miller® harnesses. It is equipped with an easy to install shock-absorbing connector system and abrasion-resistant Spectra® webbing lifeline.

Certifications: Meets OSHA 1926.502, ANSI A10.32, ANSI Z359.14, Class B and LE (Leading Edge), and CSA Z259.2.2 requirements.

Specifications

- Length:

  6'

- Connector:

  Aluminum captive eye carabiner

  Load capacity: 189 kg (420 lbs.)

30. Miller® MiniLite™ Fall Limiter, Honeywell

11', Steel twist-lock carabiner; locking snap hook, 2.5 lbs.

Catalog #: 89400-514

Supplier: PIP

Supplier Number: MTL-OHW1-01/11FT

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

The MiniLite™ is an 11' self-retracting web lanyard with a quick-activating braking system that limits free falls. In contrast to shock-absorbing lanyards, a Fall Limiter eliminates the need for extended fall distance clearance, minimizing the risk of injuries and making rescue easier.

- Lightweight, compact design that fits in the palm of your hand
- Quick-activating, high-strength stainless steel braking system
- Prominent reflective labeling provides high visibility for evening work activities
- No annual factory recertification required

The high-impact outer cover protects internal components from harsh environmental elements. The stainless steel interior, frame and components are corrosion resistant. Polyester webbing offers greater chemical resistance.

The MiniLite™ has the added benefit of a visual load indicator, warning the user that the unit has been involved in a fall and should be removed from service.

Maximum Capacity: 400 lbs. (with SofStop shock absorber)

Certifications: Meets OSHA, ANSI, Z259.2.2 Type 2 and CE requirements for global compliance.

Caution: Proper product training and professional fall protection training is recommended.

Specifications

Length: 11'

- Includes:

  Steel twist-lock carabiner; locking snap hook

- Weight:

  2.5 lbs.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

SPILL CONTROL

1. VWR® Spilltray™ Tray and Drying Rack

41.9 x 33 x 1.6 cm (16 1/2 x 13 x 5/8")

Catalog #: 46610-022

Supplier: VWR International



Product Details & Documents

Chemical-resistant, maintenance-free, polyethylene containment tray eliminates spills and holds 1.25L (42.3 oz.) of spilled liquid.

- Safely contains chemical and liquid spills while pipetting, measuring, or mixing
- Chemical-resistant, dishwasher-safe polyethylene tray holds 1.25L (42.3 oz.) of liquid
- Low-profile design is perfect for drying glassware and delicate items
- Plastic grid protects against breakage and scratches
- Cuts drying time in half by permitting air circulation

Ideal for use with workstations or fume hoods to safely handle chemicals and liquids while pipetting, measuring, or mixing.

The low-profile design is perfect for drying glassware and delicate items. The white plastic grid cushions and protects against breakage and scratches, and cuts drying time in half by permitting air circulation. Entire unit is dishwasher safe.

Specifications

- L×W×D:

  41.9 x 33 x 1.6 cm (16 1/2 x 13 x 5/8")

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

2. VWR® Pads and Rolls for General Purpose, Oil-Only, and Hazmat Spill Control

General-purpose pads, 38.1×48.3 cm (15×19"), Grey

Catalog #: 82028-028

Supplier: VWR International



Product Details & Documents

Fast-wicking pads and rolls for rapid spill cleanup and fluid control, with general-purpose, oil-only and hazmat options that improve safety in lab and industrial workflows.

- Dimpled absorbent surface for rapid wicking and cleaner, safer, spill response
- Three absorbency types let teams match sorbents to the liquid involved
- High absorbency construction captures and retains liquids quickly
- Durable outer layer resists tearing during cleanup
- Can be incinerated after use to reduce waste

Choose general-purpose absorbent pads and rolls for everyday maintenance involving water-based liquids, petroleum products, and many common solvents. Select oil-only pads and rolls when you need to capture oils and fuels while leaving water behind. Use hazmat pads and rolls when responding to aggressive fluids such as acids, caustics or bases.

Pads are a practical choice for wiping, catching drips, and localized spill response, while rolls make it easier to cover longer aisles, equipment perimeters, or larger splash areas with fewer changeouts. Keeping both formats on hand helps teams match the absorbent to the spill size and workflow.

VWR® Absorbent Pads and Rolls are designed for efficient spill containment, reducing slip hazards and keeping cleanup moving with less standing fluid. High-capacity media stay in service longer for routine maintenance or spill-response kits.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Documents

- 82028-018
- 82028-020
- 82028-022
- 82028-024
- 82028-028

Product Literature

- Avantor Focus Production Volume 3 Issue 1
- FOCUS Industrial Volume 02 Issue 01
- VWR Absorbents
- VWR PIG Absorbents and Spill Kits.pdf

Specifications

- Description:

  General-purpose pads

- W×L:

  38.1×48.3 cm (15 Grey

  ×19")

- Color:

3. VWR® Absorbent Pads, Strong, Lint-Free

30.5 x 30.5 cm (12 x 12")

Catalog #: 95057-860

Supplier: VWR International



KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

Highly absorbent, lint-free pads support cleaner slide preparation, coverslipping, and general laboratory cleanup by quickly soaking up liquids, oils and common solvents.

- Strong, lint-free construction offers a practical alternative to paper towels and gauze
- High fluid absorbency quickly captures spills and drips
- Cloth-like softness wipes gently without loose threads or stray fibers
- Two size options help match pad coverage to the task

These pads fit smoothly into histology and general laboratory workflows to provide effective spill containment and surface protection.

The cloth-like softness, without loose threads and fibers, is ideal for delicate handling steps yet durable enough for routine lab cleanup.

The product family includes a compact pad for smaller wiping tasks and a larger format for broader coverage. The larger pad is individually folded for convenient handling and easy placement at the bench or staining area.

Documents

BSE/TSE Certificates

- 95057-862_P

Conformity declaration

- CoQ VWR® Absorbent Pads.pdf

Product Literature

- VWR Histology Brochure.pdf

Specifications

- W×L:

  30.5 x 30.5 cm (12 x 12")

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

4. VWR® Premium Formalin Neutralizing Pads

40.6W x 50.8L (16 x 20")

Catalog #: 89131-874

Supplier: VWR International



Product Details & Documents

Durable, tear-resistant pads are manufactured with a bonded chemical that helps to minimize exposure to formaldehyde vapors.

- Offensive Formalin Odors Eliminated
- Disposable
- Durable
- Tear-Resistant
- Blue Surface Provides Contrast

Pads immediately absorb and neutralize excess formalin run-off during dissection

They are also useful for lining shelves or transport containers where leakage may occur.

The distinctive blue surface of the pads offers an excellent contrast to even small-tissue specimens.

Documents

Certificates

Search by Lot Number

- 38007530810VWR_08222013
- 89131-874_03082010
- 95057-842_03082010

Product Literature

- Avantor Portfolio of Chemicals
- VWR Histology Brochure.pdf

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Specifications

- Dimensions:

  40.6W x 50.8L (16 x 20")

5. VWR® Hazmat Spill Response Kit

34.1 L (9 gal.) of acids, caustics, bases

Catalog #: 89168-998

Supplier: VWR International



Product Details & Documents

Hazmat spill response kit includes 20 pads, three socks, one pair nitrile gloves, one pair safety goggles, and one water-resistant yellow bag with tie.

- Includes 20 pads, three socks, one pair nitrile gloves, one pair safety goggles, and one water-resistant yellow bag with tie
- Supports compliance with 40 CFR 263.30(a) safety standard

Documents

Certificates

Search by Lot Number
Product Literature

- VWR Absorbents
- VWR PIG Absorbents and Spill Kits.pdf

Specifications

- Absorbency:

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

34.1 L (9 gal.) of acids, caustics, bases

6. Formalin Absorbent Pads, Azer Scientific

27.9 x 25.4 cm (11 x 10")

Catalog #: 95039-810

Supplier: VWR International



Product Details & Documents

Super absorbent pads are designed to absorb and neutralize up to 900 cc of 10% neutral buffered formalin.

- Chemically hazardous vapors eliminated
- Effective on 900 cc of 10% neutral buffered formalin
- Extra absorbent

Pads are specially treated for the destruction of harmful vapors, including formaldehyde, 10% NBF, and glutaraldehyde solutions.

The blue color of each pad makes an excellent background for grossing tissue.

Ordering information: Absorbent pads 95039-810 are packaged 55 sheets per roll, six rolls per case. Absorbent pads 95039-812 are packaged 30 pads per case.

Documents

Certificates

Search by Lot Number
Product Literature

- VWR Histology Brochure.pdf

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Specifications

- Size:

  27.9 x 25.4 cm (11 x 10")

7. Neutralyde™ Formalin Neutralizing Liquid, Azer Scientific

9.5 L (2.5 gal.)

Catalog #: 95039-816

Supplier: VWR International



Product Details & Documents

Neutralyde™ Formalin Neutralizing Liquid is designed to safely neutralize and dispose of formalin in the laboratory environment without the threat of exposure to hazardous vapors.

- No pH adjustment required
- Phosphate-free
- Complete neutralization in eight hours
- One gallon of Neutralyde for five gallons of 10% formalin waste
- Effective on formaldehyde and glutaraldehyde solutions
- Safe and gentle reaction

A single gallon of Neutralyde liquid treats up to five gallons of 10% formalin waste and provides a safe and gentle reaction with virtually no risk to personnel.

Neutralyde™ is a phosphate-free, eco-friendly liquid neutralizer that is effective on formaldehyde and glutaraldehyde solutions. Treated waster may be disposed of in sanitary drain.

Ordering information: Odering: Available in 1, 2 1/2 or 5 gallon cubes

Packaging: Packaged in cubitainers equipped with a dispensing spigot.

Specifications

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Volume:


  9.5 L (2.5 gal.)

8. VWR® Strip Washblocker

Strip Washblocker

Catalog #: 10147-836

Supplier: VWR International



Product Details & Documents

Use this low-profile spill dike for routine containment of washdown and sanitizing liquid.

- Tacky urethane construction
- Tear-resistant polypropylene top
- Low-profile design
- Reusable
- Highly visible color

Block doorways, protect carpeting, and channel liquid to drains.

Tacky urethane construction creates a leakproof seal on dry floors. Tear-resistant polypropylene top withstands repeated use.

Lightweight strip is easy to handle and store. Reusable barrier cleans up with soap and water. Bright-green color is highly visible.

Ordering information: For smooth surfaces.

Documents

Product Literature

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- FOCUS Industrial Volume 02 Issue 02

Specifications

- Description:

  Strip Washblocker

9. Form-Zero Powder, Formalin Neutralizer, Azer Scientific

Form-Zero Powder, 32/case, 500 cc

Catalog #: 10861-744

Supplier: VWR International



Product Details & Documents

Form-Zero Powder neutralizes up to one gallon of 10% neutral buffered formalin waste.

- Neutralizes buffered formalin waste
- Reduced dusting and risk to lab personnel
- Unique formula eliminates drain-clogging polymers

One bottle (500 cc) of Form-Zero neutralizes up to one gallon of 10% neutral buffered formalin waste, or 4% glutaraldehyde

Non-hazardous, neutralized waste can be safely disposed after just 20 minutes with no pH adjustment. Unique formula eliminates drain-clogging polymers.

Container inserts directly in gallon container opening, reducing dusting and risk to lab personnel.

Packaging: 30 pads per case

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Documents

Certificates

Search by Lot Number

- ghs_ES86631
- ghs_ES86632

Specifications

- Description:

  Form-Zero Powder

- Size:

  32/case

- Volume:

  500 cc

10. Innovating Science® Universal Spill Kit

Universal spill kit

Catalog #: 470363-102

New Product

Supplier: Ward's Science

Supplier Number: IS5039



KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

Be prepared for spills in the lab.

- Universal absorbent, pillows, and pads make this kit simple to uses

This universal absorbent eliminates the guesswork and is safe for use on all chemicals except hydrofluoric acid. This kit contains enough material to absorb 10 liters of solvent. Complete with instruction sheets and SDS.

Ordering information: Kit includes: 1.1 kg universal absorbent, (1) pair nitrile gloves, (1) pair latex boots, (1) pair splash resistant goggles, (6) lab pillows 4×14 ×1", (2) absorbent pads, (2) poly bags 9×16", (2) twist ties, and (2) blank tags.

Specifications

- Description:

  Universal spill kit

11. Innovating Science® Acid Spill Clean Up Kit

Acid Spill Clean Up Kit

Catalog #: 470127-676

Supplier: Ward's Science

Supplier Number: IS5003



Product Details & Documents

Ready to Use for Quick Response.

- Handy compact design
- Contains everything to safely contain the spill

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Spills are inevitable in almost every chemistry lab. Be prepared for potentially dangerous acid spills with this complete kit that includes everything you need for safe cleanup and disposal. Includes one bag of Vermiculite absorbent, one bag of neutralizing mixture, two vinyl exam gloves, two 9" x 16"polybags, two blank shipping tags, twist ties, and a dust pan and brush set. A detailed instruction sheet/SDS is provided.

Specifications

- Description:

  Acid Spill Clean Up Kit

12. Innovating Science® Formaldehyde Solution Spill Kit

Formaldehyde Solution Spill Kit

Catalog #: 470219-190

Supplier: Ward's Science

Supplier Number: IS5035



Product Details & Documents

Be prepared for spills in your lab.

- Enough Material to Clean One Liter of a 10% Formalin Solution
- Instructions and SDS
- Vinyl Exam Gloves

This kit includes a dust pan and brush to properly dispose of spills.

It also includes vinyl exam gloves, so you are protected while cleaning.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Ordering information: This kit includes an instruction sheet/SDS, vinyl exam gloves, polybags, twist ties, blank shipping tags, dust pan and brush, vermiculite, and an absorbent formaldehyde neutralizing agent (sodium bisulfite).

Specifications

- Description:

  Formaldehyde Solution Spill Kit

13. Innovating Science® Solvent Spill Clean Up Kit

Solvent Spill Clean Up Kit

Catalog #: 470127-672

Supplier: Ward's Science

Supplier Number: IS5001



Product Details & Documents

For Safe Disposal of Chemical Spills.

- Handy compact design
- Contains everything to safely contain the spill

Keep this kit on hand in your chemical storeroom or laboratory to be prepared for safe clean-up of inevitable solvent spills. Includes one bag of diatomaceous earth, two vinyl exam gloves, two 9" x 16" polybags, two blank shipping tags, twist ties, and a dust pan and brush set. A detailed instruction sheet/SDS is provided within the kit.

Specifications

- Description:

  Solvent Spill Clean Up Kit

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

14. Innovating Science® Caustic Spill Clean Up Kit

Caustic Spill Clean Up Kit

Catalog #: 470127-674

Supplier: Ward's Science

Supplier Number: IS5002



Product Details & Documents

Safe and Easy Clean-Up.

- Handy compact design
- Contains everything to safely contain the spill

Safely respond to accidental caustic spills in your chemistry lab with this complete, ready-to-use kit. Includes one bag of Vermiculite absorbent, one bag of neutralizing mixture, two 9" x 16" polybags, two blank shipping tags, two vinyl exam gloves, twist ties, and a dust pan and brush set. A detailed instruction sheet/SDS is provided.

Specifications

- Description:

  Caustic Spill Clean Up Kit

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

15. Innovating Science® Acid, Caustic and Solvent Spill Kit

Acid, caustic and solvent spill kit

Catalog #: 470146-402

Supplier: Ward's Science

Supplier Number: IS5000



Product Details & Documents

Be prepared for spills in your lab.

- Personal Protective Equipment
- Diatomaceous Earth
- Vermiculite
- Dustpan and Brush Set
- Storage Container for Safe Disposal

Splash-resistant goggles protect while kits for caustic and acid spills clean up to one liter of four solvents.

A storage container allows for safe disposal after cleaning.

Ordering information: This kit contains enough material to clean up a liter of four solvents in the lab. It is complete with instruction sheets and SDS. The kit contains diatomaceous earth, an acid spill clean-up kit, a caustic clean-up kit, vermiculite, splash-resistant goggles, nitrile gloves, a dustpan and brush set, and a spill kit storage container. Replacement materials are available separately for you to simply restock your kit after a spill.

Specifications

- Description:

  Acid, caustic and solvent spill kit

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

16. Supelco Laboratory Spill Kits, SpillSolv® MilliporeSigma

Spill Kit, Caustic, Bulk Neutralizer, Fibre carton

Catalog #: EM-SX1320-1

Supplier: MilliporeSigma

Supplier Number: SX1320-1



Product Details & Documents

For safe, easy, effective spill treatment in the laboratory

- Agents are formulated to rapidly clean up chemical spills and vapors
- Each bottle has a convenient dispensing cap for shaking or pouring

Caustics and acids are converted into nonhazardous compounds that meet EPA specifications for nonhazardous waste, simplifying cleanup and disposal. Solvent spills can be easily treated and transported with the absorbent in the solvent spill kit. This absorbent will also act as a vapor suppressant. The formaldehyde spill kit contains a two-part neutralization and immobilization system that effectively neutralizes formaldehyde solution spills. The multipurpose kit can treat up to a 4L (1.1gal.) solvent spill or a 2.5L (0.7gal.) acid and caustic spill. The mercury spill kit controls mercury spills in minutes using a simple, two-step procedure. Also included is a mercury vapor suppressant absorbent which is ideally suited to penetrate inaccessible areas such as cracks and crevices.

SpillSolv® kits are available for acid, caustic, solvent, formaldehyde, or mercury spills. Also available is a multipurpose spill kit that contains spill response materials for a combination of spills.

Ordering information: Packaged in a lightweight, wall mountable kit that can be brought to the spill. The acid, caustic, and solvent kits each contain six bottles of SpillSolv® agent formulated for the type of spill. The multipurpose kit contains two containers of each of the three spill agents. The formaldehyde kit contains one 200g (7oz.) bottle of formaldehyde absorbent and immobilizer powder, six 950mL (32.1oz.) bottles of formaldehyde neutralization concentrate (base), and six 50mL (1.7oz.) bottles of formaldehyde neutralization concentrate activator. The mercury kit contains one bottle each of immobilizer and vapor suppressant.

Each kit includes goggles, gloves, disposal bags, scoops, sponge, and guide. The mercury spill kit also includes syringes and Tyvek® booties. The formaldehyde spill kit also includes spray heads. Purchase **EM-SX1300S-1** to replace the standard accessories set, and **EM-SX1340S-1** to replace the formaldehyde accessories set.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Documents

Certificates

Search by Lot Number

- COEMSX13001NO_11232009
- EM-SX1300-1_11232009
- EM-SX1310-10_11232009
- EM-SX1310-1_11232009
- EM-SX1320-1_11232009

More

Additional Product Details

- VWR GHS Compliance Letter (US)

Product Literature

- VWR Histology Brochure.pdf

Specifications

- Description:

  Spill Kit, Caustic, Bulk Neutralizer

- Packaging:

  Fibre carton

- Cat. No.:

  EM-SX1320-1

- Storage Temperature:

  Room temperature

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

17. Chemizorb® H+ Absorbent for Acid Spills

Absorbent for acid spills, Chemizorb® H^+, 2 kg

Catalog #: EM1038742000

Supplier: MilliporeSigma

Supplier Number: 1038742000

Product Details & Documents

Chemizorb H+ is a granulate mixture that consists of a mineral co-polymer absorbent, an alkaline neutraliser, and a pH indicator.

- Cover the spill with the amount necessary to neutralise and absorb
- pH indicator makes it possible to monitor the neutralisation process
- 100 g of Chemizorb H+ required to absorb and neutralise 100 ml of acid

The neutralization process results in the release of CO_2. When the acid has been neutralised, the colour of the indicator changes from red to orange/yellow.

Documents

Product Literature

- Millipore Sigma Chemizorb Absorbent Chemical Spill Cleanup (CA).pdf
- Millipore Sigma Chemizorb Absorbent Chemical Spill Cleanup.pdf

Specifications

- Description:

  Absorbent for acid spills, Chemizorb® H^+

- Size:

  2 kg

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.


Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

18. Saturation Pads, Cytiva (Formerly Pall Lab)

Solvent Saturation Pads

Catalog #: 21432-926

Supplier: Cytiva
Supplier Number: 51334



Product Details & Documents

Solvent saturation pads.

Documents

Certificates

Search by Lot Number

Specifications

- Description:

  Solvent Saturation Pads

19. Absorbent, Chemizorb® Granules, EMD Millipore

Chemizorb® Granules, 1 kg, Plastic bottle

Catalog #: EM1.01568.1000

Supplier: MilliporeSigma

Supplier Number: 1.01568.1000

Product Details & Documents

Chemizorb® is a coarse grained material based on chemically inert porous mineral or synthetic copolymers (grain size >1 mm (95%), bulk density approx. 400 kg/m³). It is insoluble in water and

in all other media that are liquid at room temperature. Both Chemizorb® granules and powder are suited for absorbing alkalis, acids and also heating bath liquids.

- Able to absorb up to 100% of its own weight
- Low viscosity liquids are absorbed instantaneously, highly viscous media (e.g. glycerine, oils) within a few minutes
- Good dosing is possible thanks to the coarse grained format
- Granule form is used in all those places where it is not suitable to use the powder form, for example in draughty rooms or outside

Merck products are not available from Avantor in all countries. Please check with your local distributor.

Documents

Product Literature

- Millipore Sigma Chemizorb Absorbent Chemical Spill Cleanup (CA).pdf
- Millipore Sigma Chemizorb Absorbent Chemical Spill Cleanup.pdf
- MilliporeSigma Chemizorb® Absorbents
- MilliporeSigma Pharma Brochure

Specifications

- Description:

  Chemizorb® Granules

- Size:

  1 kg

- Packaging:

  Plastic bottle

20. Chemizorb® Hg, Absorbent for Mercury, Merck

Chemizorb® Hg, 1 set, Plastic case

Catalog #: EM1.12576.0001

Supplier: MilliporeSigma

Supplier Number: 1.12576.0001

Product Details & Documents

Chemizorb® Hg is an all-inclusive set of reagents and auxiliaries for the safe and complete removal of drops of mercury and of traces of elemental mercury.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Sufficient for the safe and simple decontamination of an area of roughly one square metre
- Chemizorb Hg does not affect skin, gloves should be worn to avoid contact with mercury
- Mercury containing waste material must be disposed of as special waste in accordance with the official regulations

Merck products are not available from Avantor in all countries. Please check with your local distributor.

Ordering information: Pack contains 500 g reagent 1 and 100 ml reagent 2, plus accessories in plastic case.

Documents

Certificates

Search by Lot Number

- ghs_1.01569
- ghs_1.12576

Product Literature

- Millipore Sigma Chemizorb Absorbent Chemical Spill Cleanup (CA).pdf
- Millipore Sigma Chemizorb Absorbent Chemical Spill Cleanup.pdf
- MilliporeSigma Chemizorb® Absorbents
- MilliporeSigma Pharma Brochure

Specifications

- Description:

  Chemizorb® Hg

- Size:

  1 set

- Packaging:

  Plastic case

- Cat. No.:

  EM1.12576.0001

- Storage Temperature:

  15…25 °C

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

WASTE MANAGEMENT AND RECYCLING

1. VWR® Trash Liner Bags

Black, 55.9×40.6×152.4 cm (22×16×60"), 3 mil.

Catalog #: 89071-684

Supplier: VWR International



Product Details & Documents

Low-density trash liners are manufactured with a tubular construction to eliminate breakage on side seams.

- Manufactured with 100% renewable energy

Engineered to provide over three times the impact and twice the tensile strength of traditional low-density polyethylene bags.

Documents

Certificates

Search by Lot Number

Specifications

- Color:

  Black

- Dimensions:

  55.9×40.6×152.4 cm (22×16×60")

- Thickness:

  3 mil.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

2. VWR® Gusseted Poly Liners

Clear, 3 mil., 22×16×60"

Catalog #: 89071-682

Supplier: VWR International



Product Details & Documents

These are the toughest and heaviest low density polyethylene (LDPE) trash liners on the market.

- Toughest LDPE trash liners
- Maximized optimal use
- Provide maximum strength

Ideal for lining cans, boxes, compactors, wastebaskets and shredders. Gusseted dimension allows for an excellent fit and use of the whole bag.

Specifications

- Color:

  Clear

- Thickness:

  3 mil.

- W×D×H:

  22×16×60"

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

3. VWR® Sterile Bucket Liners, Gamma-Irradiated LDPE/Nylon Barrier Liners

Fits 1 gal. buckets, sterile

Catalog #: 89495-436

Supplier: VWR International



Product Details & Documents

Sterile bucket liners create an impermeable barrier against strong disinfectant solutions, maintaining aseptic conditions in cleanroom and controlled laboratory workflows.

- Gamma irradiated for ready use in controlled cleaning and aseptic workflows
- LDPE/nylon film separates disinfectant solutions from bucket interiors
- Sterility assurance (SAL 10^{-6}) ensures the integrity of the disinfectant blend
- Useful for disinfectant management and transport of sterile equipment
- Family options fit small utility buckets and larger cleaning buckets

Help keep the working solution separated from the bucket itself during routine preparation and use with VWR® Sterile Bucket Liners. This added barrier can preserve aseptic conditions without requiring additional preparation steps in pharmaceutical, biotechnology, research and other regulated laboratory settings.

These LDPE/nylon blend liners/bags support containment of liquids during transport between workstations. Designed to fit standard laboratory buckets, they integrate easily into existing workflows without additional equipment modifications.

This product family includes liner options for both compact buckets and higher-volume cleaning buckets. Matching the liner to bucket size supports a better fit during filling, carrying, and use. Beyond solution containment, certain liners can also be used to transport sterile equipment.

Documents

Certificates

Search by Lot Number

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- 89495-438_014410-000
- 89495-438_015972-000
- 89495-438_016747-000
- 89495-438_045335-000
- coc_89495-438_048734-000

More
Product Literature

- Avantor Focus Production Volume 3 Issue 1
- Micronova Cleaning Tools for the Cannabis Processing Industry
- VWR Cleaning Essentials for Controlled and Critical Environments
- VWR® Focus Production Volume 2 Issue 1

Specifications

- Description:

  Fits 1 gal. buckets, sterile

4. VWR® Irradiated Biohazard Bags

Red, 25×35", 2 mil.

Catalog #: 89495-440

Supplier: VWR International



Product Details & Documents

These irradiated biohazard bags are gamma-irradiated LDPE red biohazard bags.

- LDPE fabrication
- Biohazard symbol prominently displayed

Each bag displays a large biohazard symbol and warning message.

Documents

Certificates

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Search by Lot Number
Product Literature

- VWR Cleaning Essentials for Controlled and Critical Environments

Specifications

- Color:

  Red

- Dimensions:

  25×35"

- Thickness:

  2 mil.

5. VWR® Bin Liners, LDPE

Gamma irradiated bin liner, Clear, LDPE, 24×36", 3 mil, Individually bagged and tagged in a double bagged pack

Catalog #: 10753-434

Supplier: VWR International



Product Details & Documents

Cleanroom-ready LDPE bin liners provide secure, leak-resistant waste transport and disposal in controlled and aseptic environments.

- Durable polyethylene construction resists tearing and punctures during use
- Helps maintain orderly waste segregation during controlled-environment housekeeping routines
- Compatible with standard waste containers for streamlined workflow integration
- Available in multiple sizes and thicknesses to match bin capacity and waste type

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Designed for clean and controlled aseptic environments where teams need a practical way to line receptacles, stage materials, and manage waste without adding unnecessary complexity to the workflow.

Manufactured from durable polyethylene, these liners help resist punctures and tears during routine waste collection and removal.

The product family includes multiple options for different process needs, including gamma-irradiated sterile liners for contamination-sensitive operations and a nonirradiated option for general-use handling.

Documents

Certificates

Search by Lot Number

- 89495-442_014330-000
- 89495-442_014784-000
- 89495-442_021687-000
- CoC VWR Binliner Irradiated
- coc_10753-432_054151-000

More

Product Literature

- Production Insight Solutions for Controlled Environments and Manufacturing Processes
- VWR Cleaning Essentials for Controlled and Critical Environments
- VWR® Production Insight Vol 8 Issue 2

Specifications

- Description:

  Gamma irradiated bin liner

- Color:

  Clear

- Material:

  LDPE

- Dimensions:

  24×36"

- Thickness:

  3 mil

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Packaging:

  Individually bagged and tagged in a double bagged pack

6. VWR® Biohazard Red Waste Bags for Incineration

Catalog #: 78013-546

Supplier: VWR International



Product Details & Documents

VWR® LLDPE Biohazard Incinerator Red Waste Bags are dual tested (ASTM D1709 Dart Impact and ASTM D1922 Elmendor Tear) and engineered for strength and durability in collection and transport.

- Made in the USA

Waste bags are designed for incineration processing.

Certifications: Bags meet ASTM D1922 (Elmendorf Tear 480 g MD, TD) and ASTM D1709 Dart Impact (160 g) requirements and can be used in all 50 US states including CA, FL and PA. Bags comply with US DOT 40CFR Sections 173 -197.

Documents

Conformity declaration

- CoQ VWR Biohazard Red Waste Bags for Incineration.pdf

Product Literature

- VWR Autoclavable and Biohazard Waste Bags.pdf

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

9. VWR® Low Density Liner Bags

Clear, 965×1524 mm (38×60"), 2 mil.

Catalog #: 89071-612

Supplier: VWR International



Product Details & Documents

Low-density trash liners are manufactured with a tubular construction to eliminate breakage on side seams.

- Tubular construcion to eliminate breakage
- Three times the impact and twice the tensile strength of traditional LDPE bags
- Made with 100% renewable energy

Can be used as drum liners. Engineered to provide over three times the impact and twice the tensile strength of traditional low-density polyethylene bags. Manufactured with 100% renewable energy.

Documents

Certificates

Search by Lot Number

Specifications

- Color:

  Clear

- W×L:

  965×1524 mm (38×60")

- Thickness:

  2 mil.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

7. VWR® Autoclavable Red Biohazard Waste Bags (ASTM Dart, Elm Tear Compliant)

Red, Polypropylene, 3 gallons (11 L), Twist ties, 12×24" (305×610 mm), 2 mil (50 µm)

Catalog #: 78013-550

Supplier: VWR International



Product Details & Documents

VWR® Autoclavable Red Biohazard Waste Bags are dual tested (ASTM D1709 Dart Impact and ASTM D1922 Elmendorf Tear) to meet requirements for durability in collection, storage, transport and autoclave processing of biohazard waste.

- Made in the USA
- Printed in English, French and Spanish
- Available in 2, 3 and 4 mil thicknesses (size dependent)
- Twist ties included for transport closure; remove or loosen for autoclave processing
- For autoclave temperatures up to 134 °C (274 °F)

VWR® Autoclavable Red Biohazard Waste Bags are engineered to withstand high temperature processing, up to 134 °C (274 °F).

Certifications: Dual tested: ASTM D1709 Dart Impact (165 g) compliant and ASTM D1922 Elmendorf Tear (480 g MD, TD) compliant.

Documents

Conformity declaration

- CoQ Avantor VWR® Bag, PP.pdf
- CoQ VWR BAG PP AC 38×48 3MIL.pdf
- CoQ VWR® Autoclavable Red Biohazard Waste Bags.pdf

Product Literature

- VWR Autoclavable and Biohazard Waste Bags.pdf

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

8. VWR® Autoclavable Bags, 1.5 mil

Red, printed, 610×914 mm (24×36")

Catalog #: 14220-006

Supplier: VWR International



Product Details & Documents

Autoclave bags provide an efficient, safe solution for the messy and potentially dangerous process of disposing of biohazardous waste material.

- Bags are available clear or red with proper biohazard warnings, or clear without label
- Rated for use at 135 °C (275 °F)

High-strength, highly temperature-resistant polypropylene construction allows perfect adaptability to standard laboratory disposal routines, including steam autoclaving.

Ordering information: Twist ties included.

Documents

Certificates

Search by Lot Number

- 14220-020_000952820206

Product Literature

- VWR Autoclavable Biohazard Bags

Specifications

- Color:

  Red, printed

- W×L:

  610×914 mm (24×36")

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

9. VWR® Low Density Liner Bags

Clear, 965×1524 mm (38×60"), 2 mil.

Catalog #: 89071-612

Supplier: VWR International



Product Details & Documents

Low-density trash liners are manufactured with a tubular construction to eliminate breakage on side seams.

- Tubular construcion to eliminate breakage
- Three times the impact and twice the tensile strength of traditional LDPE bags
- Made with 100% renewable energy

Can be used as drum liners. Engineered to provide over three times the impact and twice the tensile strength of traditional low-density polyethylene bags. Manufactured with 100% renewable energy.

Documents

Certificates

Search by Lot Number

Specifications

- Color:

  Clear

- W×L:

  965×1524 mm (38×60")

- Thickness:

  2 mil.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

10. VWR® Poly Liners, Black

2 mil., 16×14×36"

Catalog #: 89071-654

Supplier: VWR International



Product Details & Documents

These are the toughest and heaviest low density polyethylene (LDPE) trash liners on the market.

- Exceptional durability
- Puncture resistance
- Provide maximum strength

Ideal for lining cans, boxes, compactors, wastebaskets, and shredders. Gusseted dimension allows for an excellent fit and use of the whole bag.

Specifications

- Thickness:

  2 mil.

- W×D×H:

  16×14×36"

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.


Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

11. VWR® Broken Glass Disposal Cartons, Color-Coded Lids

Benchtop disposal carton, 20.3Lx20.3Wx25.4H cm (8x8x10)"

Catalog #: 56617-804

Supplier: VWR International



Product Details & Documents

Disposable cardboard cartons designed for safe, convenient collection of broken and discarded glass and residual liquids in research, clinical and teaching lab settings.

- Easy assembly for rapid station setup in busy labs
- Color-coded lids support faster visual sorting during routine waste segregation
- Pull-close safety cap enables contained, whole-unit disposal after collection
- Supplied with a 2 ml liner to contain fragments and small spills
- Flat-packed cartons save storage space and simplify replacement stocking

VWR® Broken Glass Disposal Cartons provide a dedicated solution for the safe and convenient collection of broken laboratory glassware without relying on improvised containers. Constructed from heavy-duty cardboard, these cartons help contain sharp fragments and reduce the risk of injury during disposal and transport.

The autoclavable lid is color-coded for easy identification, and the cartons are available in floor and benchtop models. Floor models provide optional reusable carton covers with a wider opening of 20.3×24.1 cm (8×9.5") for safer and more sanitary deposit of wastes.

Choose container placement based on where glass is most often generated to reduce unnecessary handling. A smooth top area provides an ideal surface for labeling, if needed.

Ordering information: A carton cover for the floor model glass disposal carton must be purchased separately.

Packaging: Cartons are packed flat to save space.

Documents

Certificates

Search by Lot Number

- coc_56617-801_MD76203

Product Literature

- VWR Histology Brochure.pdf
- VWR Labvitals

Specifications

- Description:

  Benchtop disposal carton

- Dimensions:

  20.3Lx20.3Wx25.4H cm (8x8x10)"

12. VWR® Biohazard Incinerator Cartons

Floor incinerator carton, 30.5Lx30.5Wx68.5H cm (12x12x27")

Catalog #: 56617-807

Supplier: VWR International



Product Details & Documents

A pair of tabs along the top edge of this cardboard receptacle keep the clear 0.038 mm (1.5 mil) thick polyethylene biohazard bag from slipping out of place.

- Allows safe, convenient disposal and incineration of biohazardous waste
- Negates the need to transfer contents
- The snug-fitting lid has a flap for easily inserting waste material

Printed with large, bright, biohazard graphics and instructions in four languages (English, Spanish, French, German), it is packaged flat to save space and shipping costs. The carton and inner bag can be assembled in seconds.

Optional, reusable carton cover (for floor model only) provides a wider opening 20.3 x 24.1 cm (8 x 9.5") permitting safer and more sanitary deposit of wastes in to the container. Opens quickly and easily by pressing the built-in release tab. No batteries are required. Features a smooth 10.1

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

x 10.1 cm (4 x 4") area on top for applying labels. Autoclavable lid is color-coded for easy identification.

Specifications

- Description:

  Floor incinerator carton

- Dimensions:

  30.5Lx30.5Wx68.5H cm (12x12x27")

13. VWR® Disposal Carton for Plastics

63 L, 30.5L×30.5W×68.6H cm (12×12×27")

Catalog #: 58949-700

Supplier: VWR International



Product Details & Documents

Disposal boxes are shipped flat and fold into shape easily.

- Clearly labeled, rigid cardboard carton; includes polypropylene liner to contain spills
- Dedicated to separating plastics from the waste stream
- Sized to fit under many benchtops
- Approximate volume: 63 liters (16.6 gallons)

Entire box can be discarded when filled, ensuring safe handling and ready identification of contents.

Documents

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Certificates

Search by Lot Number

- CoQ VWR® Disposal Carton for Plastics.pdf

Specifications

- Capacity:

  63 L

- Dimensions:

  30.5L×30.5W×68.6H cm (12×12×27")

14. VWR® Garment Recycling Solution

VWR® 12-Pk recycling option, 12/Pack

Catalog #: 10127-400

Supplier: VWR International



Product Details & Documents

This easy-to-use recycling program provides a complete waste collection, shipment and recycling solution for used disposable apparel.

- Comprehensive recycling solution to reduce landfill waste
- Drives sustainable business practices
- Portion of sales donated to the VWR® Foundation

All brands of disposable apparel are accepted as long as they are clean and do not harbor any contaminants

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Disposable garments have been a significant waste stream to landfills and incinerators because they are made of a mixture of materials that makes them difficult to recycle. This program offers a convenient opportunity to recycle an abundant source of waste found in nearly every large pharmaceutical production facility by diverting typically hard-to-recycle products into new, permanent infrastructure with a lasting impact.

The plastic waste is recycled into resin that is used to make permanent infrastructure including composite decking, railroad ties and drainage pipes.

Ordering information: There are now two recycling program options. Both options include return shipping.

VWR® 12-Pk Recycling Option: You will receive a pack of 12 boxes, with each collection box holding up to 30 pounds of garments. Once all 12 boxes are filled, they are returned together as a full pallet. Each pallet will hold approximately 360 pounds of used garments. When the pallet is full, simply fill out the Bill of Lading copies, provided with the boxes, and call or email UPS for pick-up.

VWR® Gaylord Recycling Option: You can now use your own Gaylord box to ship garments back for recycling. You will receive an envelope with instructions, signs for your own collection containers, and Bill of Lading copies for return shipping. Simply fill up a Gaylord box, place your box on a pallet for return shipping and call or email UPS for pick-up.

Documents

Product Literature

- Garment Recycling Program Flyer_FINAL.pdf
- VWR Garment Recycling Program
- VWR Garment Recycling Solution
- VWR Protection Apparel
- VWR Recycling Solutions

Specifications

- Description:

  VWR® 12-Pk recycling option

- Size:

  12/Pack

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

15. VWR® Pipet Tip Disposal Box

15.2×15.2×15.2 cm (6× 6×6") (W×L×H)

Catalog #: 82010-754

Supplier: VWR International



Product Details & Documents

Box features a flip-top port cover for convenient one-handed disposal of used pipet tips.

- Thick acrylic construction
- Protects against beta radiation
- Large, hinged lid
- Easy disposal of used pipet tips

Eliminates any need to handle pipet tips used with hazardous fluids. The 10mm (3/8") thick acrylic provides protection from beta radiation. Large, hinged lid allows easy removal of contents.

Documents

Certificates

Search by Lot Number
Product Literature

- VWR Lab Organization Solutions
- VWR Lab Organization Solutions
- VWR Laboratory Organization Solutions
- VWR Plasticware

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

16. Ward's® Pipette Tip Disposal Box

Ward's Pipette Tip Disposal Box, 154×171×206 mm

Catalog #: 470311-178

Supplier: Heathrow Scientific
Supplier Number: HS234634W



Product Details & Documents

Quick flip of the port cover makes tip ejection easy.

- Large, hinged lid allows easy disposal of contents
- $^{3}/_{8}$" (10 mm) thick acrylic provides protection from Beta radiation

The ward's pipette tip disposal box is convenient for one-handed disposal of used pipette tips, and eliminates any need to handle pipette tips used with hazardous fluids. Biohazard disposal bags can be used in conjunction with this box if hazardous fluids are not acrylic friendly.

Specifications

- Description:

  Ward's Pipette Tip Disposal Box

- Dimensions:

  154×171×206 mm

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

17. SP Bel-Art Cover for Glass Disposal Carton, Bel-Art Products, a part of SP

Cover for Glass Disposal Carton, White/Green, 31.5 x 31.5 cm (12½ x 12½")

Catalog #: 89088-050

Supplier: Bel-Art Products (SP)

Supplier Number: F13204-0001



Product Details & Documents

Dishwasher-safe and autoclave-safe, the reusable Disposal Carton Cover opens quickly and easily by pressing the built-in release tab.

- Reusable design
- Dishwasher-safe
- Autoclavable
- Wider opening for safer and more sanitary deposit of wastes

There are no batteries required. The cover fits any disposal carton with a 31.5x31.5 cm (12½x12½") opening (including the SCIENCEWARE® Glass Disposal Floor Standing Carton), and features a smooth 10.2x10.2 cm (4x4") area for applying labels. The center panel is green to match the printing on the glass disposal cartons, providing fast visual recognition of the waste stream.

Compared to the disposable cardboard lids supplied with the cartons, the Disposal Carton Cover offers a wider opening 20.5x24.4 cm (8x9½"), permitting safer and more sanitary deposit of wastes into the container.

Store the disposable cardboard lid under the bottom of the carton and, when carton is full, simply remove the reusable Disposal Carton Cover, replace with the cardboard lid, and dispose of the carton in the usual fashion. Wash the Disposal Carton Cover as needed, and it's ready for reuse. Autoclavable at 121°C (250°F).

Specifications

- Description:

  Cover for Glass Disposal Carton, White/Green

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Dimensions:

  31.5 x 31.5 cm (12½ x 12½")

18. SP Bel-Art Disposal Carton for Glass, Bel-Art Products, a part of SP

Disposal carton, benchtop, 20x20x25 cm (8x8x10")

Catalog #: 30617-648

Supplier: Bel-Art Products (SP)

Supplier Number: F24653-0002



Product Details & Documents

Sturdy corrugated cardboard receptacle is supplied with a 2 mil thick, clear polyethylene bag to contain broken glass fragments and spilled liquids.

- Sturdy design
- Packaged flat and easy to assemble
- Corrugated cardboard construction
- Supplied with polyethylene bag

When the box is full, lift the flap opening to a closed position and the entire unit is ready for disposal. Printed with eye-catching graphics in four languages (English, German, French, Spanish), it is packaged flat to save space and shipping costs and is quickly assembled. Does not qualify as a DOT container.

Specifications

- Description:

  Disposal carton, benchtop

  Dimensions: 20x20x25 cm (8x8x10")

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

19. SP Bel-Art Glass Disposal Box, Bel-Art Products, a part of SP

Glass Disposal Box for Floor, 30 x 30 x 69 cm (12 x 12 x 27")

Catalog #: 490005-580

Supplier: Bel-Art Products (SP)
Supplier Number: F24653-0001



Product Details & Documents

This Glass Disposal Box is a disposable, highly visible receptacle that helps reduce injuries by maintaining a safe laboratory work area.

- Disposable
- Highly visible with eye-catching graphics
- Thick polyethylene construction

The receptacle is supplied with a 2 mil thick polyethylene bag to safely contain broken glass fragments and spilled liquids. When the box is full, the safety cap is pulled into place and the entire unit is ready for disposal. Printed with eye-catching graphics in four languages (English, German, French, Spanish)

Ordering information: Packaged flat to save space and shipping costs and is quickly assembled. Available in two sizes: The floor model holds 18 kg (40 lbs) of waste, while the benchtop model holds 5.5kg (12 lbs)

Documents

- coc_490005-580_MD78008

Specifications

- Description:

  Glass Disposal Box for Floor

- Dimensions:

  30 x 30 x 69 cm (12 x 12 x 27")

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.


Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

20. SP Bel-Art Biohazard Incinerator Cartons, Bel-Art Products, a part of SP

Floor, 30.5 x 30.5 x 68.5 cm (12 x 12 x 27")

Catalog #: 70680-352

Supplier: Bel-Art Products (SP)
Supplier Number: F13205-0001



Product Details & Documents

This corrugated cardboard receptacle is perfect for containing biohazardous waste slated for incineration.

- Corrugated cardboard construction
- Contains biohazardous waste without exposing users
- Bright, large biohazard graphics printed on side
- Optional reusable cover

When the box is full, pull the flap to a closed position and the entire unit can be placed in the incinerator. Tabs along the top edge keep a clear 0.038 mm (1.5 mil) thick polyethylene biohazard bag from slipping out of place and the snug-fitting lid has a flap for easily inserting waste material. Printed with large, bright, biohazard graphics and instructions in four languages (English, Spanish, French, German), it is available in sizes to suit benchtop or floor use.

An optional, reusable, sanitary cover (89088-048) for floor models is sold separately. Dishwasher-safe and autoclave-safe, the reusable Disposal Carton Cover opens quickly and easily by pressing the built-in release tab. No batteries are required. The cover fits any disposal carton that has a 30.5 x 30.5 cm (12 x12") opening, and features a smooth 10.1 x 10.1 cm (4 x 4") area on top for applying labels. The center panel is red to match the printing on the Biohazard disposal cartons, providing fast visual recognition of the waste stream. Compared to the disposable cardboard lids supplied with the cartons, the Disposal Carton Cover provides a wider opening, 20.3 x 24.1 cm (8 x 9.5"), permitting safer and more sanitary deposit of wastes into the container. Store the disposable cardboard lid on the bottom of the carton, and when carton is full, simply remove the reusable Disposal Carton Cover, replace with the cardboard lid, and dispose of the carton in the usual fashion. Wash the Disposal Carton Cover as needed, and it’s ready for re-use. Autoclavable at 121 °C (250 °F).

Ordering information: Packaged flat to save space and shipping costs; carton and inner bag can be assembled in seconds.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Documents

Product Literature

- Bel-Art Scienceware® Tools for Biohazard Disposal

Specifications

- Description:

  Floor

- Dimensions:

  30.5 x 30.5 x 68.5 cm (12 x 12 x 27")

FIRE and EMERGENCY (First Aid Kits, Bandages and Wound Care, Eye Wash, Emergency Showers, Fire Blankets and Evacuation Equipment)

1. VWR® 25 Person First Aid Kits

25 Person Bulk Metal First Aid Kit, ANSI A, Type III, 9.5x6.5x3", 89

Catalog #: 76049-034

Supplier: VWR International



Product Details & Documents

These 25 person bulk first aid kits meet OSHA and ANSI standards, and are designed for use in small offices, vehicles, and work sites.

- Weatherproof, wall-mountable case
- Available with 89 or 141 pieces
- Available in a metal or plastic case
- ANSI/ISEA Z308.1-2015

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

The weatherproof plastic case is wall-mountable, yet has a handle for easy carrying.

Certifications: Meets OSHA and ANSI standards. ANSI/ISEA Z308.1-2015. Meets the 2015 ANSI Class A requirements. Sufficient to treat 25 or more people.

Ordering information: The 89 Piece Kit contains (10) BZK antiseptic towelettes; (10) First aid/burn cream packets, 0.9 g; (10) Triple antibiotic ointment packets; (32) Plastic bandages, 1×3"; (6) Hand sanitizer packets, 0.9 g; (4) Gauze dressing pads, 3×3"; (2) Nitrile gloves; (2) Sterile eye pads; (2) Trauma pads, 5×9"; (1) Burn dressing, 4×4"; (1) Cold compress, 4×5"; (1) Conforming gauze roll, 2"; (1) CPR Mask with one-way valve; (1) Eyewash, 1 oz.; (1) First aid guide; (1) First aid tape roll, $^1/_2$" × 5 yds.; (1) Scissors; (1) Triangular sling/bandage, 40×40×56".

The 141 Piece kit contains (50) Plastic bandages, 1×3"; (1) First aid tape roll, $^1/_2$" × 5yds.; (10) Triple Antibiotic ointment packets; (12) BZK antiseptic towelettes; (1) CPR mask with one-way valve; (1) Burn dressing, 4×4"; (10) First aid/burn cream packets, 0.9 g; (1) Cold compress, 4×5"; (2) Sterile eye pads; (1) Eyewash, 1 oz.; (10) Hand sanitizer packets, 0.9g; (4) Nitrile gloves; (1) Conforming gauze roll, 2"; (1) Scissors; (6) Gauze dressing pads, 3×3"; (2) Trauma pads, 5×9"; (1) Triangular sling/bandage, 40×40×56"; (1) First aid guide; (5) fingertip fabric bandages; (5) Knuckle fabric bandages; (3) Insect sting relief wipes; (1) Tweezers; (12) Aspirin tablets.

Documents

Product Literature

- VWR First Aid
- VWR FirstAid.pdf

Specifications

- Description:

  25 Person Bulk Metal First Aid Kit, ANSI A, Type III

- Dimensions:

  9.5x6.5x3"

- No. of parts:

  89

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

2. VWR® 50 Person First Aid Kits

50 Person Bulk Metal First Aid Kit, ANSI A+, Type III, 9.75x10x2.62", 183

Catalog #: 76049-038

Supplier: VWR International



Product Details & Documents

These 50 person bulk first aid kits meet OSHA and ANSI standards, and are ideal for contractors, fleet vehicles, worksites, and small companies with up to 50 employees.

- Weatherproof, wall-mountable case
- 183 pieces
- Available in a metal or plastic case
- ANSI/ISEA Z308.1-2015

These 183 piece weatherproof cases come with a carrying handle and are wall-mountable.

Certifications: Meets OSHA and ANSI standards. ANSI/ISEA Z308.1-2015. Exceeds the 2015 ANSI Class A requirements. Sufficient to treat 50 or more people.

Ordering information: Both kits contain (60) Plastic bandages, 1×3"; (1) First aid tape roll, $^1/_2$" × 5 yds.; (12) Triple antibiotic ointment packets; (15) BZK antiseptic towelettes; (1) CPR mask with one-way valve; (1) Burn dressing, 4×4"; (12) First aid/burn cream packets, 0.9 g; (1) Cold compress, 4×5"; (2) Sterile eye pads; (1) Eyewash, 1 oz.; (10) Hand sanitizer packets, 0.9 g; (4) Nitrile gloves; (2) Conforming gauze roll, 2"; (1) Scissors; (6) Gauze dressing pads, 3×3"; (2) Trauma pads, 5×9"; (1) Triangular sling/bandage, 40×40×56"; (1) Conforming gauze roll, 4"; (1) First aid guide; (10) Fingertip fabric bandages; (10) Knuckle fabric bandages; (3) Insect sting relief wipes; (1) Tweezers; (20) Alcohol Wipes; (4) Povidone-Iodine Infection control wipes; (1) Elastic bandage, 2" × 5 yds.

Documents

Product Literature

- FOCUS Industrial Volume 02 Issue 02
- VWR First Aid
- VWR FirstAid.pdf

Specifications

- Description:

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

50 Person Bulk Metal First Aid Kit, ANSI A+, Type III

- Dimensions:

  9.75x10x2.62"

- No. of parts:

  183

3. VWR® First Aid Kit for 10 Patients

10 Person Bulk Plastic First Aid Kit, ANSI A, 8x5x3", 71

Catalog #: 76049-204

Supplier: VWR International



Product Details & Documents

This compact 10 person first aid kit is ideal for home, car, or small office use.

- Class: A
- Type: III
- Person: 10
- Pieces: 71
- Size: 8×5×3"
- Plastic, weatherproof case
- ANSI/ISEA Z308.1-2015

The plastic weatherproof case keeps contents safe from dust and moisture.

Certifications: Meets the 2015 ANSI Class A requirements. Sufficient to treat 10 or more people. ANSI/ISEA Z308.1-2015.

Ordering information: Kit contains (16) Plastic bandages, 1×3"; (1) First aid tape roll $^1/_2$"×5 yds.; (10) Triple Antibiotic ointment packets; (10) BZK antiseptic towelettes; (1) CPR Mask with one-

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

way valve; (1) Burn dressing, 4×4"; (10) First Aid/burn cream packets, 0.9 g; (1) Cold compress, 4×5"; (2) Sterile eye pads; (1) Eyewash 1 oz.; (6) Hand sanitizer packets 0.9 g; (4) Nitrile exam gloves; (1) Conforming gauze roll, 2"; (1) Scissors; (2) Gauze dressing pads, 3×3"; (2) Trauma pads, 5×9"; (1) Triangular sling/bandage, 40×40×56"; (1) First aid guide.

Documents

Certificates

Search by Lot Number

- CoQ VWR® 10 Person First Aid Kit, ANSI A.pdf

Product Literature

- VWR First Aid
- VWR FirstAid.pdf

Specifications

- Description:

  10 Person Bulk Plastic First Aid Kit, ANSI A

- Dimensions:

  8x5x3"

- No. of parts:

  71

4. PICKPAK™ First Responder PICK Kits, PICK® International

Basic PICK Kit

Catalog #: 82028-896

Supplier: Pick International
Supplier Number: FRB-01



KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

First responder kits are available in basic or advanced configurations to meet a wide array of first aid applications.

Basic and advanced kits are stocked with supplies that correspond to the specific level of training obtained through common first aid certification. All kit components are housed within a red, washable, PVC and nylon First Responder trainer bag. The durable bags are water-resistant and feature two compartments separated by a protective barrier. The trainer bag is available separately and supplied empty, to be utilized according to anticipated injuries in any environment.

Ordering information: For additional information on PICKPAK™ treatment-specific pack contents, see series **82028-858** (Burn Pak and Wound Pak), **82028-876** (Bio-Quik Spill Pak), or **82028-870** (CPR Pak). Unitized refill (**82028-902**) includes 1 cold pack, 16 adhesive bandages (1x3"), 1 triangular bandage with safety pins, 1 pair of forceps, and 1 pair of scissors.

Specifications

- Description:

  Basic PICK Kit

- Cat. No.:

  82028-896

- Kit Contents:

  1 Bio-Quik Spill Pak*
  1 Burn Pak*
  1 Wound Pak*
  1 First Responder Bag
  1 Unitized Refill

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

5. Redi-Care Kits™ for First Aid, Honeywell Safety

Promotional Kit, 11.4 x 3.8 x 17.8 cm (4 1/2 x 1 1/2 x 7"), 39

Catalog #: 11000-772

Supplier: Honeywell Safety Products

Supplier Number: 018503-4219



Product Details & Documents

General-industry first aid Redi-Care Kits are packaged in soft-sided, durable red nylon bags.

- Packaged in durable nylon bags
- Lightweight, economical alternative to standard hard-sided metal or plastic kits
- Portable
- Several styles have belt loops or fit in pockets
- Ideal for most general industry environments

They provide a lightweight, portable, and economical alternative to standard hard-sided metal or plastic kits.

The available small, medium, and large sizes suit most general-industry environments. A promotional size kit is available for safety-incentive awards and other promotional programs.

Several styles have belt loops or fit in pockets, encouraging workers to take them along to the job site.

Ordering information: Custom product fills are available for all four kit sizes. Contact your Avantor sales representative. Empty kits are not available.

Specifications

- Description:

  Promotional Kit

- W×D×H:

  11.4 x 3.8 x 17.8 cm (4 1/2 x 1 1/2 x 7")

- No. of parts:

  39

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Cat. No.:

  11000-772

- Kit Contents:

  "10 Adhesive Bandages, Cloth, 2.5 x 7.6 cm (1 x 3"")
  2 Extra-Large Adhesive Bandages, Cloth
  2 Fingertip Adhesive Bandages, Cloth
  2 Knuckle Adhesive Bandages, Cloth
  2 Sterile Gauze Pads, 7.6 x 7.6 cm (3 x 3"")
  1 Adhesive Tape, 1.3 cm x 2.3 m (1/2"" x 2.5 yds.)
  6 PVP Iodine Wipes
  4 Triple Antibiotic Ointment, 1 g Pouch
  4 Burn Treatment, 3.7 mL (1/8 oz.)
  1 Instant Cold Pack
  2 Latex Gloves, Each
  1 Forceps
  1 Scissors
  1 First Aid Guide"

6. PICKPAK™ First Aid PICK Kits, PICK® International

Advanced First Aid Kit

Catalog #: 82028-890

Supplier: Pick International

Supplier Number: 24PWAC2



Product Details & Documents

The First Aid PICK™ Kits are available in basic or advanced kit configurations, and include procedure packs and unitized supplies to meet ANSI guidelines.

First aid cases are constructed of durable polyurethane with a rubber-lined seal. Empty cases are also available separately, allowing for custom-built first aid configurations. In order to

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

maintain compliance with treatment certification levels, case exteriors are clearly marked, specifying basic or advanced treatment contents.

Both basic and advanced kits are stocked with components that correspond to the appropriate level of treatment certification taught in common first aid training. Contents are packaged in order of applicable use, and every package includes personal protection, treatment supplies, and biohazard disposal items designed to reduce the threat of infectious disease or harmful bloodborne pathogens spread during treatment. Unitized loose supplies (**82028-904**) are pre-arranged for easy inventory and restocking to maintain compliance.

Ordering information: For additional information on PICKPAK treatment-specific pack contents, see series **82028-858** (Burn, Optic, Insect Sting, and Wound Pak), **82028-876** (Bio-Quik Spill Pak), or **82028-870** (CPR Pak). Unitized refill (**82028-904**) contains 1 cold pack, 16 adhesive bandages (1x3"), 1 triangular bandage with safety pins, 1 pair of forceps, 1 pair of scissors, and 4 packets of burn gel.

Specifications

- Description:

  Advanced First Aid Kit

- Cat. No.:

  82028-890

- Model:

  Advanced First Aid Kit

- Kit Contents:

  2 Burn Pak*
  1 CPR Pak*
  1 Insect Sting Pak*
  1 Optic Pak* FB
  2 Wound Pak*
  1 Unitized Refill

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

7. 25 Person 16 Unit First Aid Kit, Plastic, Weatherproof, ANSI A, First Aid Only

25 Person 16 Unit First Aid Kit, Plastic, Weatherproof, ANSI A, 82

Catalog #: 76049-020

Supplier: First Aid Only
Supplier Number: 90569



Product Details & Documents

This 82 piece, 25 person, ANSI compliant first aid kit holds all 18 ANSI required items and is designed for use in small offices, vehicles, and work sites

- Features a gasket
- Easy-to-carry handle
- Wall mountable
- ANSI compliant
- Contents fit snugly to prevent shifting

Contents:
90638 1 CPR Face shield, 1 scissors and 1 First aid tape, $^1/_2$" × 5 yd.
350009 First aid guide
750013 Hand sanitizer packets, 0.9 g, 10 ct.
1-008 Adhesive fabric bandages, 1×3", 16 ct.
12-001 Triple antibiotic ointment packets, 0.5 g, 12 ct.
12-018 BZK antiseptic towelettes, 10 ct.
13-006 First aid/burn cream packets, 0.9 g, 12 ct.
16-004 Burn dressing, 4×4"
21-004 Cold pack, 4×5"
21-026 Nitrile exam gloves, 4 ct.
3-001 Sterile gauze pads, 3×3", 4 ct.
4-006 Triangular bandage, 40×40×56"
7-009 1 Eyewash, 1 oz. with 2 eye pads and strips
AN205 Trauma pads, 5×9"
B204 Conforming gauze rolls, 2", 2 ct.

A list of contents can be permanently affixed inside the lid for easy restocking.

Specifications

- Description:

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

25 Person 16 Unit First Aid Kit, Plastic, Weatherproof, ANSI A

- No. of parts:

  82

8. 25 Person Bulk ANSI A, First Aid Kit Refill, First Aid Only

25 Person bulk ANSI A, first aid kit refill, 89

Catalog #: 76049-026

Supplier: First Aid Only
Supplier Number: 90583



Product Details & Documents

This 89 piece, 25 person bulk first aid refill kit meets all OSHA and ANSI 2015 standards.

- Complete first aid kit refill pack
- Includes all products necessary to refill the original kit
- ANSI Class A compliant

Contents:
10 - BZK Antiseptic towelettes
10 - First aid/burn cream packets, 0.9 g
10 - Triple antibiotic ointment packets
32 - Plastic bandages, 1×3"
6 - Hand sanitizer packets, 0.9 g
4 - Gauze dressing pads, 3×3"
2 - Nitrile gloves
2 - Sterile eye pads
2 - Trauma pads, 5×9"
1 - Burn dressing, 4×4"
1 - Cold compress, 4×5"
1 - Conforming gauze roll, 2"
1 - CPR mask with one way valve
1 - Eyewash, 1 oz.
1 - First aid guide
1 - First aid tape, $^1/_2$" × 5 yd.
1 - Scissors
1 - Triangular sling/bandage, 40×40×56"

It is designed for use in small offices, vehicles, and work sites.

Specifications

- Description:

  25 Person bulk ANSI A, first aid kit refill

- No. of parts:

  89

9. 50 Person, 24 Unit First Aid Kit, Plastic, Weatherproof, ANSI A+, Type III, First Aid Only

50 Person, 24 Unit First Aid Kit, Plastic, Weatherproof, ANSI A+, Type III, 129

Catalog #: 76049-040

Supplier: First Aid Only
Supplier Number: 90601



Product Details & Documents

Weatherproof case comes with a carrying handle and is wall mountable.

- 2015 ANSI compliance
- Weatherproof plastic case
- Case size of 10×3×10"

Contents: 90638 1 CPR face shield, 1 scissors, and 1 First aid tape, $^1/_2$" × 5 yd., 350009 First aid guide, 750013 Hand sanitizer packets, 0.9 g, 10 ct., 1-007 Fabric adhesive bandages, 2×4", 6 ct., 1-008 Adhesive fabric bandages, 1×3", 16 ct., 1-014 5 Fingertip and 4 Knuckle fabric bandages, 12-001 Triple antibiotic ointment packets, 0.5 g, 12 ct., 12-015 Povidone-Iodine infection control wipes, 10 ct., 12-018 BZK antiseptic towelettes, 10 ct., 13-006 First aid/burn cream packets, 0.9 g, 12 ct., 16-004 Burn dressing, 4×4", 18-012 Hydrocortizone anti-itch cream packets, 12 ct., 19-002 Sting relief wipes, 10 ct., 21-004 Cold pack, 4×5", 21-026 Nitrile exam gloves, 4 ct., 3-001 Sterile gauze pads, 3×3", 4 ct., 4-006 Triangular bandage, 40×40×56", 7-009 1 Eyewash, 1 oz. with 2 eye pads and strips, AN205 Trauma pad, 5×9", B204 Conforming gauze rolls, 2", 2 ct.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Unitized contents exceed the 2015 ANSI Class A requirements and are sufficient to treat 50 or more people.

Specifications

- Description:

  50 Person, 24 Unit First Aid Kit, Plastic, Weatherproof, ANSI A+, Type III

- No. of parts:

  129

10. 25 Person ANSI A+, First Aid Refill, First Aid Only

25 Person ANSI A+, first aid refill, 141

Catalog #: 76049-046

Supplier: First Aid Only
Supplier Number: 90615



Product Details & Documents

Refills for the following kits: 90561, 90563, and 90589.

- Class: A+
- Type: I & II
- Person: 25
- Pieces: 141
- Size: 9.5×7.25×2.75"

Contents:
Plastic bandages, 1×3"
First aid tape, $^{1}/_{2}$" × 5 yd.
Triple Antibiotic ointment packets
BZK Antiseptic towelettes
CPR Mask with one way valve
Burn Dressing, 4×4"
First aid/burn cream packets, 0.9 g

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Cold compress, 4×5"
Sterile eye pads
Eyewash, 1 oz.
Hand sanitizer packets, 0.9 g
Nitrile exam gloves
Conforming gauze roll, 2"
Scissors
Gauze dressing pads, 3×3"
Trauma pads, 5×"
Triangular sling/bandage, 40×40×56"
First aid guide
Fingertip fabric bandages
Knuckle fabric bandages
Insect sting relief wipes
Tweezers
Aspirin tablets

Specifications

- Description:

  25 Person ANSI A+, first aid refill

- No. of parts:

  141

11. Cotton Gauze Squares

Gauze squares, 8-ply, Cotton, 4×4"

Catalog #: 77907-808

Supplier: StatLab
Supplier Number: 7610



6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

Pre-cut cotton gauze squares.

- Available in multiple thicknesses

Specifications

- Description:

  Gauze squares, 8-ply

- Material:

  Cotton

- Dimensions:

  4×4"

12. Webril Kit, Sklar

Webril Kit, Sterile, 5 cm (2")

Catalog #: 75817-536

Supplier: Sklar
Supplier Number: 96-1818



Product Details & Documents

Webril kits are industry standard.

Specifications

- Description:

  Webril Kit, Sterile

  Length: 5 cm (2")

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

13. Sof-Rol Kit, Sklar

Sof-Rol Kit, Sterile, 5 cm (2")

Catalog #: 75817-612

Supplier: Sklar
Supplier Number: 96-1799



Product Details & Documents

Sof-Rol kits are industry standard.

Specifications

- Description:

  Sof-Rol Kit, Sterile

- Length:

  5 cm (2")

14. Esmark Bandages, Sklar

Disposable Esmark Bandages, Sterile, Polymer, 10.2 x 22.9 cm (4 x 9")

Catalog #: 75817-968

Supplier: Sklar
Supplier Number: 96-1650



KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

Esmark bandages are industry standard.

Specifications

- Description:

  Disposable Esmark Bandages, Sterile

- Material:

  Polymer

- Dimensions:

  10.2 x 22.9 cm (4 x 9")

15. Nonsterile Gauze Sponge, DUKAL™ Corporation

8-Ply Gauze Sponge, Non sterile, White, 200/Bag, 25 Bags/Case, 2×2"

Catalog #: 95038-720

Certificates

Supplier: Dukal
Supplier Number: 2085



Product Details & Documents

Nonsterile gauze sponges are made of 100% woven cotton.

- Ideal for a number of applications including general cleaning, dressings, prepping, packing, and debriding wounds
- Most non-sterile available in 200 or 100 per bag to suit multiple market needs
- Not made with natural rubber latex

Documents

Certificates

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Search by Lot Number

- 89133-260_CoC_A35218
- 95038-720_CoC_A09219
- 95038-720_CoC_A31619
- 95038-722_CoC_A30819
- 95038-722_CoC_A34819

More
Videos

- The difference between Gauze Pads vs Gauze Sponges

Specifications

- Description:

  8-Ply Gauze Sponge

- Sterility:

  Non sterile

- Color:

  White

- Packaging:

  200/Bag, 25 Bags/Case

- Dimensions:

  2×2"

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

16. Latex-Free Elastic Bandages, DUKAL™ Corporation

Latex-Free Elastic Bandage, Non sterile, Tan, 10 Rolls/Box, 2"×4.5 yards

Catalog #: 95041-726

Supplier: Dukal

Supplier Number: 502LF



Product Details & Documents

Bandages are packaged in a perforated carton for easy dispensing, and are color-coded for easy detection.

- Provides firm compression and consistent support
- Individually wrapped and includes two metal clips
- Knitted construction offers strength, comfort, and excellent breathability

Individually wrapped bandages include two metal clips for secure fastening. This bandage series is not made with natural rubber latex.

Documents

Certificates

Search by Lot Number

- coc_95041-726_A22624

Specifications

- Description:

  Latex-Free Elastic Bandage

- Sterility:

  Non sterile

- Color:

  Tan

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Packaging:

  10 Rolls/Box

- Dimensions:

  2"×4.5 yards

17. Gauze Ball, DUKAL™ Corporation

Pressure Dot, Sterile, White, 1/Pouch, 50/Box, 10 Boxes/Case, 1" Sphere

Catalog #: 95041-738

Supplier: Dukal

Supplier Number: 9550



Product Details & Documents

Sterile pressure dots.

- Non-woven gauze spheres that provide pressure to insertion site
- An excellent alternative to using a folded 4×4" gauze pad
- Not made with natural rubber latex

Documents

Certificates

Search by Lot Number

Specifications

- Description:

  Pressure Dot

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Sterility:

  Sterile

- Color:

  White

- Packaging:

  1/Pouch, 50/Box, 10 Boxes/Case

- Dimensions:

  1" Sphere

18. Sterile Gauze Sponge, DUKAL™ Corporation

8-Ply Gauze Sponge, Sterile, White, 2/Pack, 50 Packs/Box, 30 Boxes/Case, 2×2"

Catalog #: 95041-741

Certificates

Supplier: Dukal
Supplier Number: 6208



Product Details & Documents

Sterile Gauze Sponges are made of 100% woven cotton.

- Ideal for a number of applications including general cleaning, dressings, prepping, packing, and debriding wounds
- Not made with natural rubber latex

Documents

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Certificates

Search by Lot Number

- 15431-491_CoC_A33619
- 15431-491_II61119
- 15431-491_II61119
- 15431-500_CoC_A26218
- 15431-500_CoC_A26518

More
Videos

- The difference between Gauze Pads vs Gauze Sponges

Specifications

- Description:

  8-Ply Gauze Sponge

- Sterility:

  Sterile

- Color:

  White

- Packaging:

  2/Pack, 50 Packs/Box, 30 Boxes/Case

- Dimensions:

  2×2"

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

19. Sterile New Sponge Dressings, DUKAL™ Corporation

4-Ply New Sponge Dressing, Sterile, White, 2/Pack, 25 Packs/Box, 60 Boxes/Case, 2"×2"

Catalog #: 95041-752

Certificates

Supplier: Dukal
Supplier Number: 6122



Product Details & Documents

Sterile New Sponges are a rayon/poly blend construction that are virtually non-linting.

- The effective combination of weight and open aperture allows each sponge to wick quicker and offer superior absorbency
- Virtually non-linting
- Not made with natural rubber latex

Documents

Certificates

Search by Lot Number

- 95041-752_CoC_A07118
- 95041-760_CoC_A30319

Specifications

- Description:

  4-Ply New Sponge Dressing

- Sterility:

  Sterile

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Color:

  White

- Packaging:

  2/Pack, 25 Packs/Box, 60 Boxes/Case

- Dimensions:

  2"×2"

20. Nonsterile New Sponge Dressings, DUKAL™ Corporation

4-Ply New Sponge Dressing, Non sterile, White, 200/Bag, 40 Bags/Case, 2×2"

Catalog #: 95041-754

Supplier: Dukal
Supplier Number: 6112



Product Details & Documents

Nonsterile new sponges are a rayon/poly blend construction that are virtually non-linting.

- Rayon/poly blend construction
- The effective combination of weight and open aperture allows each sponge to wick quicker and offer superior absorbency
- Virtually non-linting
- Not made with natural rubber latex

Documents

Certificates

Search by Lot Number

- 95041-762_CoC_A00620
- 95041-762_CoC_A29419

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- 95041-762_CoC_A33319
- 95041-762_CoC_A36019

Specifications

- Description:

  4-Ply New Sponge Dressing

- Sterility:

  Non sterile

- Color:

  White

- Packaging:

  200/Bag, 40 Bags/Case

- Dimensions:

  2×2"

21. VWR® Eyewash Stations

Eyewash station, double 16 oz. bottles, 17.5x4x11"

Catalog #: 76049-028

Supplier: VWR International



Product Details & Documents

VWR® eyewash stations are wall-mountable, providing quick access for emergencies.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Wall-mountable stations in single or double configurations
- 16 or 32 oz. bottle options
- Includes Physicians Care eyewash solution

The stations are configured to hold either one or two bottles, available in 16 oz.

PhysiciansCare sterile isotonic buffered eyewash solution helps to clear eyes of foreign material such as dust, pollen, and chemicals, and to relieve itching and burning of the eyes and skin. The plastic squeeze bottle with tear-off top helps create a fluid stream to direct the solution into the affected areas.

For solution refills, please see items 76049-014 (16 oz.) and 76049-016 (32 oz.).

Documents

Certificates

Search by Lot Number

- sds_VWRI76049-032

Product Literature

- VWR First Aid
- VWR FirstAid.pdf
- VWR Protection Apparel

Specifications

- Description:

  Eyewash station, double 16 oz. bottles

- Dimensions:

  17.5x4x11"

22. Single Bottle Eye Wash Station, Brady®

Single Bottle Eye Wash Station, Green, Acrylic, 10 x 6¼ x 7"

Catalog #: 82004-270

Supplier: Brady Worldwide
Supplier Number: 45798

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

Our single bottle eye wash stations feature a drop down front panel that allows quick access to your eyewash bottles (not included).

- Stations can be wall or table mounted

Proper usage instructions are conveniently silk-screened on the door. Single bottle station holds one 32 oz. bottle.

Specifications

- Description:

  Single Bottle Eye Wash Station

- Color:

  Green

- Material:

  Acrylic

- Dimensions:

  10 x 6¼ x 7"

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.


Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

23. Double Bottle Eye Wash Station, Brady®

Double Bottle Eye Wash Station, Green, Acrylic, 10 x 10¼ x 7"

Catalog #: 82004-272

Supplier: Brady Worldwide
Supplier Number: 45840



Product Details & Documents

Our double bottle eye wash stations feature a drop down front panel that allows quick access to your eyewash bottles (not included).

- Stations can be wall or table mounted

Proper usage instructions are conveniently silk-screened on the door. Double bottle station holds two 32 oz. bottles.

Specifications

- Description:

  Double Bottle Eye Wash Station

- Color:

  Green

- Material:

  Acrylic

- Dimensions:

  10 x 10¼ x 7"

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

24. SP Bel-Art Eye Wash Station, Bel-Art Products, a part of SP

Eye Wash Station with Empty 16 oz. Bottle, (500 mL)

Catalog #: 89522-664

Supplier: Bel-Art Products (SP)

Supplier Number: F24865-0000



Product Details & Documents

This easily recognized, ready-to-use eye wash station comes complete with eye wash bottle, dust cover, mirror, and instructions for use and service.

- Secure bottle socket
- Provided ready to use
- Eye wash solution not included

A socket holds the bottle securely in place, yet the bottle is easily released when pulled out. $17^{1}/_{2}$×15" (44×38 cm) with 4 screw holes for wall mounting.

Specifications

- Description:

  Eye Wash Station with Empty 16 oz. Bottle, (500 mL)

25. SP Bel-Art Double Eyewash Station, Bel-Art Products, a part of SP

Double eye wash station, with two empty 32 oz. bottles

Catalog #: 89522-668

Supplier: Bel-Art Products (SP)

Supplier Number: F24868-0000

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

Supplied with two empty 32 oz.(1000 ml) bottles, this station provides a half-gallon of solution capacity.

- Bottle dust covers keep out contamination
- Eyewash solution not included

The vacuum-formed backboard has two bottle wells, a mirror, 4 screw holes for mounting, and full instructions for use and maintenance. 18×14" (46×36 cm).

Ordering information: For full sterile saline bottles, see **30617-158** series.

Specifications

- Description:

  Double eye wash station, with two empty 32 oz. bottles

26. Faucet-Mount Eyewashes, WaterSaver Faucet

Faucet-mount

Catalog #: 56611-002

Supplier: WaterSaver Faucet
Supplier Number: EW100-VWR



KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

Constructed of chrome-plated brass, these faucet-mount units convert any laboratory faucet into an emergency eyewash station without special plumbing or interference with normal faucet operation.

- Threaded inlet attaches to any standard faucet
- Easy-to-use pull-knob activates the eyewash
- Water pressure keeps the eyewash in operation, leaving hands free

Aerated outlets are angled forward and mounted 7.6 cm (3") apart (**56611-002**) or 12.7 cm (5") apart (**56611-004**). The adjustable angle permits full coverage and avoids splashing.

Certifications: Meet ANSI Z358.1 standard.

Specifications

- Description:

  Faucet-mount

27. Deck-Mount Eyewash/Drench Hoses, WaterSaver Faucet

Chrome-Plated

Catalog #: 59380-032

Supplier: WaterSaver Faucet
Supplier Number: EW1022



Product Details & Documents

Dual-head units act as a fixed eyewash or removable drench hose, providing a soft, wide stream of water that quickly and gently rinses away contaminants.

- Supplied with a 9.5 mm ($^3/_8$") male swivel inlet.

Feature two GS-Plus “Gentle Spray” heads angled at 45° and a brass squeeze valve with locking clip for hands-free operation. Each head has an internal filter, self-regulating flow control, and permanently attached flip-top dust cover.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Certifications: Meet ANSI Z358.1 standard.

Specifications

- Description:

  Chrome-Plated

28. Eyewash with Drench Hose, Speakman®

Eyewash with Drench Hose

Catalog #: VF-0927-SE

Supplier: Speakman
Supplier Number: SE-927



Product Details & Documents

The eyewash features a stay-open valve and twin aerated sprays with flip-top dust caps and automatic flow control.

- Eyewash is supplied with 1.8 m (6') of reinforced hose

Designed for countertop mounting, the unit can also be used as a handheld drench hose.

Certifications: Meets ANSI Z358.1 standard.

Specifications

- Description:

  Eyewash with Drench Hose

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

29. Deck-Mount Swing-Out Eyewashes, WaterSaver Faucet

Right-hand, white epoxy powder-coated brass

Catalog #: VFCTEW805

Supplier: WaterSaver Faucet
Supplier Number: CTEW805



Product Details & Documents

Featuring the GS-Plus 'Gentle Spray' heads, these eyewashes deliver a soft, wide stream of water to quickly and gently rinse contaminants away.

- Includes self-adjusting flow controls, impact-resistant polypropylene body, and flip-top dust covers
- Auto-flow models are activated when the head assembly is swung from storage to operation position
- An ANSI-compliant eyewash sign is included with all units

Flag-handle models are activated when the head assembly is swung from storage to operation position and the flag handle is pushed. LDPE filter removes scale, deposits, and debris from the water and keeps the water line impurities out of the user’s eyes.

Certifications: Meet ANSI Z358.1 standard.

Specifications

- Description:

  Right-hand, white epoxy powder-coated brass

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

30. Fendall® Saline Eyewash Bottles, Honeywell Safety

Personal eyewash solution bottle, 29.5 ml (1 oz.)

Catalog #: 56611-116

Supplier: PIP
Supplier Number: 32-000451-0000



Product Details & Documents

This bottle contains a sterile, buffered saline solution for emergency eye care.

- Expiry dates and lot numbers for end-user protection
- User-controlled volume delivery: one, four, and eight-ounce products

It delivers drops or an irrigating stream of solution, depending on the squeeze pressure applied to the bottle.

Each bottle features extended flow openings and twist-off tops for easy access in an emergency.

Documents

Certificates

Search by Lot Number

- 56611-118_F23125-32
- coc_56611-124_3824

Specifications

- Description:

  Personal eyewash solution bottle

- Size:

  29.5 ml (1 oz.)

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

31. Safety Shower Stations, WaterSaver Faucet

Shower and eyewash, galvanized steel with orange PE covered pipe/fittings

Catalog #: 56611-008

Supplier: WaterSaver Faucet
Supplier Number: SS902



Product Details & Documents

Designed to provide complete personal protection, these corrosion-resistant safety stations feature a single water inlet that supplies both the shower and eye wash.

- Supplied with rigid stainless steel pull rods
- Self-regulating flow controls are positioned inside each spray head
- Stations are provided with an ANSI-compliant sign
- 2 versions available: Orange ABS plastic shower head and galvanized steel pipes and fittings with orange PE covers or cast brass showerhead and white epoxy/polyester hybrid powder coated brass pipe and fittings

The high volume deluge shower head has a minimum 75.7 L/min. (20 gpm) flow and 50.8 cm (20") spray pattern.

Certifications: Meets ANSI Z358.1 standard.

Documents

Manual

- WaterSaver-Safety-IOM-Safety-Stations.pdf

Specifications

- Description:

  Shower and eyewash, galvanized steel with orange PE covered pipe/fittings

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

32. Emergency Shower Tester and Eyewash Test Kit, Speakman®

Shower and Eyewash test kit

Catalog #: VF-0950-SE

Supplier: Speakman
Supplier Number: SE-950



Product Details & Documents

Consists of a vinyl-coated rayon sleeve/funnel supported by a handle to direct water flow, plus a 18.9 L (5 gal.) pail to catch water.

- Hoop at end of sleeve fits all standard showers
- Ideal for monthly inspections as required by good laboratory practices

Clear Plexiglas® test kit allows eyewashes to be tested for correct spray pattern.

Specifications

- Description:

  Shower and Eyewash test kit

33. SAFE-T-ZONE® Emergency Stations, Speakman®

With Eye/Face Wash and Stainless Steel Bowl

Catalog #: VF-SE-690

Supplier: Speakman
Supplier Number: SE-690

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

Emergency stations combine a deluge shower with a eyewash or eye/face wash unit.

- Eyewashes feature dual aerated spray heads with stay-open ball valve
- Eye/face washes feature dual spray heads with automatic flow control

All eyewashes and eye/face washes activate via a stainless steel push handle and include flip-top dust covers. Choose from plastic bowl or stainless steel bowl.

All feature an impeller action deluge showerhead with a high-visibility yellow pull rod, situated on a painted galvanized steel stanchion.

Certifications: Meet ANSI Z358.1 standard.

Specifications

- Description:

  With Eye/Face Wash and Stainless Steel Bowl

34. Shower Tester

Shower Tester, max shower head diameter 8"

Catalog #: 470105-050

Supplier: ENCON SAFETY PRODUCTS
Supplier Number: 02-5700-01



KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

You know the importance of making sure your safety shower is tested regularly, so it's ready to use in the event of an emergency.

Simply attach this lightweight, PVC coated nylon test funnel to the shower head, and the hemmed bottom passes the water directly and neatly into the bucket.

Will accomodate shower heads up to 8" in diameter. (Bucket not included.)

Specifications

- Description:

  Shower Tester, max shower head diameter 8"

35. Wall-Mounted Shower and Eyewash

Wall mount shower and eyewash, Stainless steel, plastic, aluminum, chrome

Catalog #: 78142-268

Supplier: Mopec
Supplier Number: LW399



Product Details & Documents

The wall-mounted shower and eyewash station is a critical safety feature for any workplace where hazardous chemicals, particles, or irritants may pose a risk to workers.

- Completely encased in stainless steel housing
- Shower includes shower head, shower ball valve, and pull rod
- Eyewash includes eyewash assembly and hand-lever ball valve
- All plumbing lines are factory installed and tested
- Unit requires minimal hook-ups of the project location
- Case dimensions: 5.8L×74.5" H

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

By having these emergency systems within easy reach, you can ensure that employees can quickly and effectively rinse away contaminants from their skin and eyes, minimizing the risk of serious injury.

Casing: 304 stainless steel construction with a polished No. 4 finish. ABS plastic shower head with aluminum pull-rod. Chrome-plated eyewash. Shower: 20 gallons of water per minute for 15 minutes. Eyewash: at least 0.4 gallons of water per minute for 15 minutes. (1) 1” cold water connection, 20” above finished floor line, centered on fixture.

Specifications

- Description:

  Wall mount shower and eyewash

- Material:

  Stainless steel, plastic, aluminum, chrome

36. Emergency Deluge Showers, Speakman®

Standard Emergency Shower

Catalog #: 14224-244

Supplier: Speakman
Supplier Number: SE-237



Product Details & Documents

Emergency deluge showers feature a fully recessed wall activator.

The standard shower has a 25.4 cm (10") chrome-plated flanged showerhead that fits snugly against the ceiling.

The extended shower, designed to accommodate ceilings taller than 2.4 cm (8'), has a chrome-plated showerhead that can be positioned at the showerhead height of 2.4 cm (8').

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Ordering information: Complete with showerhead, valve and handle, and stainless steel recessed lipped panel. Installation of recessed panel requires a minimum wall thickness of 15.2 cm (6"). Internal wall piping is not supplied and must be provided by customer or plumber.

Specifications

- Description:


  Standard Emergency Shower

37. Lifesaver® Ceiling-Mount Emergency Shower, Speakman®

Lifesaver® Ceiling-Mount Emergency Shower

Catalog #: 14224-248

Supplier: Speakman
Supplier Number: SE-236-PR



Product Details & Documents

Lifesaver® emergency shower features a concealed ceiling mounted impeller action chrome plated shower head with a horizontal supply.

Shower is activated with a 2.5 cm (1") stay-open ball valve operated by a high visibility yellow pull rod.

Certifications: Meets ANSI Z358.1 standard.

Specifications

- Description:

  Lifesaver® Ceiling-Mount Emergency Shower

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

38. Heat Traced Combination Eyewash and Safety Showers, Speakman®

With Area Light

Catalog #: 89027-708

Supplier: Speakman
Supplier Number: SE7000VPLC1D



Product Details & Documents

Eye/face wash and safety shower combination units feature an integral valve for freeze protection.

Showers for hazardous environments meet Class 1, Division 2 electrical requirements. Unit **89027-710** is intended for non-hazardous environments and features an area light with amber globe. Floor-mounted.

Specifications

- Description:

  With Area Light

39. Lifesaver® Wall-Mount Emergency Showers, Speakman®

Overhead-Mount

Catalog #: VF-0220-SE

Supplier: Speakman
Supplier Number: SE-220

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

Reach for the handle of these safety showers for immediate rinsing off of harmful contaminants.

- For immediate rinsing off of harmful contaminants
- Impeller action head for more thorough rinsing
- Stay-open valve does not require operator control

An impeller action head allows more thorough rinsing action. The stay-open valve does not require operator control once activated. Showers feature a 20.3 cm (8") Ø yellow shower head, a 2.5 cm (1") NPTF chrome-plated brass ball valve, and a high visibility powder-coated yellow aluminum pull rod. Stainless steel shower head and/or stainless steel pull rod are available as alternative options.

Certifications: Meet ANSI Z358.1 standard.

Specifications

- Description:

  Overhead-Mount

40. Safety Shower and Eye/Face Washes, Speakman®

Supplier: Speakman



KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

This combined safety device can be used to flush contaminants from eyes, face, or entire body.

- Shower head Is 20.3 cm (8") in Ø
- Impeller action
- Stay-open valve
- Ideal where workers are subjected to contaminants
- Space-saving unit

This space-saving unit consists of a shower and an eyewash with a stainless steel basin.

The shower has a 20.3 cm (8") Ø head with impeller action and stay-open valve. A stainless steel push handle actuates the eye and face wash. Six aerated outlets in each spray head provide a 22.8×20.3 cm (9×8") curtain of aerated water for more extensive washing action.

These washes are ideal for locations where workers are subjected to contaminants.

Certifications: Meets ANSI Z358.1 standards.

41. Sellstrom Uncoated Fibreglass Blankets

High-temperature emergency fire blanket, white, 0.028" thickness, in red vinyl duffel bag, Storage size: 4.3L×12W×8.2"H, 5×6'

Catalog #: 33000-161

Supplier: Sellstrom
Supplier Number: S97452



Product Details & Documents

Sellstrom® uncoated fire blankets are designed to provide first responders with an emergency fire suppression solution for commercial and industrial work environments.

- Blanket measures 5' length×6' width

  Strong, lightweight, safe, chemical resistant and machine washable

  Blanket protects for excursion temperatures to 1000 °F

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Hemmed on all four sides with Kevlar thread, brass grommets on corners and 36" center

Convenient storage with carrying handles protects welding blanket from exposure to harsh UV rays, chemicals, moisture, dust, salt air, insects and temperature extremes.

Specifications

- Description:

  High-temperature emergency fire blanket, white, 0.028" thickness, in red vinyl duffel bag

- Size:

  Storage size: 4.3L×12W×8.2"H

- Dimensions:

  5×6'

42. Wool Fire Blanket with Rectangular Wall Case

84" L x 66" W

Catalog #: 470014-824

Supplier: Cotton Goods
Supplier Number: FR2511/2500/3



Product Details & Documents

Perfect Fire Aid Blanket for Any Laboratory

- Maroon fire blanket
- 50% wool, 50% man-made fiber
- Wall Case: 16" L x 13" W x 5" D

This wool blanket can be used to smother fires or as a first aid blanket.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

The wall case can be easily attached to lab walls for accessibility during emergencies.

Specifications

- Dimensions:

  84" L x 66" W

43. Large Fiberglass Fire Blanket

48" L x 48" W

Catalog #: 470122-238

Supplier: Cotton Goods
Supplier Number: BRIDELA 4X4



Product Details & Documents

For smothering fires or for protection while escaping from flames.

- Woven from glass fiber material
- Flameproof stitching

Blankets are stored in a highly visible, quick release red vinyl pouch.

Specifications

- Dimensions:

  48" L x 48" W

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

44. Pyroglas™ Fire Blanket with Wall Case

72" L x 60" W

Catalog #: 470122-240

Supplier: Cotton Goods
Supplier Number: FR2517



Product Details & Documents

For smothering fires.

- Clean, soft surface
- Insulates, repels water, and is impervious to most acids, alkalis, and solvents

Blanket is stored in a metal, wall-mounted fire red container which opens easily at the bottom for quick removal. Container dimensions: 18"H×7"Ø

Specifications

- Dimensions:

  72" L x 60" W

45. Survival Wrap Blanket, DUKAL™ Corporation

Survival wrap blanket, 52×84"

Catalog #: 76407-600

Supplier: Dukal
Supplier Number: 721



KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

The Survival Wrap Blanket is designed to trap in heat and maintain body temperature.

- Heat reflective mylar foil wrap
- No natural rubber latex
- Non sterile

Compact packaging allows for convenient storage and transport.

Documents

Certificates

Search by Lot Number

Specifications

- Description:

  Survival wrap blanket

- Dimensions:

  52×84"

46. Emergency Blanket, DUKAL™ Corporation

Yellow emergency blanket, 54×80"

Catalog #: 76407-678

Certificates

Supplier: Dukal
Supplier Number: 7303



6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

Ideal for protection from the elements in all weather conditions.

- Heavy-duty, fluid impervious, poly-coated spunbonded blanket
- No natural rubber latex

Nonsterile blankets feature a bright yellow finish for quick identification.

Documents

Certificates

Search by Lot Number

Specifications

- Description:

  Yellow emergency blanket

- Dimensions:

  54×80"

47. Fire Blanket, Sellstrom®

Fire Blanket

Catalog #: 33000-159

Supplier: Sellstrom
Supplier Number: S97450



Product Details & Documents

Washable, lightweight, woven fiberglass emergency fire blanket is designed to prevent further fire accidents in the lab.

- Sparks, flash fires, and flying particles can be easily extinguished
- Adequately sized to wrap a fire victim

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- To clean, wash with soft sponge and air dry only
- Sewn-on grommets allow for hanging during cleaning process

Complete with red herculite pouch for wall hanging. Velcro® pull tab on bottom releases 1.5×1.8 m (5×6') blanket.

Specifications

- Description:

  Fire Blanket

48. Junkin™ Wrap Around Fire Blanket

Fire blanket kit, 9 kg (20 lbs.), 13.3x12.7x179 cm (5.25x5x70.25") (kit), 157x208 cm (62x82") (blanket)

Catalog #: 56611-202

Supplier: Junkin
Supplier Number: JSA-1010



Product Details & Documents

The Wrap Around Fire Blanket Kit is designed so a person can insert either arm through the rope loop and, by rotating their body, completely wrap themselves in the fire blanket.

The Fire Blanket Kit consists of Fire Blanket (JSA-1010-B) Wool Blend for maximum fire protection and sturdy 20 Ga. Steel Cabinet (JSA-1010-CW) ready for wall mounting. Cabinet is bright red enamel with white lettering. Viewing hole provided to see if blanket is in place.

Blanket (JSA-1010-B) and Case (JSA-1010-CW) may be ordered separately. Kit should be wall mounted 6" to 8" from floor.

Certifications: Complete kit meets MIL-B-52309B.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Specifications

- Description:

  Fire blanket kit, 9 kg (20 lbs.)

- Size:

  13.3x12.7x179 cm (5.25x5x70.25") (kit)

- Dimensions:

  157x208 cm (62x82") (blanket)

49. Junkin™ Safety First Aid Blanket

157.2 x 208.2 cm (62 x 82")

Catalog #: 56612-689

Supplier: Junkin
Supplier Number: JSA-502



Product Details & Documents

For first aid/rescues.

Keeps rescue victims warm and dry. Warm utility blanket is machine washable. Made of 70% wool, 30% synthetic fibers.

Specifications

- Size:

  157.2 x 208.2 cm (62 x 82")

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

50. ZING Green Safety Eco Fire Blanket - Tote Set

ZING Eco Fire Blanket - Tote Set, 23 x 23"

Catalog #: 76026-308

Supplier: ZING Enterprises
Supplier Number: 7230



Product Details & Documents

Over sized blanket is fire resistant and used to smother flames and cover injured victims.

- Made in USA
- High quality
- Very durable

ZING Eco Fire Blanket and Hanging Tote is made from 100% recycled materials. Blanket and Tote with hanging grommets is ideal for use in First Aid Stations, Disaster Kits, Plants, Offices, Schools, Fire Trucks, Police Cars, Utility Trucks, Ambulances and Rescue Vehicles. Sold as a set. The blanket size is 96”x60” and the complete kit size of 23”Hx23”Wx4”D

Certifications: Federal Title 16 CFR Part 1610

Documents

Product Literature

- Zing Green Safety Products

Specifications

- Description:

  ZING Eco Fire Blanket - Tote Set

- Dimensions:

  23 x 23"

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.


Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

51. Junkin™ Safety Confined Space Stretcher

Junkin* Safety Confined Space Stretcher

Catalog #: 56612-680

Supplier: Junkin
Supplier Number: JSA-300-CS



Product Details & Documents

Designed for rescues where space is tight.

- Lightweight 48.2 cm (19") wide stretcher features rigid steel construction
- Ample basket is 18 gauge, 2.5 cm (1") hexagon mesh netting
- Nylon web straps secure victim at chest, abdomen, thigh and calf

WxLxH:46.6x 207x19.6 (18⅜x81½x7¾")
10.4 kg (23 lbs.)

Specifications

- Description:

  Junkin* Safety Confined Space Stretcher

52. Junkin™ Safety Stretcher Bridle Sling

Junkin* Safety Stretcher Bridle Sling

Catalog #: 56612-685

Supplier: Junkin
Supplier Number: JSA-300-X

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

For use in rescue situations where stretcher and victim need to be lifted out of danger.

- Provides horizontal or vertical lifting capacity of up to 907 kg (2000 lbs.)
- Made of 2.5 cm (1") nylon webbing with forged nap hooks and Int. Ø. 7.6 cm (3") forged steel suspension ring.

Specifications

- Description:

  Junkin* Safety Stretcher Bridle Sling

53. Imbolizer Splint, Emergency Medical International

Flexible Foam Splint, Orange

Catalog #: 10755-866

Supplier: EMI - Emergency Medical International
Supplier Number: 414



+414 EMERGENCY MEDICAL IMMOBILIZER (EMI SPLINT)

Product Details & Documents

The emergency medical immobilizer is a flexible foam padded splint with multiple applications.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- A thin core of aluminum alloy sandwiched between two layers of foam makes it extremely pliable
- It can be molded, folded and shaped to any desired configuration to support fractures and injured limbs
- The EMI splint is reusable, lightweight, water proof and radiolucent
- It's highly visible orange color cuts easily with shears and is not affected by extreme temperatures

Dimensions: 4¼x36"

Specifications

- Description:

  Flexible Foam Splint, Orange

54. Lifesaver™ Hammer Basic, Emergency Medical International

Basic Lifehammer, Orange

Catalog #: 10755-992

Supplier: EMI - Emergency Medical International
Supplier Number: 7004



#7004 LIFESAVER™ HAMMER BASIC

Product Details & Documents

LIFESAVER™ Hammer basic double sided steel striking heads are specially designed to shatter side windows.

- A concealed razorsharp blade allows the individual to easily cut through safety belts
- LIFESAVER™ Hammer Basic also comes with a mounting cradle, and is an essential rescue tool for Fire, EMS and Law Enforcement

Specifications

- Description:

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Basic Lifehammer, Orange

- Cat. No.:

  10755-992

- Dimensions:

  6¾"

- Weight:

  4.5 oz.


FLOOR PROTECTION (Mats and Flooring)

1. VWR® Ergonomic Bubble Floor Mats, Blue

16 mm (⅝"), 335 cm (11 ft.), 61 cm (2 ft.)

Catalog #: 76318-842

Supplier: VWR International



Product Details & Documents

The VWR® Bubble Mat is a true ergonomic mat. The VWR Bubble mat has the comfort of a polyurethane mat and the added benefit of easy clean-ability due to its closed-cell/non-porous top surface.

- Stimulate the body to increase blood circulation and alertness
- Molded beveled edges eliminate tripping hazards
- Silcone free, latex free
- Anti static and meets ISO Class 5 (Class 100) compliance
- Easy-to-clean, closed-cell/nonporous top surface
- Highly resistant to chemicals and UV light

Safety features include molded beveled edges that will never curl up, eliminating tripping hazards. With the VWR® Bubble mat, you will never have overlapping or worn-out connecting mats, which also eliminates tripping hazards.

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Constructed of the highest quality using only virgin raw material, this bubble mat has lifetime ergonomic benefits. The VWR Bubble mat is silicone & latex-free. Using its unique ergonomic designs, this mat prevents common problems encountered in standing environments, while stimulating the body to increase blood circulation and alertness that will reduce sick leave, workers' compensation and quality issues. The VWR® Bubble mat is a solid mat throughout, which means no hollow bubbles that collapse.

The VWR® Bubble mat can be customized to any size and any shape, always in one piece.

Certifications: Meets Cleanroom ISO Class 5 (Class 100) compliance.

Documents

Product Literature

- Production Insight Solutions for Controlled Environments and Manufacturing Processes
- VWR® Production Insight Vol 8 Issue 2

Specifications

- Thickness:

  16 mm (⅝")

- Width:

  335 cm (11 ft.)

- Length:


  61 cm (2 ft.)

2. VWR® Ergonomic Bubble Floor Mats, Gray

16 mm (⅝"), 335 cm (11 ft.), 61 cm (2 ft.)

Catalog #: 76318-906

Supplier: VWR International



KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Product Details & Documents

The VWR® Bubble Mat is a true ergonomic mat. The VWR® Bubble mat has the comfort of a polyurethane mat and the added benefit of easy clean-ability due to its closed-cell/non-porous top surface.

- Stimulate the body to increase blood circulation and alertness
- Molded beveled edges eliminate tripping hazards
- Silcone free, latex free
- Antistatic and meets ISO Class 5 (Class 100) compliance
- Easy-to-clean, closed-cell/nonporous top surface
- Highly resistant to chemicals and UV light

Safety features include molded beveled edges that will never curl up, eliminating tripping hazards. With the VWR® Bubble mat, you will never have overlapping or worn-out connecting mats, which also eliminates tripping hazards.

Constructed of the highest quality using only virgin raw material, this bubble mat has lifetime ergonomic benefits. The VWR® Bubble mat is silicone & latex-free. Using its unique ergonomic designs, this mat prevents common problems encountered in standing environments, while stimulating the body to increase blood circulation and alertness that will reduce sick leave, workers' compensation and quality issues. The VWR® Bubble mat is a solid mat throughout, which means no hollow bubbles that collapse.

The VWR® Bubble mat can be customized to any size and any shape, always in one piece.

Certifications: Meets Cleanroom ISO Class 5 (Class 100) compliance.

Specifications

- Thickness:

  16 mm (⅝")

- Width:

  335 cm (11 ft.)

- Length:

  61 cm (2 ft.)

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.


Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

3. VWR® Ergonomic Smooth Floor Mats, Blue

11 mm ($^{7}/_{16}$"), 61 cm (2 ft.), 91 cm (3 ft.)

Catalog #: 89185-122

Supplier: VWR International



Product Details & Documents

The VWR® Smooth Mat is a true anti-fatigue mat. This smooth mat has the comfort of a polyurethane mat and the added benefit of easy clean-ability due to its closed-cell/non-porous top surface.

- Stimulate the body to increase blood circulation and alterness
- Molded beveled edges eliminate tripping hazards
- Silcone free, latex free
- Antistatic and meets ISO Class 5 (Class 100) compliance
- Easy-to-clean, closed-cell/nonporous top surface
- Highly resistant to chemicals and UV light

Safety features include molded beveled edges that will never curl up, eliminating tripping hazards. With the VWR® Smooth mat, you will never have overlapping or worn-out connecting mats, also eliminating tripping hazards.

Constructed of the highest quality using only virgin raw material, this mat has lifetime ergonomic benefits. The VWR® Smooth mat is silicone & latex-free. Using its unique ergonomic designs, this smooth mat prevents common problems encountered in standing environments while stimulating the body to increase blood circulation and alertness that will reduce sick leave, workers' compensation and quality issues. The VWR® Smooth mat is a solid mat throughout.

It also can be customized to any size and any shape, always in one piece.

Certifications: Meets Cleanroom ISO Class 5 (Class 100) compliance.

Specifications

- Thickness:

  11 mm ($^{7}/_{16}$")

- Width:

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

61 cm (2 ft.)

- Length:

91 cm (3 ft.)

4. VWR® Ergonomic Smooth Floor Mats, Gray

16 mm (⅝"), 270 cm (9 ft.), 61 cm (2 ft.)

Catalog #: 76318-992

Supplier: VWR International



Product Details & Documents

The VWR® Smooth Mat is a true anti-fatigue mat. This smooth mat has the comfort of a polyurethane mat and the added benefit of easy clean-ability due to its closed-cell/non-porous top surface.

- Stimulate the body to increase blood circulation and alterness
- Molded beveled edges eliminate tripping hazards
- Silcone free, latex free
- Antistatic and meets ISO Class 5 (Class 100) compliance
- Easy-to-clean, closed-cell/nonporous top surface
- Highly resistant to chemicals and UV light

Safety features include molded beveled edges that will never curl up, eliminating tripping hazards. With the VWR® Smooth mat, you will never have overlapping or worn-out connecting mats, also eliminating tripping hazards.

Constructed of the highest quality using only virgin raw material, this mat has lifetime ergonomic benefits. The VWR® Smooth mat is silicone & latex-free. Using its unique ergonomic designs, this smooth mat prevents common problems encountered in standing environments while stimulating the body to increase blood circulation and alertness that will reduce sick leave, workers' compensation and quality issues. The VWR® Smooth mat is a solid mat throughout.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

It also can be customized to any size and any shape, always in one piece.

Certifications: Meets Cleanroom ISO Class 5 (Class 100) compliance.

Specifications

- Thickness:

  16 mm (⅝")

- Width:

  270 cm (9 ft.)

- Length:


  61 cm (2 ft.)

5. VWR® Ergonomic Economy Bubble Floor Mats, Charcoal Gray

16 mm (⅝"), 335 cm (11 ft.), 61 cm (2 ft.)

Catalog #: 76314-542

Supplier: VWR International



Product Details & Documents

The VWR® Economy Bubble Mat is a low-density polyurethane material with an ergonomic profile. This bubble mat is designed for dry, non-critical environments while reducing trip hazards, body aches, quality issues and sick leaves. No bubble matting available delivers as much relief and comfort at this price. The VWR® Economy Bubble Mat can be customized to any size and any shape, always in one piece.

- Stimulate the body to increase blood circulation and alertness
- Molded beveled edges eliminate tripping hazards
- Silcone free, latex free
- Easy-to-clean, closed-cell/nonporous top surface
- Highly resistant to chemicals and UV light

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Safety features include molded beveled edges that will never curl up, eliminating tripping hazards

The VWR® Economy Bubble Mat has lifetime ergonomic benefits. Using its unique ergonomic designs, this bubble mat prevents common problems encountered in standing environments while stimulating the body to increase blood circulation and alertness that will reduce sick leave, workers' compensation and quality issues. The VWR® Economy Bubble Mat is a solid mat throughout, which means no hollow bubbles that collapse. This mat is silicone & latex-free.

With the VWR® Economy Bubble Mat, you will never have overlapping or worn-out connecting mats, which also eliminates tripping hazards.

Specifications

- Thickness:

  16 mm (⅝")

- Width:

  335 cm (11 ft.)

- Length:


  61 cm (2 ft.)

6. VWR® Ergonomic Economy Smooth Floor Mats, Black

11 mm ($^{7}/_{16}$"), 61 cm (2 ft.), 91 cm (3 ft.)

Catalog #: 89185-440

Supplier: VWR International



Product Details & Documents

The VWR® Economy Smooth Mat is a low-density polyurethane material with an anti-fatigue profile. This flat mat is ideal for dry, non-critical environments combining both sitting and standing work areas. No smooth matting available delivers as much relief and comfort at this price. The

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

VWR® Economy Smooth Mat can be customized to any size and any shape, always in one piece.

- Stimulate the body to increase blood circulation and alertness
- Molded beveled edges eliminate tripping hazards
- Silcone free, latex free
- Easy-to-clean, closed-cell/nonporous top surface
- Highly resistant to chemicals and UV light

Safety features include molded beveled edges that will never curl up, eliminating tripping hazards

The VWR® Economy Smooth Mat has lifetime ergonomic benefits. Using its unique ergonomic designs, this flat mat prevents common problems encountered in standing environments while stimulating the body to increase blood circulation and alertness that will reduce sick leave, workers' compensation and quality issues. The VWR® Economy Smooth Mat is a solid mat throughout. This mat is silicone & latex-free.

With the VWR® Economy Smooth Mat, you will never have overlapping or worn-out connecting mats, which also eliminates tripping hazards.

Specifications

- Thickness:

  11 mm ($^{7}/_{16}$")

- Width:

  61 cm (2 ft.)

- Length:

  91 cm (3 ft.)

7. ERGOMAT® Softline® Rubber Mats, ERGOMAT

Black, 16 mm (⅝"), 61 cm (2 ft.), 152 cm (5 ft.)

Catalog #: 89169-112

Supplier: Ergomat
Supplier Number: SL0205-BK

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com



Product Details & Documents

Pure nitrile rubber mats are ideal for areas exposed to significant moisture and slip hazards and are typically used in metal and welding operations, heavy manufacturing, and commercial kitchens.

- Latex-free, nonporous, chemically resistant mats
- Heat and abrasion resistant, and nonabsorbent
- Withstand, animal grease, gasoline, oil, and organic solvents

These nonslip mats promote muscle stimulation, even while standing, which increases circulation and reduces fatigue and long-term injury. Mats are autoclavable at 121 °C (250 °F), or may be easily cleaned using chemical, steam, or high-pressure systems to prevent bacterial accumulation.

Certifications: Mats are suitable for use in ISO Class 5 (FED-STD-209E Class 100/M3.5) cleanrooms.

Ordering information: Mats come with a manufacturer's three-year warranty. Mats are available in any size or shape; contact your Avantor sales representative for more information.

Specifications

- Color:

  Black

- Thickness:

  16 mm (⅝")

- Width:

  61 cm (2 ft.)

- Length:

  152 cm (5 ft.)

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

8. ERGOMAT® Softline® Rubber Mats, ERGOMAT

Grey, 16 mm (⅝"), 61 cm (2 ft.), 91 cm (3 ft.)

Catalog #: 22231-168

Supplier: Ergomat
Supplier Number: SL0203-GRA

Product Details & Documents

Pure nitrile rubber mats are ideal for areas exposed to significant moisture and slip hazards

- These mats are latex-free
- Mats are autoclavable at 121 °C (250 °F)
- May be easily cleaned using chemical, steam, or high pressure systems to prevent bacterial accumulation

These nonslip mats promote muscle stimulation, even while standing, which increases circulation and reduces fatigue and long-term injury. Mats are chemical-resistant, heat- and abrasion-resistant, nonporous, nonabsorbent, and formulated to withstand animal grease, gasoline, oil, and organic solvents.

Mats are typically used in metal and welding operations, heavy manufacturing, and commercial kitchens.

Certifications: Mats are suitable for use in ISO Class 5 (FED-STD-209E Class 100/M3.5) cleanrooms.

Ordering information: Mats come with a manufacturer's three-year warranty. Mats are available in any size or shape; contact your Avantor sales representative for more information.

Specifications

- Color:

  Grey

- Thickness:

  16 mm (⅝")

- Width:

  61 cm (2 ft.)

- Length:

  91 cm (3 ft.)

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.


Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

9. ERGOMAT® Hygiene Rubber Floor Mats, ERGOMAT

Grey, 11 mm ($^{7}/_{16}$"), 122 cm (4 ft.), 122 cm (4 ft.)

Catalog #: 89169-374

Supplier: Ergomat
Supplier Number: EH0404-GRA



Product Details & Documents

The ERGOMAT® Hygiene is a cone profile ergonomic mat well suited for use in critical environments requiring daily caustic sanitation

- Use in hospitals and clinics, laboratories, food processing facilities, commercial kitchens
- Available in 4 colors (blue, gray, red, and green) to help eliminate the potential for cross contamination issues
- Mats can be safely autoclaved (2’ x 3’ size only)
- Mats come with manufacturer’s three-year warranty

Mats are 11 mm ($^{7}/_{16}$") thick and 91.4 cm (36") wide, with beveled edges on all sides to prevent curling and eliminate trip hazards. These nonslip rubber mats promote occupational safety and health and deliver ergonomic benefits in the most demanding environments.

Mats have a broad range of pH resistance (2 to 13) and tolerate a variety of chemical exposures, except oils.

Certifications: Mats are USDA approved, meet CIFA standards for food processing, and are ISO Class 5 cleanroom rated.

Documents

Datasheet

- TDS Ergomat® Hygiene Cleanroom Anti-fatigue Mats

Specifications

- Color:

  Grey

- Thickness:

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

11 mm ($^{7}/_{16}$")

- Width:

  122 cm (4 ft.)

- Length:

  122 cm (4 ft.)

- Cat. No.:

  89169-374

10. Ergomat® Hygiene Cleanroom Anti-Fatigue Food and Medical Floor Mats, Ergomat

Red, 11 mm ($^{7}/_{16}$"), 122 cm (4 ft.), 122 cm (4 ft.)

Catalog #: 89169-474

Supplier: Ergomat
Supplier Number: EH0404-RED



Product Details & Documents

Hygiene Food and Medical Mat has a broad chemical and pH resistance profile making it perfect for use in areas requiring frequent and caustic sanitation like medical and food processing applications.

- Made of Virgin EPDM rubber
- Can be pressure washed to 1500 psi
- Broad pH resistance from 2 to 13
- Service temperature range −40 to 120 °C

In situations with excessive fluid volume, or the need to promote air flow, Hygiene can be die-cut to accommodate these requirements,
Light Weight and Easy to clean has made this mat a favorite amongst medical professionals as well as in the food industry.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

Certifications: ISO Cleanroom Class 5 (Class 100) rated and USDA Certified.

Documents

Datasheet

- TDS Ergomat® Hygiene Cleanroom Anti-fatigue Mats

Specifications

- Color:

  Red

- Thickness:

  11 mm ($^{7}/_{16}$")

- Width:

  122 cm (4 ft.)

- Length:

  122 cm (4 ft.)

11. VWR® PureStep Multi-Layer Adhesive Floor Mats, Antimicrobial

Supplier: VWR Collection



Product Details & Documents

Multi-layer adhesive floor mats help capture contamination from footwear and transport wheels at cleanroom, laboratory, healthcare and industrial entry points.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- Full-surface adhesive helps remove debris from shoes and transport containers before entry into controlled spaces
- Antimicrobial agent protects against the growth of bacteria and fungi on the mat
- Numbered peel-away layers make it easy to expose a clean surface when the top layer becomes soiled
- Non-slip, low-profile construction supports safer movement through entry areas
- Options include 30-layer, 60-layer, high-tack, and multiple color formats to suit facility needs

Low-density polyethylene construction supports routine contamination control at entry points while reducing maintenance and cleaning burden.

The VWR® PureStep family includes clear, white, grey, and blue options, allowing facilities to align mat selection with workflow visibility, space design or contamination-control zones.

Selected mats contain GMO-free, renewable plant-based material to help reduce CO_2 emissions, and used layers can be recycled after use through compatible plastic packaging recycling programs.

Documents

Certificates

Search by Lot Number

Application

- Antimicrobial report on PureStep multilayer adhesive mats
- Microbial adherence report for adhesive mats
- What is the environmental impact of your business?

Product Literature

- Avantor Purestep Adhesive Mats

Conformity declaration

- CoC Multi-layer Adhesive Floor Mats, PureStep 1.8 mm Thickness.pdf
- CoC VWR Multi-Layer Adhesive Floor Mats PureStep.pdf

Certificate of Compliance

KGDN Technologies Ltd.

6A Tito Broz Street,
Off Jimmy Carter Street, Asokoro District,
Abuja, Nigeria.

Telephone: +234 8120381208 +234 8055201757
Email: contact@kgdntech.com
Website: www.kgdntech.com

- CoC VWR Multi-Layer Adhesive Floor Mats, PureStep
- COC_VWRI115-0047_UR0317
- COC_VWRI115-0047_UU0249
- COC_VWRI115-0050_UR0119
- COC_VWRI115-0055_UU0224

More

Manual

- Manual EnviroTack™ protocol for cleanroom use

Datasheet

- VWRI115-0057_TDS_EN
- VWRI115-0063_TDS_EN
- VWRI115-0072_TDS_EN